ELSEVIER

Inorganica Chimica Acta 241 (1996) VII–XIII

Inorganica Chimica Acta

Cumulative Author Index of Volumes 228–240

Abboud, K.A., **238**, 149
Abram, U., **230**, 189; **231**, 245
Abrams, M.J., **231**, 13
Abugideiri, F., **229**, 445
Aburri, C., **237**, 117
Acho, J.A., **229**, 5
Adachi, T., **231**, 95
Adamo, C., **238**, 159
Adams, R.D., **229**, 47
Adhikary, B., **228**, 237
Agaskar, P.A., **229**, 355
Aguiari, A., **235**, 233
Aime, S., **235**, 357
Ainscough, E.W., **234**, 163; **236**, 83
Airoldi, M., **229**, 461
Aït-Mohand, S., **238**, 183
Akao, H., **231**, 95
Albinati, A., **235**, 215
Alessio, E., **240**, 413
Alexander, J.J., **240**, 495
Alexander, V., **238**, 63
Alibrandi, G., **235**, 281
Allen, C.S., **239**, 29
Alshehri, S., **240**, 305
Alzuet, G., **232**, 117
Amaudrut, J., **239**, 117
Anderson, C., **233**, 33
Anderson, G.K., **228**, 73
Andrade, C., **231**, 21
Andriollo, A., **238**, 187
Angelici, R.J., **235**, 61; **240**, 393, 567
Antholine, W.E., **240**, 535
Antolovich, M., **230**, 139
Antonova, A.B., **230**, 97
Aono, S., **233**, 127
Ara, I., **232**, 35
Aramaki, K., **230**, 215
Ardon, M., **229**, 417
Arena, G., **235**, 281; **237**, 187; **240**, 81
Arif, A.M., **240**, 33, 515
Arion, V.B., **238**, 23
Armstrong, W.H., **229**, 261
Arriortua, M.I., **231**, 103; **232**, 9
Asamaki, K., **236**, 155
Asaro, F., **236**, 141
Astruc, D., **240**, 105
Atlay, M.T., **230**, 193
Atria, A.M., **228**, 261
Atton, J.G., **240**, 71
Au, Y.-K., **228**, 267; **238**, 193
Audebert, P., **239**, 117
Aye, K.-T., **235**, 307
Azuma, K., **238**, 83

Bachmann, C., **238**, 35
Bail, P., **237**, 137
Bailey, N.A., **232**, 227; **235**, 273
Baird, D.M., **237**, 117
Baird, I.R., **235**, 291
Baistrocchi, P., **235**, 173
Baize, M.W., **235**, 1
Baker, A.T., **230**, 225; **231**, 241
Bal, W., **231**, 7
Balakrishna, M.S., **230**, 245
Banci, L., **240**, 251
Banerjea, D., **240**, 117
Barba-Behrens, N., **239**, 93
Bardwell, D.A., **236**, 125
Barnes, C.L., **240**, 191, 367
Baron, V., **235**, 69
Barone, V., **238**, 159
Barron, L.S., **237**, 117
Basolo, F., **235**, 89
Bassetti, M., **240**, 485
Basson, S.S., **234**, 153
Bastian, M., **235**, 99; **240**, 313
Batista, A.A., **230**, 111
Battaglia, L.P., **230**, 59; **237**, 151, 169
Battistuzzi, G., **234**, 9
Bauer, G., **228**, 173
Beattie, J.K., **235**, 245; **240**, 641
Beatty, R.N., **238**, 109
Beauchamp, A.L., **233**, 33; **237**, 13
Becher, J., **234**, 67
Beck, C.M., **240**, 435
Beck, W., **235**, 391; **240**, 339
Belletti, A., **235**, 349
Belli Dell'Amico, D., **240**, 1
Belluco, U., **229**, 13; **235**, 397; **240**, 567
Benetollo, F., **233**, 5; **240**, 567
Benfield, R.E., **229**, 221
Benito, A., **231**, 45
Béreau, V., **239**, 39
Berger, R.M., **232**, 217
Beringhelli, T., **229**, 461
Bertani, R., **229**, 13; **233**, 5; **235**, 397; **237**, 27; **240**, 567
Bertini, I., **235**, 5; **240**, 251
Bertolasi, V., **234**, 173
Bhattacharyya, N.K., **237**, 65
Biagini, P., **240**, 1
Biagini Cingi, M., **235**, 37
Bignozzi, C.A., **233**, 113
Bigoli, F., **235**, 37
Billo, E.J., **230**, 19
Bills, J.L., **229**, 171
Bino, A., **229**, 417; **232**, 167
Binstead, R.A., **235**, 245
Bishop, R., **228**, 109
Bkouche-Waksman, I., **230**, 159
Blake, A.B., **229**, 281; **231**, 187
Blake, A.J., **240**, 29
Bläser, D., **238**, 179
Blinn, E.L., **234**, 75
Blum, J., **240**, 145
Bocelli, G., **240**, 485
Boese, R., **238**, 179
Bögel, H., **234**, 47
Bolívar, C., **240**, 183
Bolletta, F., **233**, 21
Bolos, C.A., **228**, 173; **237**, 123
Bolzati, C., **231**, 147
Bolívar, A., **238**, 187
Bombieri, G., **233**, 5; **240**, 567
Bommarreddy, P.R., **231**, 109
Bonamartini Corradi, A., **230**, 59; **233**, 85
Bonardi, A., **232**, 211
Bond, A.H., **229**, 307
Bond, A.M., **228**, 193; **235**, 117
Bonhomme, C., **230**, 85
Bonifaci, C., **240**, 541
Bonnet, G., **237**, 79
Bonvoisin, J., **238**, 15
Borrás, J., **232**, 117
Borromei, R., **235**, 349
Bortolini, O., **233**, 113
Boschi, T., **235**, 15
Bott, S.G., **230**, 45; **232**, 57; **238**, 57
Böttger, U., **231**, 29
Bouayad, A., **230**, 1
Boukheddaden, K., **240**, 105
Bourne, S., **232**, 109
Brabec, V., **231**, 57
Bradley, M.S., **233**, 71
Braga, D., **235**, 413
Brandon, E.J., **240**, 515
Brandt, K., **228**, 187
Brechbiel, M.W., **239**, 43
Brenčič, J.V., **229**, 421
Brewer, G., **232**, 183
Brewer, K.J., **230**, 35
Brianese, N., **235**, 233
Bricklebank, N., **232**, 145
Brodie, A.M., **234**, 163; **236**, 83
Brondino, C.D., **228**, 261
Broomhead, J.A., **240**, 13, 19
Brorson, M., **232**, 171
Brown, D.A., **237**, 71
Brown, F., **230**, 145
Brown, T.L., **240**, 427
Brückner, S., **236**, 209
Brüggeller, P., **238**, 35
Bruno, J.W., **233**, 71
Bruns, W., **229**, 143
Bu, X.-H., **240**, 257
Buchen, Th., **231**, 221
Buckingham, D.A., **240**, 125
Budzichowski, T.A., **235**, 339
Buglyó, P., **239**, 145
Burckhardt, U., **240**, 631
Burger, K., **230**, 105
Burgess, J., **240**, 305
Burini, A., **229**, 299
Bursten, B.E., **229**, 437
Burt, J.A., **234**, 13
Busch, D.H., **234**, 143
Bustin, D., **228**, 153
Butcher, R.J., **230**, 19, 241; **239**, 107
Butler, I.S., **231**, 191; **240**, 673
Byrke, M.S., **238**, 139

Cabeza, J.A., **237**, 103
Cadot, E., **239**, 39
Calderazzo, F., **229**, 179; **240**, 1
Caldwell, C.D., **240**, 519
Calì, R., **237**, 187
Calogero, S., **229**, 299
Calvo, R., **228**, 261
Campo, J.A., **228**, 251
Camus, A., **236**, 117
Canary, J.W., **239**, 29
Caneschi, A., **235**, 159
Cano, J., **231**, 45
Cano, M., **228**, 251
Canovese, L., **235**, 29, 45
Cantoni, A., **240**, 485
Cao, R., **231**, 153
Cargill Thompson, A.M.W., **235**, 165
Carmalt, C.J., **234**, 189
Carpenter, J.P., **229**, 121
Carper, W.R., **230**, 185; **238**, 115
Carter, R.J., **240**, 263

Elsevier Science S.A.

Carter, T., **228**, 69
Carugo, O., **229**, 421
Casanova, J., **232**, 117
Casarin, M., **235**, 151
Casas, J.M., **229**, 291; **235**, 51
Casas, J.S., **238**, 129; **239**, 87
Castan, P., **237**, 207
Castellano, E.E., **238**, 129; **239**, 87
Castro, R., **237**, 143
Cataldo, F., **232**, 27
Cattalini, L., **235**, 29
Caudle, M.T., **240**, 519
Caulton, K.G., **229**, 187
Cauzzi, D., **235**, 173
Cea-Olivares, R., **233**, 151; **236**, 31
Ceccon, A., **240**, 541
Chakraborty, P., **229**, 477
Chakravarti, B., **240**, 117
Chakravarty, A.R., **229**, 33
Chakravorty, A., **229**, 477
Champness, N.R., **233**, 43
Chan, A.S.C., **228**, 159; **234**, 95
Chan, S.C., **236**, 101
Chandra, S.K., **229**, 477
Chang, C.D., **229**, 81
Chang, C.K., **240**, 603
Chang, Y.-D., **231**, 13; **237**, 143
Chantson, T.E., **230**, 165
Chase, K.J., **229**, 39
Chatlas, J., **233**, 59
Chau, D.E.K.-Y., **240**, 419
Chaudhuri, P., **232**, 125
Chen, C.C., **234**, 95
Chen, H.-B., **232**, 43
Chen, J., **234**, 27; **235**, 61
Chen, L., **229**, 47; **240**, 399
Chen, Q., **230**, 205; **231**, 13; **235**, 135
Chen, X.-M., **240**, 5
Chen, Y., **229**, 391; **230**, 77; **240**, 41
Chen, Y.-T., **240**, 257
Chen, Z.N., **233**, 131; **234**, 27
Cheng, B., **237**, 5
Cheng, M.-C., **229**, 153
Chengtai, W., **231**, 217
Cherryman, J., **235**, 165
Cheung, K.-K., **228**, 267; **238**, 193
Chin, T.T., **240**, 623
Chipperfield, J.R., **231**, 187
Chisholm, M.H., **235**, 339
Chiumia, G.C., **238**, 197
Choi, S.U., **239**, 133
Choplin, A., **237**, 103
Choppin, G.R., **239**, 139
Christidis, P.C., **228**, 173; **237**, 123
Chuang, C.-L., **239**, 29
Chunchen, L., **228**, 225
Churchill, M.R., **239**, 77
Ciftan, S.A., **240**, 335
Ciurli, S., **240**, 251
Clark, C.R., **240**, 125
Clark, R.J.H., **235**, 205
Clark, S., **231**, 187
Claver, C., **233**, 161
Cleary, B.P., **240**, 135
Clegg, W., **237**, 87
Codjovi, E., **235**, 69
Cohen, H., **235**, 5; **240**, 503
Colacio, E., **231**, 103; **234**, 61
Colbran, S.B., **228**, 109; **239**, 1
Colcher, D., **239**, 43
Cole, A.A., **240**, 355
Colton, R., **228**, 193; **231**, 65, 87; **233**, 51; **235**, 117
Connick, W.B., **240**, 169
Connolly, P.J., **230**, 19
Constable, E.C., **235**, 165
Contino, A., **237**, 187
Contreras, R., **239**, 93
Corain, B., **233**, 165
Cornebise, M., **239**, 29
Corning, J.F., **229**, 335
Corwin, Jr., D.T., **229**, 335
Costa, G., **236**, 141
Costes, J.-P., **230**, 199; **237**, 57; **239**, 53
Cotton, F.A., **234**, 115; **235**, 21; **236**, 21, 43, 55; **237**, 19
Couce, M.D., **234**, 195
Coulter, E.D., **240**, 603
Crabtree, R.H., **236**, 63
Craig, D.C., **228**, 109; **230**, 225; **231**, 241
Craig, P.R., **240**, 385
Cramarossa, M.R., **230**, 59; **233**, 85; **237**, 169
Crane, J.D., **237**, 181
Crass, J.K., **230**, 225
Creighton, J.R., **237**, 87
Crivelli, I., **231**, 21
Crociani, B., **235**, 45
Crosby, G.A., **228**, 81
Cross, R.J., **231**, 195, 207
Crumbliss, A.L., **240**, 519
Cucinotta, V., **228**, 119
Cunningham, D., **229**, 95; **232**, 195
Curcuruto, O., **233**, 113

D'Agostino, A., **233**, 51
Dahan, F., **230**, 199; **239**, 53
Daniels, L.M., **229**, 27; **235**, 21
Daolio, S., **235**, 381
da Silva, R.S., **235**, 427
Dastrù, W., **235**, 357
Davidson, M.F., **235**, 327
Davies, D.L., **236**, 89
Davies, H.O., **237**, 71
Davis, M.I., **235**, 195
Davison, A., **230**, 205
Dawson, J.H., **240**, 603
Day, C.X., **228**, 159
Day, V., **229**, 315
Day, V.W., **229**, 391
De Battisti, A., **235**, 381
de Brito, M.A., **237**, 131
Decock, P., **239**, 145
Deeming, A.J., **235**, 147
Deganello, G., **229**, 461
De Graaff, R.A.G., **234**, 87
de Klerk-Engels, B., **240**, 273
Del Favero, P., **235**, 245
Delgado, G., **233**, 145
Delis, J.G.P., **240**, 273
Della Pergola, R., **235**, 407
Della Porta, C., **240**, 1
Del Ministro, E., **240**, 631
Del Río, F., **230**, 173
De Munno, G., **234**, 181; **239**, 155
de O. Silva, D., **234**, 115
De Simone, T., **240**, 323
Desmarais, N., **238**, 159
de Vos, R.M., **235**, 127
Dewaele, D., **239**, 145
Dewan, J.C., **228**, 199
Deykhina, N.A., **230**, 97
Dhar, S.K., **240**, 609
Dhillon, R., **236**, 185
Diana, E., **235**, 407
Diaz, C., **231**, 229
Diaz, H., **232**, 131
Diaz, M.R., **232**, 117
Di Bianca, F., **235**, 45
Di Bilio, A.J., **240**, 169
Dickson, R.S., **240**, 323
Dikarev, E.V., **237**, 19
Ding, H., **229**, 329
Di Noto, V., **233**, 165
Diven, G., **239**, 107
Djordjevic, C., **230**, 241; **233**, 97
Dominguez-Vera, J.M., **234**, 61
Donard, O.F.X., **236**, 189
Dong, G., **231**, 241
Dorsey, J.G., **229**, 271
Douki, K., **230**, 235
Drago, V., **237**, 131
Drake, G.W., **240**, 63
Driessen, W.L., **235**, 127
Drodz, J., **228**, 187
Duatti, A., **231**, 147
Dubourdeaux, P., **240**, 657
Duckworth, P.A., **230**, 51
Duesler, E.N., **231**, 1
Dunbar, K.R., **229**, 373; **240**, 527
Dyson, P.J., **235**, 413; **240**, 29

Eberspacher, T.A., **229**, 315, 391
Ebihara, M., **231**, 35
Edge, M.D., **229**, 425
Edwards, J.O., **235**, 9
Eggleston, D.S., **234**, 149
Eglin, J.L., **229**, 113
Ehlers, N., **236**, 203
Eisenberg, R., **240**, 135
Elder, R.C., **229**, 271
El Fallah, M.S., **232**, 151
El Guaouzi, M., **231**, 181
Ellis, J.E., **240**, 379
Elsbernd, H., **240**, 641
Elsevier, C.J., **235**, 77; **240**, 273
Emri, J., **233**, 119
Endo, K., **236**, 155
Engebretson, D.S., **240**, 551
Englert, U., **231**, 167, 175; **235**, 117
Enqin, F., **231**, 217
Erickson, G., **239**, 107
Ernst, R.D., **240**, 33
Ernsting, J.-M., **240**, 273
Erre, L.S., **236**, 149
Escuer, A., **232**, 151; **234**, 61
Espidel, Y., **240**, 183
Estevan, F., **229**, 365
Etz, A., **235**, 127
Evtushenko, N.S., **238**, 139

Fabbrizzi, L., **238**, 5
Facchin, B., **235**, 381
Facchin, G., **237**, 27
Fackler, Jr., J.P., **229**, 61
Fages, F., **236**, 189
Fahn, K.L., **228**, 69
Faller, J.W., **229**, 39
Fallon, G.D., **228**, 237
Falvello, L.R., **229**, 135; **232**, 35
Fanizzi, F.P., **235**, 205
Fanning, J.C., **232**, 199
Fanwick, P.E., **229**, 105
Farrugia, L.J., **234**, 189
Favero, G., **239**, 67
Fawzi, R., **231**, 201
Fehlhammer, W.P., **235**, 299
Feighery, W.G., **228**, 103
Feil-Jenkins, J.F., **236**, 67
Felder, M., **240**, 313
Feldmann, G., **235**, 99
Felix, K., **233**, 11
Feng, X., **229**, 455; **235**, 21; **237**, 19
Fenton, D.E., **232**, 227; **235**, 273
Fenton, R.R., **231**, 73; **236**, 109
Feringa, B.L., **230**, 169
Fernández, E.J., **238**, 173
Fernández-Colinas, J.M., **237**, 103
Fernandez-Garcia, M.I., **237**, 57
Fernando, Q., **230**, 145; **232**, 91, 203
Ferraro, F., **235**, 159
Ferretti, S., **234**, 9
Fettinger, J.C., **229**, 445; **240**, 355
Fietz, T., **231**, 233
Filipek, K., **231**, 237
Findsen, E.W., **234**, 101
Fjare, K.L., **240**, 379
Flörke, U., **232**, 125
Flower, K.R., **240**, 385
Foglia, C., **235**, 37
Folting, K., **235**, 339
Fontal, B., **233**, 145
Font-Bardía, M., **231**, 229
Font-Bardía, M., **231**, 181
Forniés, J., **232**, 35; **235**, 51
Fortuño, C., **235**, 51
Fourmigué, M., **239**, 117
Foxman, B.M., **229**, 323
Fraanje, J., **240**, 273
Frachey, G., **240**, 485
Frampton, C.S., **233**, 43
Franklin, S.J., **235**, 185
Frausto da Silva, J.J.R., **235**, 397
Freeman, J.W., **240**, 33
Freund, M.S., **240**, 447
Frey, S.T., **229**, 383

Fromhold, M.G., **235**, 339
Frühauf, H.-W., **240**, 273
Frydendahl, H., **234**, 67
Fu, W., **229**, 307
Fuchita, Y., **233**, 91; **239**, 125
Fujita, T., **230**, 215
Fukuda, Y., **228**, 89
Fukuhara, D., **236**, 37
Fukui, J., **239**, 165
Fukui, K., **238**, 73
Fukushima, N., **238**, 121
Fumagalli, A., **235**, 407
Funahashi, S., **231**, 115
Fuping, K., **228**, 225

Gabriele, B., **234**, 181
Gafney, H.D., **240**, 645
Galassi, R., **229**, 299
Gałdecka, E., **232**, 207
Gałdecki, Z., **232**, 207
Galin, O., **231**, 29
Gallardo, P., **233**, 155
Gallucci, J.C., **235**, 1
Gallus, J., **240**, 575
Gambarotta, S., **235**, 375
Ganis, P., **237**, 27
Gansow, O.A., **239**, 43
Gantzel, P.K., **240**, 299
Gao, Y., **240**, 153, 661
García, E., **233**, 155
Garcia, J.J., **230**, 173; **240**, 183
Garcia-Bernabé, A., **229**, 203
Garcia Díaz, J., **236**, 163
García-Granda, S., **229**, 203, 365; **232**, 117
García-Tasende, M.S., **239**, 87
García-Vázquez, J.A., **237**, 143
Garoufis, A., **240**, 673
Garralda, M.A., **232**, 9
Gatteschi, D., **235**, 159
Geiger, W.E., **240**, 623
Gelosi, S., **235**, 381
Gemelli, L., **235**, 29
Gennaro, G., **229**, 461
Gerards, M., **229**, 101
Gerbeleu, N.V., **238**, 139
Gerfin, T., **235**, 215
Ghedini, M., **239**, 155
Giambra, J., **239**, 77
Giannotti, C., **232**, 63
Gielen, M., **239**, 177
Gillard, R.D., **233**, 79
Gilli, P., **234**, 173
Gillon, B., **235**, 69
Gimeno, M.C., **238**, 173
Gingerich, K.A., **229**, 455
Ginzburg, A.G., **230**, 97
Giordano, F., **239**, 61
Giordano, R., **228**, 139
Giovannitti, B., **238**, 159
Giusti, J., **230**, 59; **233**, 85
Glaser, M., **232**, 235; **240**, 465
Glass, T.E., **229**, 329
Gleizes, A., **230**, 1
Gleria, M., **229**, 13
Głowiak, T., **236**, 141, 149
Go, E., **233**, 71
Gobetto, R., **235**, 357
Goddard, R., **238**, 23
Godino-Salido, M.L., **232**, 139; **236**, 197
Golub, G., **235**, 5
Gonzalez, A.A., **240**, 175
González, G., **230**, 67
Goodgame, D.M.L., **229**, 77
Goodgame, M., **229**, 165
Goodloe, G.W., **229**, 127
Gordon, D.C., **228**, 103
Goto, F., **231**, 95
Goto, T., **239**, 159
Goubitz, K., **232**, 19; **240**, 273
Gourdon, A., **237**, 93
Govind, R., **230**, 219; **231**, 225
Graeppi, N., **235**, 311
Gramlich, V., **235**, 215; **240**, 575, 631
Grand, A., **240**, 657
Grant, G.J., **234**, 35
Grasso, G., **228**, 119
Gray, H.B., **240**, 169
Green, J., **230**, 231
Gregory Dewey, T., **235**, 245
Greiwing, H., **234**, 127
Grepioni, F., **235**, 413
Griesar, K., **237**, 131
Grist, A.J., **236**, 89
Gronlund, P.J., **234**, 13
Grove, D.M., **235**, 327
Grover, N., **240**, 335
Gruhn, N.E., **240**, 623
Gu, J.M., **233**, 131
Güdel, H.U., **238**, 45; **240**, 453
Guedes da Silva, M.F.C., **235**, 397
Guevara-García, J.A., **239**, 93
Guillaume, P., **233**, 109
Gülpen, J.H., **235**, 77
Gutierrez, A., **230**, 173
Gutierrez-Rodriguez, A., **232**, 117
Gutiérrez-Valero, M.D., **232**, 139; **236**, 197
Gütlich, P., **231**, 221
Guyon, F., **239**, 117
Győri, B., **233**, 119
Gyurcsik, B., **230**, 105

Haase, W., **235**, 273; **237**, 131
Haasnoot, J.G., **231**, 57; **234**, 87; **239**, 5
Hachiya, K., **230**, 249; **231**, 213; **232**, 231; **233**, 1; **236**, 181
Hadjiliadis, N., **231**, 191; **240**, 673
Haefner, S.C., **240**, 527
Hahn, F.E., **232**, 235; **240**, 465
Haiduc, I., **233**, 151
Haikal, A., **238**, 155
Halasyamani, P., **240**, 109
Halbach, R., **240**, 313
Hall, D.A., **229**, 253
Halvorsen, K., **228**, 81
Hamdan, M., **233**, 113
Hamdush, M., **236**, 131
Hammerich, O., **234**, 67
Hamon, J.-R., **240**, 105
Hamon, P., **240**, 105
Han, S., **229**, 81
Hancock, R.D., **230**, 165
Handa, M., **230**, 41
Hansen, L., **240**, 413
Hanson, B.E., **229**, 329
Hao, J., **229**, 391
Harris, C.B., **229**, 469
Harrison, K.L., **231**, 65
Hartl, F., **232**, 99
Hartmann, U., **239**, 13
Harvey, J., **228**, 193
Hatzidimitriou, A., **237**, 93
Hauck, T., **235**, 391
Haupt, H.-J., **232**, 125
Haushalter, R.C., **232**, 83
Haustein, M., **231**, 201
Hawthorne, M.F., **235**, 89; **240**, 371
Haynes, A., **240**, 485
Hayward, P.K., **237**, 111
He, Q.-Y., **235**, 273
Heinrich, D.D., **229**, 61
Helvoigt, S.A., **240**, 551
Hemling, H., **240**, 145
Hennig, L., **234**, 67
Henry, P.M., **240**, 205
Herberhold, M., **231**, 249
Hernández, M.L., **230**, 173
Hernández, R., **232**, 9
Hernández-Ortega, S., **233**, 151; **236**, 31
Herold, S., **235**, 215
Hess, E.V., **229**, 271
Heyen, B.J., **229**, 241
Heyn, R.H., **229**, 187
Hibbert, D.B., **239**, 1
Hidaka, J., **239**, 19
Higgins, T.B., **240**, 347
Hill, M.G., **240**, 169
Hill, S.T., **231**, 133
Himeno, S., **236**, 167
Hines, E.M., **229**, 113
Hiraki, K., **239**, 125
Ho, D.M., **240**, 495
Ho, Y.-S., **232**, 227
Hoff, C.D., **240**, 175
Hoggard, P., **238**, 45
Holcombe, J.R., **232**, 217
Holley, W.K., **239**, 171
Holm, R.H., **229**, 229
Holt, E.M., **240**, 559
Hong, M., **231**, 153
Hori, T., **236**, 167
Horng, D.-N., **232**, 175
Horrocks, Jr. , W.
Horváth, A., **236**, 173
Hosmane, N., **231**, 109
House, D.A., **230**, 29; **233**, 25; **237**, 37
Howard, A., **240**, 527
Howell, F.S., **237**, 47
Howlader, M.B.H., **230**, 193
Hsu, T.-L.C., **240**, 551
Hu, G., **240**, 559
Hu, Q.-M., **230**, 127
Hu, S.-Z., **232**, 161; **234**, 5; **237**, 193
Huakuan, L., **228**, 225
Huang, J., **228**, 199
Huang, J.H., **234**, 95
Huang, J.-Q., **232**, 43
Huang, S.-P., **230**, 9
Huang, X.-Y., **230**, 127; **237**, 177
Huang, Y., **231**, 191
Huang, Y.-Q., **232**, 161
Hubbard, C.D., **240**, 305
Hügel, H., **235**, 117
Hughes, R., **237**, 181
Hughes, R.P., **240**, 653
Humber, G.J., **232**, 227
Hupp, J.T., **240**, 285
Hursthouse, M.B., **235**, 147
Hussain, I., **229**, 165
Hvastijová, M., **236**, 163
Hyatt, S., **231**, 121
Hyldtoft, J., **232**, 171
Hynes, R.C., **229**, 253

Ianelli, S., **232**, 211
Ibarlucea, L., **232**, 9
Ibers, J.A., **240**, 239
Ikemoto, I., **229**, 211
Ikezawa, H., **238**, 89
Ikezawa, Y., **238**, 89
Imhoff, P., **235**, 77
Ingham, S.L., **234**, 163; **240**, 29
Inoue, M., **230**, 145; **232**, 91, 203
Inoue, M.B., **230**, 145; **232**, 91, 203
Ishihara, K., **232**, 157
Ishimori, T., **238**, 89
Ito, T., **228**, 133
Itoh, M., **232**, 69
Iwamoto, M., **240**, 413

Jacobsen, C.J.H., **232**, 171
James, B.R., **230**, 111; **235**, 291; **240**, 419
James, C.A., **229**, 9
Janik, T.S., **239**, 77
Jasinski, J., **232**, 183; **239**, 107
Jasinski, J.P., **230**, 19
Jaud, J., **232**, 151; **237**, 207
Jeffery, J.C., **236**, 125
Jekel, A.P., **228**, 187
Jennings, J.G., **229**, 241
Jensen, G.E., **230**, 35
Ji, L.-N., **240**, 5
Jiang, F., **231**, 153
Jiang, W., **240**, 371
Jircitano, A.J., **238**, 149; **239**, 77
Johansson, A.A., **230**, 97
John, G.R., **240**, 71
Johnson, B.F.G., **229**, 221; **235**, 413; **240**, 29
Johnson, S.E., **235**, 89
Jones, A.G., **230**, 205
Jones, G.H., **229**, 425
Jones, P.G., **238**, 173
Jordan, A.D., **239**, 99
Jordan, R.B., **239**, 99
Josceanu, A.M., **240**, 159

Ju, T.D., **240**, 175
Julve, M., **231**, 45
Jun, M.-J., **239**, 133
Jung, O.-S., **239**, 133

Kaden, L., **230**, 189
Kagawa, S., **231**, 115
Kageyama, Y., **239**, 19
Kahn, O., **230**, 159; **235**, 69; **239**, 5
Kaim, W., **229**, 143
Kaizu, Y., **237**, 159
Kamada, H., **238**, 73
Kanatzidis, M.G., **230**, 9
Kanazawa (Kitanaka), Y., **237**, 47
Kane-Maguire, L.A.P., **240**, 71
Kang, B., **231**, 153
Karp, C., **240**, 447
Kasuga, K., **230**, 41
Katada, M., **229**, 211; **236**, 155
Katahira, D.A., **229**, 77
Kato, Y., **228**, 89
Katti, K.V., **240**, 367
Kawamura, T., **231**, 35
Kawashima, M., **232**, 69
Kawashima, T., **228**, 255
Kawata, S., **229**, 211; **236**, 155
Keana, K.J., **240**, 405
Keller, C.E., **230**, 185; **238**, 115
Kelly, C., **234**, 75
Kelso, M.T., **235**, 245
Kemp, T.J., **238**, 109
Kennedy, A.R., **231**, 195, 207
Kennedy, M.C., **240**, 535
Keogh, D.W., **240**, 355
Keppler, B.K., **233**, 59
Kernbach, U., **235**, 299
Kettle, S.F.A., **235**, 407
Kettler, P.B., **231**, 13
Khan, A.R., **234**, 109
Khan, M.I., **235**, 135
Kido, H., **228**, 133
Kikuchi, K., **229**, 211
Kikuchi, R., **228**, 89
Kim, J., **228**, 233; **235**, 9
Kim, K., **228**, 233
Kim, Y., **236**, 43, 55; **240**, 435
King, J.C., **229**, 469
King, R.B., **228**, 219; **235**, 111; **237**, 65
King, W.A., **229**, 343
Kirchner, K., **236**, 95
Kirk, A.D., **238**, 45
Kirmse, R., **234**, 67
Kirss, R.U., **228**, 103
Kiss, T., **239**, 145
Kitagawa, S., **229**, 211
Kivekäs, R., **232**, 1; **234**, 61
Klasen, R., **237**, 203
Kläui, W., **233**, 51; **237**, 203
Klemperer, W.G., **229**, 355, 391
Klinga, M., **234**, 61
Knobler, C.B., **240**, 371
Knoch, F., **237**, 137
Koch, K.R., **232**, 109
Koch, S.A., **229**, 335
Koh, L.L., **236**, 101
Köhler, C., **231**, 249
Kohlmann, S., **229**, 143
Kohout, J., **236**, 163
Kolis, J.W., **240**, 63
Kondo, M., **229**, 211
Konno, T., **239**, 19
Korniyets, E.D., **230**, 97
Kovács, Z., **233**, 119
Kovala-Demertzi, D., **231**, 139; **239**, 177
Kovalenko, S.V., **230**, 97
Koziol, A.E., **232**, 199; **239**, 171
Kozlowski, H., **231**, 7; **236**, 149
Kožíšek, J., **236**, 163
Kratz, T., **238**, 179
Krause, J., **235**, 357
Kravtsov, V.Ch., **238**, 23
Krebs, B., **234**, 127
Krejčik, M., **229**, 143
Krishnamurthy, S.S., **230**, 245
Kröber, J., **230**, 159
Kroemer, R.T., **228**, 207
Kubas, G.J., **240**, 99
Kubiak, M., **236**, 141
Kubicki, M.M., **228**, 251; **237**, 79
Kubo, T., **236**, 167
Kuhn, N., **238**, 179
Kukla, F., **235**, 253
Kunkely, H., **234**, 55; **238**, 1
Kupka, T., **228**, 187
Kurihara, M., **228**, 255
Kuroda-Sowa, T., **230**, 249; **231**, 213; **232**, 231; **233**, 1; **236**, 181; **239**, 159, 165
Kusaba, H., **239**, 125

La Cour, A., **228**, 237
Lafront, A.M., **234**, 19; **238**, 15
Laguna, A., **238**, 173
Laguna, M., **238**, 173
Lahuerta, P., **229**, 203, 365; **233**, 161
Lambrecht, R., **239**, 43
Lamotte, M., **236**, 189
Landa, E.R., **229**, 247
Lane, H.P., **232**, 145
Laneman, S.A., **228**, 159
Lanfranchi, M., **235**, 37, 173
Lang, R.F., **240**, 175
Lange, P., **235**, 263
Larsen, R.W., **234**, 101
Larsen, S., **234**, 67
Larsen, S.K., **231**, 13
Larsonneur, A.M., **237**, 207
Latorre, J., **229**, 365
Laugier, J., **236**, 49
Laurence, G.S., **230**, 51
Laurenczy, G., **235**, 311
Laurent, J.-P., **230**, 199; **239**, 53
Lawson, H., **239**, 77
Le, A.H., **229**, 247
Leal, O., **240**, 183
Leban, I., **229**, 421
Lebuis, A.-M., **229**, 253
Lee, S.W., **232**, 57
Lee, C.O., **239**, 133
Lee, S.S., **239**, 133
Lee-Renslo, M., **233**, 97
Leibnitz, P., **231**, 233
Leipoldt, J.G., **234**, 153
le Lirzin, A., **235**, 159
Lengfelder, E., **233**, 11
Leporati, E., **235**, 37
Leung, P.-H., **236**, 101; **239**, 185
Levason, W., **233**, 43
Lever, A.B.P., **235**, 427
Levina, A., **238**, 183
Levitin, I.Ya., **240**, 665
Lewis, N.S., **240**, 447
L'Haridon, P., **228**, 251
Li, C., **234**, 139
Li, G.Q., **230**, 219; **231**, 225
Li, J., **232**, 43
Li, W., **240**, 535
Li, Y., **231**, 159
Li, Z.-X., **232**, 161
Liang, G., **240**, 313
Lianza, F., **235**, 215
Lichtenberger, D.L., **240**, 623
Licoccia, S., **235**, 15
Liddiment, T., **235**, 165
Liedl, K.R., **228**, 207
Lin, H.-K., **240**, 257
Lin, S.-T., **229**, 153
Lin, Y.C., **234**, 95
Linarès, J., **240**, 105
Lincoln, S.F., **230**, 51; **236**, 185; **237**, 147
Lindner, E., **231**, 201
Lipkowski, J., **238**, 23
Lippard, S.J., **229**, 5; **235**, 195
Lippert, B., **235**, 99
Lis, S., **239**, 139
Liu, H., **231**, 153
Liu, S., **230**, 133
Liu, X.-L., **240**, 257
Livage, J., **230**, 85
Lloret, F., **231**, 45
Loeb, B., **231**, 21
Lomprey, J.R., **240**, 653
Long, G.J., **239**, 67
Long, J.R., **229**, 229
Longato, B., **233**, 165
Looman, S.D., **240**, 479
López, F.A., **238**, 187
Lopez, M.A., **231**, 121
Lopez, O., **240**, 603
López-Garzón, R., **232**, 139; **236**, 197
Louey, J.P., **239**, 25
Lowe-Ma, C.K., **232**, 223
Loza, M.L., **236**, 63
Lu, J.-X., **232**, 43
Lu, S.-F., **232**, 43
Lubben, M., **230**, 169
Lucas, C.R., **230**, 133
Lucas, J., **237**, 147
Luchinat, C., **234**, 9; **240**, 251
Luck, R.L., **229**, 247
Lügger, T., **232**, 235; **240**, 465
Lugli, G., **240**, 1
Lukehart, C.M., **229**, 121
Lunak, S., **238**, 183
Luo, F., **234**, 75
Luo, T.-T., **237**, 199
Lusvardi, G., **236**, 209
Lutz, M., **232**, 189
Lynch, M.J., **240**, 13, 19
Lynn, M.A., **229**, 437

Ma, R., **233**, 137; **236**, 75
Ma, X., **240**, 205
Maassarani, F., **235**, 327
Maccarrone, G., **228**, 119
Machi, L., **230**, 145
Machida, H., **229**, 211
MacNeil, J.H., **240**, 299
Macías, A., **238**, 129
Maekawa, M., **230**, 249; **231**, 213; **232**, 231; **233**, 1; **236**, 181; **239**, 159, 165
Mago, G., **234**, 131
Mague, J.T., **229**, 17; **240**, 441
Mah, Y.A., **231**, 65
Mahany, W., **232**, 183
Maichle, C., **233**, 11
Maina, T., **240**, 291
Mains, G.J., **230**, 185; **240**, 559
Maira, A.J., **232**, 195
Maitlis, P.M., **240**, 485
Majors, S.O., **229**, 373
Mak, T.C.W., **237**, 163
Malik, K.M.A., **235**, 147
Maloney, D.J., **235**, 21; **236**, 21
Mandal, S.K., **229**, 261
Mandix, K., **229**, 455
Maniska, M., **230**, 225
Manotti Lanfredi, A.M., **236**, 117
Manthey, M., **240**, 71
Manzano, J.L., **233**, 155
Mao, Q., **240**, 535
Maquet, J., **230**, 85
Marangoni, G., **234**, 173
Marchese, G., **233**, 65
Marchi, A., **231**, 147
Marchon, J.-C., **240**, 657
Marcos, M.D., **231**, 45
Margulis, T.N., **232**, 131
Mariotto, G., **230**, 85
Marken, F., **235**, 117
Marko, L., **228**, 147
Marks, T.J., **229**, 343
Marsich, N., **236**, 117
Martell, A.E., **228**, 77; **231**, 159; **233**, 137; **236**, 75
Martelletti, A., **240**, 575
Martín, A., **229**, 291
Martin, C.M., **235**, 413; **240**, 29
Martin, J.A., **232**, 57
Martínez, F., **235**, 51
Martinez, M., **230**, 67
Martínez-Máñez, R., **231**, 45
Marton, D., **231**, 139
Maruyama, M., **237**, 159
Maruyama, T., **238**, 9
Marzilli, L.G., **240**, 413
Marzilli, P.A., **240**, 413
Mason, S.S., **240**, 669
Mastrorilli, P., **233**, 65
Mastruzzo, L., **228**, 119

Masuda, H., **235**, 367; **238**, 73, 121
Mathoniere, C., **235**, 69
Matonic, J.H., **234**, 115
Matović, V.Č., **237**, 151
Matović, Z.D., **237**, 151
Matsubayashi, G., **230**, 235; **232**, 51; **233**, 173
Matsumoto, K., **234**, 157
Matsumoto, N., **234**, 131
Matsuzawa, H., **237**, 159
Mattamana, S.P., **229**, 55
Mattes, R., **236**, 203
Matzerath, I., **237**, 203
Mauthner, K., **236**, 95
Mawby, R.J., **240**, 263
May, L., **232**, 183
Mayer, H.A., **231**, 201
Mazzi, U., **240**, 291
Mazzieri, M.R., **229**, 39
McArdle, P., **229**, 95
McAuliffe, C.A., **232**, 145
McCabe, R.W., **228**, 215
McDonald, M., **239**, 43
McDonald, R., **229**, 307
McKee, M.L., **229**, 127
McMurry, T.J., **239**, 43
Meagley, R.P., **239**, 25
Mealli, C., **240**, 541
Meek, D.W., **234**, 109
Meetsma, A., **228**, 187; **230**, 169
Meline, R.L., **231**, 1
Menabue, L., **236**, 209
Menzer, S., **229**, 77
Merbach, A.E., **235**, 311
Mereiter, K., **236**, 95
Merigo, A., **240**, 1
Merkert, J.W., **240**, 41
Messori, L., **235**, 5
Meyer, R., **240**, 405
Meyerstein, D., **235**, 5; **240**, 503
Mezzetti, A., **235**, 215
Miao, F.-M., **240**, 257
Micera, G., **236**, 149; **239**, 145
Michelin, R.A., **229**, 13; **235**, 397; **240**, 567
Michman, M., **231**, 29
Miki, E., **238**, 89
Milenic, D., **239**, 43
Milius, W., **231**, 249
Millar, M., **229**, 335
Miller, J.S., **240**, 515
Minghu, W., **231**, 217
Mino, M.L., **234**, 75
Mintert, M., **236**, 13
Mirkin, C.A., **240**, 347
Misetic, A., **240**, 239
Mitchell, S., **231**, 87
Miura, Y., **234**, 169; **237**, 47
Miya, M., **238**, 169
Miyafuji, A., **233**, 91
Miyasaka, H., **234**, 131
Miyoshi, K., **228**, 165; **230**, 119
Mizumachi, K., **238**, 89
Mizuta, T., **228**, 165; **230**, 119
Mockler, G.M., **239**, 107
Modec, B., **229**, 421
Moffatt, J.G., **229**, 425
Moïse, C., **237**, 79
Mok, K.F., **239**, 185
Moldes, I., **232**, 75
Moll, M., **237**, 137
Moloney, M.J., **229**, 323
Monge, A., **228**, 251
Monsù Scolaro, L., **235**, 281; **240**, 81
Monti, D., **240**, 485
Moore, P., **240**, 159
Moraal, M.A., **232**, 19
Moreno, J.M., **231**, 103; **232**, 139; **236**, 197
Moret, M., **229**, 461
Mori, M., **239**, 125
Mori, W., **232**, 51
Mortimer, M.D., **240**, 371
Moszner, M., **236**, 141
Motekaitis, R.J., **228**, 77; **233**, 137
Moubaraki, B., **229**, 281
Mozzon, M., **229**, 13; **235**, 397; **240**, 567
Mrozinski, J., **238**, 139
Muir, K.W., **231**, 195, 207
Mukaida, M., **237**, 47
Mukerjee, S.L., **240**, 175
Müller, G., **232**, 189
Müller, J., **233**, 11
Mullica, D.F., **237**, 111
Munakata, M., **230**, 249; **231**, 213; **232**, 231; **233**, 1; **236**, 181; **239**, 159, 165
Muñoz-Hernández, M.-A., **236**, 31
Murillo, C.A., **229**, 27; **235**, 21
Murmann, R.K., **240**, 191
Murray, K.S., **228**, 237; **229**, 281
Murtaza, Z., **240**, 41
Musumeci, A., **237**, 187
Musumeci, S., **237**, 187
Muthiah, P.T., **234**, 149
Muzart, J., **238**, 183
Myers, D.P., **240**, 25

Nagamoto, H., **238**, 169
Nagao, H., **237**, 47
Nagao, N., **237**, 47
Nagasawa, A., **228**, 89
Nagata, A., **238**, 169
Nagy, L., **230**, 105
Nakamoto, T., **229**, 211; **236**, 155
Nakasuka, N., **238**, 83
Nalliah, R.E., **234**, 101
Nascimento, O.R., **230**, 111
Nash, K.L., **236**, 67
Natile, G., **235**, 205
Nemoto, S., **233**, 127
Nesterenko, P.N., **240**, 665
Nethaji, M., **229**, 33
Neve, F., **239**, 155
Neves, A., **237**, 131
Newman, P.D., **233**, 79
Ng, J.B., **229**, 253
Nicholson, T., **230**, 205
Nicolini, M., **240**, 291
Nieuwenhuis, H.A., **232**, 19
Nieuwenhuyzen, M., **237**, 37
Nikolov, G.St., **228**, 173; **237**, 123
Nishihara, H., **230**, 215
Nishijima, K., **234**, 131
Nivorozhkin, A.L., **228**, 237
Nivorozhkin, L.E., **228**, 237
Nobile, C.F., **233**, 65
Nocera, D.G., **240**, 551
Noh, S.K., **230**, 211
Nolan, K.B., **230**, 209; **237**, 71
Nolan, S.P., **240**, 175
Nomura, M., **230**, 105
Norman, N.C., **234**, 189
Noronha, G., **240**, 205
Notheis, J.U., **229**, 187
Nováková, O., **231**, 57
Nover, J., **240**, 231
Nozaki, T., **234**, 131
Nuber, B., **240**, 217

Oberhauser, W., **238**, 35
O'Connor, C.J., **238**, 99
Odedra, R., **232**, 139
Ohba, S., **230**, 215
Ohkubo, A., **230**, 215
Ohya-Nishiguchi, H., **238**, 73
Oka, Y., **238**, 165
Okamoto, K., **239**, 19
Okawa, H., **234**, 131
Oki, A.R., **231**, 109
Okuno, S., **233**, 173
Okura, I., **233**, 127
Oleari, L., **235**, 349
Olesen, K.G., **232**, 171
Oliva, J., **229**, 291
Olmos, E., **238**, 173
Ooyama, D., **237**, 47
Oram, P., **232**, 91
Oskam, A., **232**, 19
Otero, M., **234**, 1
Oudet, P., **237**, 79
Ovalles, C., **240**, 183
Ovcharenko, V., **236**, 49
Owens, J.W., **238**, 99
Ozawa, T., **234**, 169
Ozutsumi, K., **228**, 255

Pacifico, C., **235**, 205
Padolik, L.L., **240**, 495
Paetzold, P., **231**, 175
Páez, D.E., **238**, 187
Pagura, C., **235**, 381
Paine, R.T., **231**, 1
Palenik, G.J., **232**, 199; **239**, 171
Pallavicini, P., **238**, 5
Pampaloni, G., **229**, 179; **231**, 167
Pandolfo, L., **237**, 27
Panunzi, B., **238**, 159; **239**, 61
Paolesse, R., **235**, 15
Pappalardo, G., **228**, 119
Parisini, E., **235**, 413
Parodi, L., **238**, 5
Pascard, C., **230**, 159
Pascual, I., **229**, 135
Pavlenko, N.I., **230**, 97
Pawlowski, V., **234**, 55; **238**, 1
Payá, J., **231**, 45
Pearson, C., **237**, 13
Pearson, R.G., **240**, 93
Pedregosa, J.C., **232**, 117
Pelizzi, C., **232**, 211
Pelizzi, G., **232**, 211; **237**, 151
Pellinghelli, M.A., **235**, 37
Pellizer, G., **236**, 141
Peña, O., **228**, 261
Pence, L.E., **235**, 195
Peng, S.-M., **229**, 153
Peng, X., **234**, 139
Perera, S.D., **228**, 127; **233**, 103; **234**, 185; **236**, 7
Peris, E., **229**, 365; **233**, 161
Perlepes, S.P., **240**, 673
Perrey, D., **237**, 79
Pertierra, P., **229**, 203
Petering, D.H., **240**, 535
Petrovskii, P.V., **230**, 97
Pettit, L.D., **231**, 7
Phillips, D.J., **230**, 139; **238**, 197
Pichon, R., **228**, 251
Pierattelli, R., **240**, 251
Piersma, B.J., **230**, 185
Pietroni, B.R., **229**, 299
Pietzsch, H.-J., **231**, 233; **240**, 465
Pilloni, G., **233**, 165
Pinilla, E., **228**, 251
Pinkerton, A.A., **234**, 127
Piotraschke, J., **236**, 177
Pippin, C.G., **239**, 43
Pitteri, B., **234**, 173
Pizarro, J.L., **231**, 103
Plantevin, V., **235**, 1
Playá, N., **238**, 129
Plutino, M.R., **235**, 281; **240**, 81
Poë, A.J., **240**, 399
Poeppelmeier, K.R., **240**, 109
Polato, E.A., **230**, 111
Polborn, K., **240**, 339
Poli, R., **229**, 55, 445; **240**, 355
Pollard, J.D., **229**, 127
Pombeiro, A.J.L., **230**, 189; **235**, 397
Ponticelli, G., **237**, 151
Posner, B.I., **229**, 253
Postel, M., **233**, 109
Powell, D.H., **235**, 311
Powell, G., **232**, 167
Powell, G.L., **229**, 241, 483
Pozdniakov, R.Y., **239**, 107
Predieri, G., **228**, 139, 147; **235**, 173
Preece, S.R., **233**, 43
Preston, H., **234**, 153
Price, B.T., **229**, 121
Pritchard, R.G., **232**, 145
Prodi, L., **233**, 21
Pruchnik, F., **232**, 207
Pryhuber, K.G., **229**, 271
Prytkov, S., **232**, 183
Puddephatt, R.J., **235**, 307
Purcell, W., **234**, 153
Purrello, R., **237**, 187

Qiu, J., **233**, 131
Queiroz, S.L., **230**, 111

Quek, G.H., **239**, 185

Radanović, D.J., **237**, 151
Rae, A.D., **228**, 109; **230**, 139; **238**, 197
Ralph, S.F., **240**, 615
Ramasseul, R., **240**, 657
Rand, E.R., **233**, 71
Ranford, J.D., **236**, 83, 101
Raper, E.S., **237**, 87
Ravindar, V., **240**, 145
Rawle, S.C., **240**, 159
Raymond, K.N., **235**, 185; **240**, 593
Read, P.A., **238**, 109
Rebek, Jr., J., **235**, 195
Reddy, V.S., **240**, 367
Reedijk, J., **231**, 57; **234**, 87; **235**, 127; **239**, 5; **240**, 25
Reetz, M.T., **238**, 23
Reger, D.L., **240**, 669
Rehder, D., **238**, 155
Reibenspies, J., **236**, 75
Reid, A.J., **240**, 263
Rempe, M.E., **240**, 623
Ren, T., **229**, 195
Rende, D.E., **240**, 435
Renn, O., **240**, 575, 631
Rentschler, E., **235**, 159
Rettig, S.J., **230**, 111
Rey, P., **236**, 49
Reynolds, C.D., **240**, 263
Rheingold, A.L., **239**, 25; **240**, 99, 515, 669
Ribas, J., **231**, 229
Riccieri, P., **228**, 153
Riché, F., **231**, 147
Richens, D.T., **232**, 167
Richmond, M.G., **230**, 45; **232**, 57; **236**, 1; **238**, 57
Richmond, T.G., **240**, 479
Richter, J., **238**, 155
Richter, M.M., **230**, 35
Rievaj, M., **228**, 153
Rillema, D.P., **240**, 41
Ritter, S., **231**, 245
Rivail da Silva, M., **236**, 189
Rivera, A.V., **233**, 145
Robbins, R., **231**, 7
Robbitte, M., **229**, 95
Roberts, Y.V., **229**, 221
Robins, M., **238**, 99
Rode, B.M., **228**, 207
Rodopoulos, T., **237**, 147
Rodríguez, E., **233**, 155
Rodríguez, K.G., **229**, 27
Rodriguez, S.A., **237**, 117
Rodriguez de Barbarin, C.O., **232**, 227
Rodríguez-Morgade, S., **230**, 153
Rogers, A.J., **240**, 125
Rogers, K.E., **234**, 35
Rogers, R.D., **229**, 307; **230**, 177; **236**, 67
Rollins, A.N., **230**, 177
Román, E., **234**, 1
Romeo, R., **235**, 281; **240**, 81
Romero, J., **237**, 143
Romerosa, A., **234**, 61
Roodt, A., **234**, 153
Roper, W.R., **240**, 385
Ros, J., **231**, 181; **232**, 75
Rosales-Hoz, M.J., **239**, 93
Roselli, M., **239**, 43
Rotman, A., **240**, 503
Roundhill, D.M., **240**, 441
Roviello, A., **239**, 61
Rubaylo, A.I., **230**, 97
Rudd II, J.A., **240**, 393
Rüegger, H., **240**, 575, 631
Ruffo, F., **239**, 61
Ruiz, J., **231**, 103; **239**, 53
Ruiz, N., **233**, 161
Rupprecht, S., **235**, 185
Rusek, G., **232**, 207
Russell, A.A., **231**, 1
Russo, U., **231**, 139; **234**, 195; **239**, 67, 177
Ryschkewitsch, G.E., **239**, 171
Ryu, S., **228**, 233

Sabat, M., **240**, 49
Saberi, S.P., **228**, 215
Saccani, A., **233**, 85
Sacht, C., **232**, 109
Saetia, S., **228**, 207
Sagiv, D., **240**, 503
Sahm, H., **237**, 203
Saiano, F., **229**, 461
Saito, A., **236**, 167
Sakai, K., **234**, 157
Sakane, G., **237**, 1
Saladini, M., **230**, 59; **233**, 85; **236**, 209
Salaün, J.-Y., **228**, 251
Salerno, G., **234**, 181
Salm, R.J., **240**, 239
Samuel, E., **234**, 1
Sanaú, M., **229**, 365
Sánchez, A., **238**, 129; **239**, 87
Sandrolini, F., **233**, 85
Sanna, D., **239**, 145
Sano, H., **236**, 155
Santi, S., **240**, 541
Santimaria, M., **240**, 291
Sappa, E., **228**, 139, 147
Sappenfield, E.L., **237**, 111
Sardella, D.J., **230**, 19
Sasaki, M., **237**, 1
Satô, G.P., **236**, 37
Satsu, Y., **236**, 37
Schäffer, C.E., **240**, 581
Scheidt, W.R., **237**, 5
Scheller, D., **232**, 235
Schier, A., **235**, 263
Schimek, G.L., **240**, 63
Schindler, S., **228**, 93
Schlemper, E.O., **240**, 191
Schmid, R., **236**, 95
Schmidbaur, H., **235**, 263
Schmidtke, H.-H., **240**, 231
Schmitt, K.D., **229**, 81
Schneller, T., **231**, 201
Schramm, S.E., **229**, 81
Schulz, D., **240**, 217
Schumann, H., **231**, 29; **240**, 145
Schut, D.M., **240**, 405
Schwartz, M., **236**, 1
Schwendinger, M.G., **228**, 207
Scoles, L., **235**, 375
Scott, S.L., **239**, 99
Sécheresse, F., **239**, 39
See, R.F., **239**, 77
Sellmann, D., **237**, 137
Sembiring, S.B., **228**, 109
Senter, R.A., **238**, 57
Seraglia, R., **237**, 27
Setzer, W.N., **234**, 35
Severin, K., **240**, 339
Shapley, J.R., **240**, 615
Shaver, A., **229**, 253
Shaw, B.L., **228**, 127; **233**, 103; **234**, 185; **236**, 7
Sheldon, P., **240**, 159
Sheldrick, W.S., **236**, 13
Shen, H., **236**, 1; **238**, 57
Shen, J.K., **235**, 89; **240**, 99
Shepherd, R.E., **230**, 77
Shi, Q., **240**, 153, 661
Shibahara, T., **237**, 1
Shih, K.-Y., **229**, 105
Shihabi, D.S., **229**, 81
Shim, I., **229**, 455
Shimizu, K., **236**, 37
Shimizu, Y., **238**, 169
Shimura, T., **230**, 215
Shiu, K.-B., **229**, 153
Shoji, S., **230**, 41
Shourong, Z., **228**, 225
Shriver, D.F., **240**, 49
Shui, X., **234**, 149
Shulz, D.L., **236**, 43
Sieler, J., **234**, 47
Sigel, H., **235**, 99; **240**, 313
Silvestru, C., **233**, 151; **236**, 31
Sim, K.Y., **236**, 101
Simándi, L.I., **237**, 173
Simerly, S.W., **240**, 615
Simonov, Y.A., **238**, 23
Sinn, E., **229**, 281; **230**, 231, 241; **231**, 45; **233**, 97; **237**, 181; **239**, 107
Sironi, A., **229**, 461
Siwajek, M.J., **235**, 421
Skelton, B.W., **240**, 323
Sletten, J., **235**, 69
Smeets, W.J.J., **235**, 77, 327
Smith, M.B., **235**, 291
Smith, S.M., **240**, 159
Smuckler, M.B., **233**, 71
Snow, R.L., **229**, 171
Socol, S.M., **234**, 109
Sogabe, K., **230**, 41
Sohn, Y.S., **239**, 133
Sola, M., **234**, 9
Solans, X., **231**, 181, 229
Solinas, C., **232**, 211
Sommerer, S.O., **238**, 149
Song, B., **235**, 99; **240**, 313
Song, L.-C., **230**, 127
Sono, M., **240**, 603
Sordo, J., **238**, 129; **239**, 87
Soria, J., **233**, 155
Soto, J., **231**, 45
Soudi, A.A., **230**, 209
Sousa, A., **237**, 143
Spek, A.L., **235**, 77, 327
Spies, H., **231**, 233; **232**, 235; **240**, 465
Spodine, E., **228**, 261
Stanghellini, P.L., **235**, 407
Staples, R.J., **229**, 61
Steed, J.W., **229**, 87
Steimann, M., **231**, 201
Steinborn, D., **234**, 47
Stephens, A.K.W., **236**, 185
Stephens, F.S., **231**, 73; **236**, 109
Stern, C.L., **240**, 109
Storrier, G.D., **239**, 1
Strähle, J., **233**, 11
Strauch, P., **236**, 177
Streib, W.E., **235**, 339
Strouse, G.F., **240**, 453
Stufkens, D.J., **232**, 19; **240**, 273
Stuzhin, P.A., **236**, 131
Su, J., **236**, 21
Suárez, T., **233**, 145
Sugimoto, K.-I., **231**, 115
Sukhina, I.A., **230**, 97
Sun, H., **234**, 139
Sun, J.-S., **229**, 373
Sun, Q.-L., **232**, 43
Sun, Y., **228**, 77; **229**, 315
Sundberg, M.R., **232**, 1
Sünkel, K., **235**, 391
Sunley, G.J., **240**, 485
Sunley, S., **234**, 189
Suresh Kumar, D., **238**, 63
Suwabe, M., **228**, 133
Suzuki, A., **230**, 41
Syamala, A., **229**, 33
Szalda, D.J., **228**, 93
Szczepura, L.F., **239**, 77
Szpoganicz, B., **236**, 189
Szulbinski, W.S., **228**, 243; **234**, 143
Szymoniak, J., **228**, 251

Taber, D.F., **239**, 25
Taglietti, A., **238**, 5
Takada, M., **228**, 133
Takagi, M., **232**, 157
Takahashi, K., **232**, 69
Takani, M., **235**, 367
Takats, J., **229**, 307, 315
Takehara, K., **239**, 125
Takeuchi, K.J., **239**, 77
Talman, E.G., **240**, 25
Tamburini, S., **235**, 233
Tamura, H., **232**, 51
Tamura, J., **236**, 37
Tan, X.S., **234**, 27
Tanaka, K., **237**, 47
Tanaka, M., **238**, 83
Tanaka, S., **232**, 51
Tanaka, T., **231**, 95
Tang, W.X., **233**, 131; **234**, 27
Tapia-Benavides, A.R., **239**, 93

Tassoni, E., **235**, 15
Tauler, R., **228**, 207
Tauridou, P., **239**, 177
Tavagnacco, C., **236**, 141
Tavarès, M., **240**, 657
Tavridou, P., **231**, 139
Tekut, T.F., **229**, 483
Tepperman, K., **229**, 271
Terry, N., **235**, 273
Tfouni, E., **235**, 427
Theolier, A., **237**, 103
Thomann, M., **230**, 159
Thompson, M.E., **232**, 83
Thornton-Pett, M., **233**, 103; **234**, 185; **236**, 7
Thorp, H.H., **240**, 335
Timmins, B., **232**, 195
Tiripicchio, A., **235**, 173
Tiripicchio Camellini, M., **235**, 173
Tocher, D.A., **229**, 87; **235**, 205
Toekimin, S.M.S., **231**, 57
Toftlund, H., **228**, 237; **234**, 67
Tokoro, K., **231**, 35
Tomás, M., **229**, 135, 291; **232**, 35; **235**, 51
Tomita, Y., **232**, 69
Tondello, E., **235**, 151
Toniolo, L., **233**, 5
Torrens, H., **230**, 173
Torres, T., **230**, 153
Traeger, J.C., **228**, 193; **231**, 65, 87; **233**, 51
Trendafilova, N.S., **228**, 173
Tro, N.J., **229**, 469
Trogler, W.C., **240**, 299
Trombe, J.-C., **230**, 1; **234**, 19; **238**, 15
Tsai, K.-R., **237**, 193
Tschoerner, M., **234**, 47
Tsiamis, C., **237**, 93
Tsikalova, M.V., **240**, 665
Tsubomura, T., **234**, 157
Tsuchiya, H., **233**, 91
Tsuchiya, M., **231**, 35
Tu, L.-D., **232**, 161
Tucker, P.W., **229**, 425
Tudela, D., **232**, 195
Turner, D.H., **235**, 245
Turonek, M.L., **230**, 51
Turpin, R., **237**, 207
Tyler, D.R., **240**, 405
Tylicki, R.M., **229**, 105

Ubeda, M.A., **229**, 203
Uccelli, L., **231**, 147
Ueda, J., **234**, 169
Ueda, T., **231**, 95
Uekusa, H., **230**, 215
Ueng, C.-H., **232**, 175; **237**, 199
Uggla, R., **232**, 1
Ugozzoli, F., **236**, 117
Uguagliati, P., **235**, 29, 45
Ülveczky, A., **236**, 173
Umadevi, B., **234**, 149
Unoura, K., **228**, 89
Urtiaga, M.K., **232**, 9
Usón, I., **232**, 35
Usón, R., **232**, 35; **235**, 51
Uzelmeier, C.E., **240**, 527

Vagg, R.S., **231**, 73; **233**, 79; **236**, 109
Vahrenkamp, H., **239**, 13
Valente, E.J., **229**, 113
Valle, G., **229**, 299; **231**, 139; **233**, 165; **234**, 195; **237**, 27; **239**, 67
Vallieri, A., **229**, 179
van de Grampel, J.C., **228**, 187
VanDerveer, D.G., **228**, 69; **234**, 35
van Eldik, R., **230**, 29; **233**, 59; **240**, 305
van Koningsbruggen, P.J., **234**, 87; **239**, 5
van Koten, G., **235**, 327
van Koten, M.A., **235**, 327
van Loon, A., **232**, 19
van Rooyen, C.G., **235**, 205
van Vliet, P.M., **231**, 57
Varela, J.M., **238**, 129
Varret, F., **240**, 105
Vassian, E.G., **240**, 191
Vázquez-López, E.M., **239**, 87
Venanzi, L.M., **235**, 215; **240**, 575, 631
Vezzosi, I.M., **237**, 169
Vicente, R., **232**, 151
Vidal, M., **231**, 147
Vidyasagar, K., **229**, 473
Vigato, P.A., **235**, 233
Violano, L., **235**, 357
Visentin, F., **235**, 29, 45
Vittadini, A., **235**, 151
Vogler, A., **234**, 55; **238**, 1
Vol'pin, M.E., **240**, 665
von Zweidorf, A., **234**, 47
Voronkova, V.K., **238**, 139
Voss, E.J., **240**, 49
Vrána, O., **231**, 57
Vreugdenhil, A., **240**, 673
Vreugdenhil, W., **239**, 5
Vrieze, K., **235**, 77; **240**, 273

Wacholtz, W.F., **228**, 81; **234**, 13
Wagner, T., **240**, 1
Wainwright, K.P., **230**, 51; **236**, 185
Waizumi, K., **238**, 121
Wajda-Hermanowicz, K., **232**, 207
Wakita, H., **230**, 105
Walters, M.A., **228**, 199
Walton, P.H., **240**, 593
Walton, R.A., **229**, 105; **235**, 421
Wan, H.-L., **237**, 193
Wang, D., **236**, 1
Wang, J., **228**, 165; **230**, 119; **233**, 25; **237**, 37; **240**, 153
Wang, X., **232**, 199
Wang, Y., **230**, 189
Wang, Z., **232**, 83; **239**, 139
Ward, M.D., **236**, 125
Warnock, G.F., **240**, 379
Waters, J.M., **234**, 163; **236**, 83
Watkinson, M., **232**, 145
Watton, S.P., **235**, 195
Waugh, M.P., **240**, 263
Webb, R.L., **234**, 75
Webb, T.R., **229**, 127
Wedyck, E.J., **231**, 133
Wehman-Ooyevaar, I.C.M., **235**, 327
Welch, M.J., **228**, 77; **236**, 75
Welling, U., **231**, 175
Werner, H., **235**, 253
Werner, R., **235**, 273
Weser, U., **233**, 11
Westcott, B.L., **238**, 149
Weyhermüller, T., **240**, 217
Wheeler, D.E., **231**, 133
White, A.H., **240**, 323
Wieghardt, K., **240**, 217
Wilkins, P.L., **230**, 241
Will, G., **228**, 173
Williams, D.J., **228**, 69; **229**, 77
Williams, J.D., **231**, 133
Williams, P.A., **231**, 73; **233**, 79; **236**, 109
Willis, M.J., **240**, 109
Winkler, J.R., **240**, 169
Winnik, M., **240**, 503
Winter, M., **232**, 125
Wittig, J.E., **229**, 121
Wittke, O., **234**, 1
Wojcicki, A., **235**, 1; **240**, 435
Wong, W.-T., **228**, 267; **234**, 5; **238**, 193
Wong, W.-Y., **234**, 5
Wood, J.S., **229**, 407
Woodruff, W., **229**, 9
Woods, C., **240**, 41
Woodward, S., **230**, 231
Woodworth, B., **234**, 75
Wrackmeyer, B., **231**, 249
Wright, L.J., **240**, 385
Wright, M.E., **232**, 223
Wu, D., **231**, 153
Wu, D.-D., **237**, 163
Wu, H., **234**, 139
Wu, L.P., **239**, 165
Wu, M.F., **233**, 131
Wu, Q.-J., **232**, 43
Wu, W., **229**, 105; **235**, 421
Wynne Evans, E., **230**, 193
Wyns, L., **238**, 155

Xia, C.-G., **230**, 45
Xie, X., **231**, 153
Xiong, R.-G., **237**, 177
Xu, C., **228**, 73
Xu, S.-P., **240**, 645

Yablokov, Yu.V., **238**, 139
Yamada, M., **231**, 35
Yamaguchi, T., **228**, 133; **230**, 105
Yamamoto, J.H., **229**, 47
Yamamoto, M., **239**, 165
Yamamoto, N., **238**, 165
Yamamoto, T., **238**, 9
Yamashita, S., **230**, 105
Yamauchi, O., **235**, 367
Yamazaki, S., **235**, 147
Yampol'skaya, M.A., **238**, 139
Yang, K., **232**, 57
Yang, T.K., **234**, 95
Yang, X., **240**, 371, 661
Yanovsky, A.I., **237**, 71
Yao, T., **238**, 165
Yap, G.P.A., **240**, 515
Yasmeen, R., **234**, 109
Yavari, A., **229**, 281
Ybarra, C.D., **231**, 121
Ye, B.-H., **240**, 5
Yeich, P.J., **229**, 247
Yeo, H., **228**, 233
Yokochi, A., **236**, 55
Yoon, D.I., **240**, 285
Yordanov, A.T., **240**, 441
Yoshida, T., **231**, 95
Yoshinaga, K., **239**, 125
You, X., **234**, 139
You, X.-Z., **237**, 177
Youri-Tsochatzi, C., **237**, 93
Yu, W., **235**, 397
Yue, C., **234**, 139
Yun-Ti, C., **228**, 225

Zaccheroni, N., **233**, 21
Záhonyi-Budó, É., **237**, 173
Zakrzewski, J., **232**, 63
Zanotto, L., **237**, 27
Zarli, B., **233**, 165; **239**, 67
Zaw, K., **240**, 205
Zékány, L., **235**, 311
Zeng, T.-X., **240**, 5
Zhang, H., **231**, 109
Zhang, L.-J., **240**, 257
Zhang, L.-Y., **230**, 127
Zhang, S., **230**, 77; **235**, 89; **240**, 427
Zhang, X.L., **240**, 285
Zhang, Y., **229**, 271
Zheng, P.J., **234**, 27
Zhou, Z.-H., **237**, 193
Ziener, U., **236**, 131
Zilbermann, I., **240**, 503
Zinato, E., **228**, 153
Zingales, F., **229**, 13
Ziółkowski, J.J., **236**, 141
Zoellner, R.W., **240**, 541
Zompa, L.J., **232**, 131
Zuber, M., **232**, 207
Zubieta, J., **231**, 13; **232**, 83; **235**, 135; **237**, 143
Zubieta, J.A., **230**, 205
Zubkowski, J.D., **229**, 113
Zukerman-Schpector, J., **238**, 129; **239**, 87
Zúñiga, L.A., **235**, 21
Zuo, J.-L., **237**, 177

ELSEVIER

Inorganica Chimica Acta 241 (1996) XV-LXXII

Inorganica Chimica Acta

Cumulative Subject Index of Volumes 228–240

Absorption spectra
absorption spectra of zircon crystals doped with Cr(IV): $ZrSiO_4:Cr^{4+}$, **235**, 349
low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry, **238**, 45
Acetamidediato complexes
mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49
Acetate complexes
complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid, **238**, 83
Acetonitrile complexes
synthesis and structure of $W_2Cl_4(\mu\text{-dppm})_2(\eta^2\text{-}\mu\text{-}CH_3CN)$, **229**, 113
acetonitrile complexes of diiridium Part 1. Isolation and characterization of the partially solvated cations $Ir_2(COD)(\mu\text{-form})_2(MeCN)_3^2$ and $Ir_2(\mu\text{-form})_2(MeCN)_6^2$ (COD1,5-cyclooctadiene, form*N*,*N*′-di-*p*-tolylformamidinate), **229**, 373
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, $x = 1, 2, 3$; M = Os, $x = 1, 2$), **235**, 357
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559
the rhodium(III) trisacetonitrile complexes: a re-investigation of the synthesis of *fac*- and *mer*-$[RhCl_3(CH_3CN)_3]$, their characterization by 2D NMR spectroscopy and the X-ray crystal structure of *mer*-$[RhCl_3(CH_3CN)_3]\cdot CH_3CN$, **240**, 575
Acetylacetanato complexes
preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159
Acetylacetone compounds
studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies, **230**, 85
Acetylide complexes
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide $[Ni_3(\mu\text{-dppm})_3(\mu_3\text{-}\eta^1\text{-}C{\equiv}CPh)_2]$, **233**, 1
Acid dissociation constants
dihydroxamic acid complexes of iron(III): ligand pK_a and coordinated water hydrolysis constants, **240**, 519
Acidity constants
acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99
acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313
Acids and bases
the HSAB Principle — more quantitative aspects, **240**, 93
Acrylonitrile complexes
formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)-nickel(II)} complex, **230**, 249
Activation volumes
reaction volume for the reaction of the hexaaquairon(III) ion with 4-isopropyltropolone in acidic aqueous solution, **232**, 157
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305
Addition reactions
steric constraints and addition reactions in platinum(II) complexes containing 2,9-dimethyl-1,10-phenanthroline (Me_2-phen). X-ray crystal structures of $[PtBr_2(Me_2\text{-phen})]$ and $[PtI_2(Me_2\text{-phen})]$, **235**, 205
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of $[M(CO)_3(\eta^7\text{-}C_7H_7)]^+$ (M = Cr, Mo, W) cations, **240**, 71
Adenosine complexes
the coordination of 5′-derivatives of adenosine to vanadate, **238**, 155
Adogen 464
potassium dichromate–Adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols, **238**, 183
A-frame complexes
platinum–rhodium A-frame and double A-frame complexes bridged by bis(diphenylphosphino)methane ligands, **228**, 73
Agostic BHU interaction
synthesis and structure of trisdihydrobis(pyrazolyl)borate-(tetrahydrofuran)uranium(III), $UH(\mu\text{-H})Bpz_{23}(THF)$: three-center B–H···U(III) interactions in the presence of coordinated THF ligand, **229**, 315
Agostic complexes
reactions of agostic manganese complexes with molecular hydrogen, **230**, 211
Alkali complexes
interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study, **231**, 87
Alkali earth complexes
preparation and spectroscopic studies of the complexes of diacetamide with metal(II) perchlorates, **229**, 165
interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study, **231**, 87
Alkali metal halide complexes
a negative ion electrospray mass spectrometric study of complexes in solution formed between uninegative tripodal oxygen or nitrogen ligands and alkali metal ions and alkali metal halides, **233**, 51

Elsevier Science S.A.

Alkali metal ion complexes
a negative ion electrospray mass spectrometric study of complexes in solution formed between uninegative tripodal oxygen or nitrogen ligands and alkali metal ions and alkali metal halides, **233**, 51
Alkene complexes
alkene rotation in $[Ru(\eta^5\text{-}C_5H_5)(L_2)(\eta^2\text{-alkene})][CF_3SO_3]$ with L_2 = iPr- or *p*Tol-diazabutadiene. X-ray crystal structure of $[Ru(\eta^5\text{-}C_5H_5)(p\text{Tol-DAB})(\eta^2\text{-ethene})][CF_3SO_3]$, **240**, 273
substitution kinetics of tetracarbonyl(η^2-alkene)ruthenium complexes: alkene = ethene and methyl acrylate, **240**, 399
Alkene isomerisation
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
Alkene rotation
alkene rotation in $[Ru(\eta^5\text{-}C_5H_5)(L_2)(\eta^2\text{-alkene})][CF_3SO_3]$ with L_2 = iPr- or *p*Tol-diazabutadiene. X-ray crystal structure of $[Ru(\eta^5\text{-}C_5H_5)(p\text{Tol-DAB})(\eta^2\text{-ethene})][CF_3SO_3]$, **240**, 273
Alkenyl-bridged complexes
substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines, **232**, 75
Alkoxide complexes
metathetic reactions involving ditungsten hexapivalate. Preparation and structures of $W_2(O_2C^tBu)_2(O^tBu)_2(N^iPr_2)_2$, $W_2(O_2C^tBu)_4(N^iPr_2)_2$, $W_2(O_2C^tBu)_2(O^tBu)_4$ and $Na_2W_4O_4Cp_2(O_2C^tBu)_6$ solvate where $Cp = C_5H_5$, **235**, 339
Alkoxo complexes
preparation of *trans*-$RuH(\eta^1\text{-}BH_4)L$ ($L = Me_6[15]aneS_4$, $Me_8[16]aneS_4$) and oxidation in alcohols to give *trans*-$\{Ru(OR)_2(anti\text{-}Me_8[16]aneS_4)\}^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of $Me_8[16]aneS_4$, **231**, 95
Alkoxycarbonyl complexes
symmetrical and asymmetrical bis(amine)carboxyhydroboron(+1) and bis(amine)cyanohydroboron(+1) cations: synthesis and properties, **233**, 119
Alkoxysilane
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Alkyl chloride complexes
^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions, **230**, 185
Alkyl complexes
reactions of tetrakis(trimethylsilylmethyl)hafnium with trimethylaluminum, **228**, 103
synthesis, structure and solid-state polymerization of dimethyl(propynoato)thallium, **229**, 323
^1H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)-2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
peculiar reversed-phase HPLC behaviour of cationic alkylcobalt(III) complexes holding a tridentate Schiff base ligand, **240**, 665
Alkylhydroborates
molecular and crystal structure of zirconium hydroborates, **231**, 175
Alkylidyne complexes
synthesis of triosmium alkylidyne clusters incorporating pendant pyridyl ligands. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(4,4'\text{-bipy})\}]\cdot H_2O$ and $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(2,4'\text{-bipy})\}]$ (4,4′-bipy = 4,4′-bipyridine; 2,4′-bipy = 2,4′-bipyridine), **234**, 5
Alkylsilyl complexes
reactions of tetrakis(trimethylsilylmethyl)hafnium with trimethylaluminum, **228**, 103
Alkyne complexes
reactions of $Co_2(CO)_8$ with RC_2R' alkynes. Part II. Synthesis of $Co_2(CO)_6(RC_2R')$ complexes; oligomerization or cyclotrimerization reactions of substituted acetylenes, **228**, 139
reactions of complexes $Co_2(CO)_6(RC_2R')$ with Group V^0 donor ligands; synthesis and spectroscopic characterization of substituted derivatives $Co_2(CO)_{6-n}(L)_n(RC_2R')$, **228**, 147
reactions of monodentate tertiary phosphines with the dirhenium(II) alkyne complexes $Re_2Cl_3(\mu\text{-dppm})_2(CO)\text{-}(\eta^2\text{-RCCH})X$ (XPF_6 or O_3SCF_3) to form ylides, **229**, 105
CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and $Re_2(CO)_8(\mu\text{-H})(\mu\text{-}\eta^1,\eta^2\text{-C}\equiv\text{CPh})$, **230**, 45
synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode, **231**, 213
synthesis and characterization of alkyne complexes analogous to Zeise's salt — $[K(18\text{-cr-}6)][PtCl_3(^nPrC\equiv CH)]$, the first complex of platinum(II) with a terminal alkyne, **234**, 47
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253
synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ_2-η^2,η^2-bridging mode: $[Ni_3(tmsb)(cod)_3]$, **236**, 181
Alkynyl complexes
reactions of the haloalcohols $HO(CH_2)_nCl$ ($n = 2, 3$) with platinum(II) alkynyl and alkyne complexes. X-ray crystal structure of *trans*-$[Pt(Me)\{C(OCH_2CH_2Cl)(CH_2Ph)\}(PPh_3)_2][BF_4]$, **240**, 567
Alkynylphosphine complexes
substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines, **232**, 75
Allyl amination
solvent and temperature effects in the mechanism of allyl amination of the α-diimine complex $[Pd(\eta^3\text{-}C_3H_5)\text{-}(C_5H_4N\text{-}2\text{-}CH{=}NC_6H_4OMe\text{-}4)]^+$ by piperidine and morpholine, **235**, 45
Allyl complexes
a model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP), **229**, 9
cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-$(\mu^3\text{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pd(\eta^3\text{-}C_3H_5)$, **229**, 307
Aluminum complexes
reactions of tetrakis(trimethylsilylmethyl)hafnium with trimethylaluminum, **228**, 103
^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions, **230**, 185
^1H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115
Amide complexes
metathetic reactions involving ditungsten hexapivalate. Preparation and structures of $W_2(O_2C^tBu)_2(O^tBu)_2(N^iPr_2)_2$, $W_2(O_2C^tBu)_4(N^iPr_2)_2$, $W_2(O_2C^tBu)_2(O^tBu)_4$ and $Na_2W_4O_4Cp_2(O_2C^tBu)_6$ solvate where $Cp = C_5H_5$, **235**, 339
Amine complexes
crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]-dicopper(II) diperchlorate, **228**, 173
a convenient method for the synthesis of macrocyclic dioxotetraamine ligands bearing pendent coordinating groups and the properties of their copper(II) complexes, **228**, 225

preparation of anhydrous vanadium(II) sulfate compounds from aqueous solutions: the synthesis and characterization of $V(en)_3SO_4$, $V(bpy)_2SO_4$ and $V(py)_4SO_4$, **229**, 27

steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2)_5H_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes, **230**, 67

manganese(II) complex of the 'tripod' ligand tris(2-benzimidazolylmethyl)amine. Five-coordinate and six-coordinate Mn(II) in the crystal structure, **231**, 109

the kinetics of the Hg^{2+}-assisted chloride release from some $[MCl(RNH_2)_5]^{2+}$ complexes (M = Co, Cr), **233**, 25

symmetrical and asymmetrical bis(amine)carboxyhydroboron(+1) and bis(amine)cyanohydroboron(+1) cations: synthesis and properties, **233**, 119

the synthesis and X-ray structure of *trans*-$[CrCl_2(nPrNH_2)_4]BF_4 \cdot H_2O$ and the thermal and Hg^{2+}-assisted chloride release kinetics from some *trans*-$[CrCl_2(N)_4]^+$ complexes, **237**, 37

the stereochemistry of Co(III)–amine complexes. The use of nOe and COSY ^1H NMR spectroscopy to determine structure in solution, **240**, 125

Amino acid complexes

salt induced peptide formation: on the selectivity of the copper induced peptide formation under possible prebiotic conditions, **228**, 207

chiral metal complexes 44. Enantiomeric discrimination in ternary cobalt(III) complexes of *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1*S*,2*S*-diaminocyclohexane and α-amino acids; including the crystal structure of the *S*-prolinato complex, **236**, 109

L-Amino acid complexes

coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids, **237**, 187

Amino acid esterified complexes

preparation and study of esterified substitutes of *DL*-phenylalanine and *DL*-valine copper complexes, **233**, 155

2-Aminoethanethiolate complexes

synthesis and some properties of T-cage type $Co^{III}{}_4Hg^{II}{}_4$ and $Rh^{III}{}_4Hg^{II}{}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19

Aminomethylphosphonic acid complexes

authentication of aminomethyl(hydrogen)phosphonate coordination to a main group metal: synthesis and crystal structure of $[Mg(O_3PCH_2NH_3)_2(H_2O)_2] \cdot 2H_2O$, **232**, 189

Aminopolycarboxylato complexes

peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable $K_2[VO(O_2)(C_6H_6NO_6)] \cdot 2H_2O$, **230**, 241

Aminopolycarboxylic acid complexes

studies on the antitumor antimony(III) aminopolycarboxylic acid chelates. Crystal structures of $M[Sb(pdta)] \cdot H_2O$ ($M = Na^+, NH_4^+$; pdta = propylenediaminetetraacetic acid), **232**, 161

Aminopyridine complexes

rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of $RhCl(C_8H_{12})(C_7N_2H_{12})$ and $[Rh(C_8H_{12})(C_7N_2H_{10})]$-$[Rh(C_8H_{12})Cl_2]$, **232**, 9

Aminopyrrol complexes

rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of $RhCl(C_8H_{12})(C_7N_2H_{12})$ and $[Rh(C_8H_{12})(C_7N_2H_{10})]$-$[Rh(C_8H_{12})Cl_2]$, **232**, 9

Ammine complexes

mercury(II)-promoted formation and aquation of linkage isomers of *trans*-dicyanotetraamminechromium(III). A polarographic and spectral study, **228**, 153

acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99

a new procedure to synthesize *cis*-$[Ru(NH_3)_4L_2]^{n+}$ species containing ruthenium(II) or ruthenium(III) using tetrammino (3,4-diolatobenzoato)ruthenium(II) as precursor, **235**, 427

optical metal-to-metal charge transfer of (μ-cyano)decaammine-diosmium(III), **238**, 1

kinetics of the reaction of chromium(II) with ethyliodoacetate, iodoacetatopentaamminecobalt(III), **239**, 99

selective recognition of metal complexes by macrocyclic ethers: further observations on the macrocycle size dependence and the first-sphere ligand composition dependence of recognition thermodynamics, **240**, 285

Ammonia complexes

a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151

synthesis and ligand substitution reactions of $[Ta(CO)_5NH_3]$, **240**, 379

Anation reactions

studies on the kinetics and mechanism of anation reactions of some six-coordinate complexes of chromium(III) in aqueous solution, **240**, 117

Angular overlap model

mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581

Aniline complexes

correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559

Anion complexes

synthesis of the tetrachlorobis(5-nitroimidazole)ruthenium(III) anion and solution chemistry in water and methanol, **233**, 33

Anionic chelate ligand

formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163

Anionic complexes

synthesis, structure and reactivity of stable dianionic organometallic complexes of Pt(IV). Crystal structure of $PEtPh_3{}_2$*cis*-$Pt(C_6F_5)_2Cl_4$ and NBu_4*mer*-$Pt(C_6F_5)_2Cl_3$- (NH_2-*p*-$C_6H_4CH_3$), **229**, 291

synthesis and ligand substitution reactions of $[Ta(CO)_5NH_3]$, **240**, 379

Anion recognition

anion recognition by a dicopper(II) cryptate, **238**, 5

Annulene complexes

the synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes, **236**, 89

Anticancer agent

cationic diamineplatinum(II) complexes of nalidixic acid, **239**, 133

Antiferromagnetic coupling

magnetic studies on the μ-oxalato nickel(II) dimers with an $[NiN_4O_2]$ environment. Crystal structure of (μ-ox)$[Ni(323\text{-tet})]_2$-$(ClO_4)_2 \cdot 2H_2O$ (323-tet = *N,N'*-bis(3-aminopropyl)-1,2-ethanediamine), **232**, 151

Antiferromagnetism

easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57

Antimony complexes

studies on the antitumor antimony(III) aminopolycarboxylic acid chelates. Crystal structures of $M[Sb(pdta)] \cdot H_2O$ ($M = Na^+, NH_4^+$; pdta = propylenediaminetetraacetic acid), **232**, 161

on the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of $O(CH_2CH_2S)_2SbS_2P(OC_2H_5)_2$ and crystal and molecular structure of $(CH_2CH_2S)_2Sb$–$SCH_2CH_2OCH_2CH_2S$–$Sb(SCH_2CH_2)_2O$, a compound with two different eight-membered ring conformations, **236**, 31

Antitumour activity
mer-[Ru(terpy)Cl_3] (terpy = 2,2′:6′,2″-terpyridine) shows biological activity, forms interstrand cross-links in DNA and binds two guanine derivatives in a *trans* configuration, **231**, 57
studies on the antitumor antimony(III) aminopolycarboxylic acid chelates. Crystal structures of M[Sb(pdta)]·H_2O ($M = Na^+$, NH_4^+; pdta = propylenediaminetetraacetic acid), **232**, 161
adducts of organotin(IV), tin(IV) and tin(II) halides with 1-methylimidazoline-2(3*H*)-thione (Hmimt) and imidazoline-2(1,3*H*)-thione (Himt). Synthesis, spectroscopic (IR, Mössbauer and ^1H, ^{13}C, ^{119}Sn NMR) studies and in vitro antitumour activity, **239**, 177
Antitumour complexes
hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of [{Cu(HL)H_2O}$_2SiF_6$]·$2H_2O$, **236**, 83
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of [{Cu(HL)H_2O}$_2$]·$2(NO_3)$ and [{Cu(HL)(pyridine)(NO_3)}$_2$], **236**, 101
Aqua complexes
synthesis and characterisation of *trans*-[$RhCl_2(OH_2)$\{C_6H_3-2,6-$(CH_2PCy_2)_2$\}]; factors influencing the Rh–O bond length in rhodium–aqua complexes, **231**, 207
the nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of $[Ru_3O(O_2CCH_3)_6(OH_2)_3](ClO_4)\cdot 2H_2O$, **232**, 167
Aquation
mercury(II)-promoted formation and aquation of linkage isomers of *trans*-dicyanotetraamminechromium(III). A polarographic and spectral study, **228**, 153
spontaneous aquation reactions of a promising tumor inhibitor *trans*-imidazolium-tetrachlorobis(imidazole)ruthenium(III), *trans*-HIm[$RuCl_4(Im)_2$], **233**, 59
Aquo complexes
chemical bonding and electronic structure in the ionic species $CrNO^2$ and $Cr(H_2O)_5NO^2$ by all electron ab initio multi configuration self consistent field calculations, **229**, 455
experimental and theoretical study of a paradigm Jahn–Teller molecule, all-*trans*-$CrCl_2(H_2O)_2$(pyridine)$_2$, and the related *trans*-$CrCl_2$(pyridine)$_4$·acetone, **235**, 21
stereochemistry of aquo(5,10,15,20-tetraphenylporphinato)zinc(II) as its 18-crown-6, methylene chloride solvate, **237**, 5
Mg^{2+}-activated double-stranded DNA cleavage by $[(bpy)_2(OH_2)Ru^{III}\text{-}O\text{-}Ru^{III}(H_2O)(bpy)_2]^{4+}$, **240**, 335
Arene complexes
synthesis, spectroscopic studies and reactivity of η^6-arene derivatives of titanium(IV), **229**, 179
synthesis and characterization of $Cp^*Ru(\eta^6\text{-arene})^+$ and $Cp^*Ru(\eta^6{:}\eta^6\text{-diarene})RuCp^{*2+}$ complexes, **231**, 133
an organometallic polyimine copolymer prepared from {η^6-1,4-bis(CHO)C_6H_4}$Cr(CO)_3$ and 1,3-phenylenediamine, **232**, 223
the synthesis, molecular and crystal structure of the bis(arene) hexaruthenium carbido-carbonyl isomers $Ru_6C(CO)_{11}(C_6H_4Me_2$-1,3)($C_6H_5Me$), **235**, 413
Arsenic donor ligand complexes
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
Arsenic ylides
reactivity of carbon suboxide toward As and P stabilized ylides. Crystal and molecular structure of CH_2\{C(=O)[C(=$AsPh_3$)(COOMe)]\}$_2$, **237**, 27
Arsine complexes
reactions of complexes $Co_2(CO)_6(RC_2R')$ with Group V^0 donor ligands; synthesis and spectroscopic characterization of substituted derivatives $Co_2(CO)_{6-n}(L)_n(RC_2R')$, **228**, 147
synthesis and reactivity of $ReH_7(AsPh_3)_2$, **236**, 63
Aryl fluoride complexes
a systematic method of promoting an aryl fluoride to coordinate to ruthenium(II), **228**, 127
Aryl halide complexes
oxidative addition of surface bound aryl halides at tungsten(0), **240**, 479
L-Aspartato complexes
magnetic interactions in aqua(*L*-aspartato)(2,2′-bipyridine)-copper(II) trihydrate, **228**, 261
Asymmetric hydrogenation
mechanistic aspects of Ru(BINAP)-catalysed asymmetric hydrogenation of vinylcarboxylic acid derivatives, **234**, 95
Atomic orbital energies
atomic orbital energies in calcium to copper, **229**, 171
Azaferrocene complexes
photoreduction of metallophthalocyanines and phthalocyanine-sensitized photoreduction of methylviologen in the presence of azaferrocene, **232**, 63
Azamacrocycle complexes
syntheses, structures and properties of copper and nickel complexes of the macrocyclic ligand 5,6,11,12,17,18,23,24-octahydro-tetrabenzo[*b,f,j,n*][1,5,9,13]tetraazacyclo- hexadecine (H_8TAAB), **228**, 93
preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133
lead(II) complexes of 1,4,7,10-tetraazacyclododecane-*N,N′,N″,N‴*-tetraacetate: solution chemistry and application to tumor localization with ^{203}Pb labeled monoclonal antibodies, **239**, 43
the monofunctionalized 1,4,7-triazacyclononane derivatives 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2) and their complexes with vanadium(IV)/(V). Localized and delocalized electronic structures in compounds containing the mixed valent $[O^{IV}\text{–}O\text{–}V^VO]^{3+}$ core, **240**, 217
Azamacrocyclic ligand complexes
properties of monovalent nickel complexes with tetraaza-macrocyclic ligands in aqueous solutions, **240**, 503
Azarhenacycle complexes
insertion of isocyanides into Re–C bonds, **240**, 495
Azatrimethylenemethane complexes
η^3-azatrimethylenemethane complexes of platinum. Structural characterization of $(PPh_3)_2Pt(\eta^3\text{-}CH_2C(4\text{-}NC_6H_4NO_2)CHPh)$, **235**, 1
Azido complexes
convenient preparation of $[CuX(PCy_3)_2]$ (X = Br, I, SCN, N_3) complexes. X-ray crystal structure of $[Cu(N_3)(PCy_3)_2]$ (Cy = *cyclo*-C_6H_{11}), **230**, 231
new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2]\cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53
Azine phosphine complexes
cyclometallation of a pentafluorobenzaldehyde azine phosphine via a C–F bond fission by iridium(I): crystal structure of $[IrCl_2(CO)\{PPh_2CH_2C(Bu^t)=N\text{–}N=CH(C_6F_4)\}]$, **233**, 103
L-Aziridine-2-carboxylate
transition metal complexes of *L*-aziridine-carboxylate, **235**, 391
Azouracil complexes
orthometalation of 6-amino-1,3-dimethyl-5-phenylazouracil: crystal structure and spectroscopic properties of *trans*-[$Rh^{III}Cl_2(L)(H_2O)]\cdot 3H_2O$, **231**, 103

Backbonding
an analysis of the bonding in some 'nonclassical' d^0 and d^{10} metal carbonyl complexes, **229**, 437

Barium complexes
barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of $[Ba(H_2O)_5][Cu(C_2O_4)_2(H_2O)]$ and $[Ba(C_4O_4)_{0.5}(H_2O)_2]_2[Cu(C_4O_4)_2(H_2O)_2]$, **230**, 1
barium complexes of Schiff base macrocycles incorporating a difurylpropane unit and bearing a pendant arm, **231**, 217
synthesis and structure of metallomacrocycles based on isothiosemicarbazides, **238**, 23
structure refinement of barium metavanadate BaV_2O_6, **238**, 165
studies of the cation complexing ability of crowns Part I. Synthesis, characterization and crystal structure of diazacrowns and their barium complexes, **240**, 257
Belousov–Zhabotinsky reaction
oscillating luminescence in the Belousov–Zhabotinsky reaction catalyzed by $Ru(bpy)_3$, **233**, 21
Benzimidazole ligand complexes
preparation of the complexes $M^{II}L_2 \cdot 2CH_3OH$ (M = Co, Ni, Cu, Zn) of the bidentate ligand 2-(2′-hydroxy-3′-methylphenyl)-benzimidazole (HL) and the molecular structure of $Cu^{II}L_2 \cdot 2CH_3OH$, **237**, 181
Benzothiophene complexes
olefin versus sulfur coordination of benzo[*b*]thiophene (BT) in $Cp(CO)_2Re(\eta^2{:}\eta^6\text{-}\mu_2\text{-BT})Cr(CO)_3$, **240**, 393
Betaine complexes
mercury(II) chloride adducts of flexible double betaines: influence of different quaternary ammonio side groups in the adipic acid skeleton, **237**, 163
Bibracchial lariat ether complexes
stability constant variations of the divalent metal complexes of four bibracchial lariat ethers, **237**, 147
Bidentate complexes
synthesis and characterization of 1:2 metal complexes of the biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline (L) and the X-ray structure of $[CuL_2](PF_6)$, **240**, 673
Bidentate dithiolate ligand complexes
X-ray crystal structure of (2,2′-bipyridine)(6,7-dihydro-5*H*-1,4-dithiepin-2,3-dithiolate) platinum(II), **237**, 177
Bidentate ligand complexes
magnetic interactions in aqua(*L*-aspartato)- (2,2′-bipyridine)-copper(II) trihydrate, **228**, 261
conformational diversity in the solid state structures of $Rh_2(\mu\text{-}CH_3N(P(OCH_3)_2)_2)_2(CH_3N(P(OCH_3)_2)_2)_2X_2$ (XO_3SCF_3, $B(C_6H_5)_4$), **229**, 17
η^2 and η^4 olefin complexation by *S,S*-$[Ru^{II}(Me_2edda)]$: a structural change to accommodate bidentate dienes, **230**, 77
mixed metal complexes of Groups 10 and 11 elements. The structure and properties of $[M(mnt)_2\{Ag(PR_3)_2\}_2]$ (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate), **231**, 35
crystal structure of square-planar [1,2-bis(phenylsulfanyl)ethane]-dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173
symmetric or unsymmetric cleavage of the bridging system in $[M_2(\mu\text{-}C_6F_5)_2(C_6F_5)_4]^{2-}$ ($M_2 = Pt_2$, Pd_2 or PtPd) with 2,2′-bipyridine or 1,10-phenanthroline. Molecular structure of $[PPN]_2[(C_6F_5)_3Pt(\mu\text{-bpy})Pt(C_6F_5)_3]$ and $[NBu_4][Pt(C_6F_5)_3(phen)]$, **235**, 51
the coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine, **236**, 125
Bidentate nitrogen ligand complexes
direct evidence for a rate determining chelate ring closure mechanism in the reaction of a platinum(II) complex with bidentate nitrogen ligands, **235**, 281
Bidentate phosphine complexes
copper(I) and gold(I) complexes with a phosphorus-sulfur ligand. X-ray structure of $AuCl[(C_6H_5)_2PCH_2CH_2SCH_3]$, **237**, 207
Bidentate phosphine ligand complexes
synthesis and crystal structure of a tetranuclear bis(diphenylphosphino)methane palladium complex capped by a μ_4-bonded sulfide: $[Pd_4(\mu\text{-dppm})_4(\mu_4\text{-S})] \cdot 4(CH_3)_2CO$, **239**, 159
Bidentate S,O ligand complexes
a tetranuclear cobalt complex with mercaptopyridine *N*-oxide as ligand. Synthesis and crystal structure of $[Na_3Co_4(\mu_3\text{-O})_2(mpo)_8(DMF)_4]Br \cdot 2DMF$ (mpo = 2-mercaptopyridine-*N*-oxide), **231**, 153
Bidimensional layers
synthesis, thermal and electrical characterization of 2-methylpentane-1,5-diammonium tetrachlorocadmate(II) with perovskite-like structure, **233**, 85
9,9′-Bifluorenylidene complexes
9-9′-bifluorenylidene (BFD) complexes of ruthenium $[\{(\eta^5\text{-}C_5Me_5)Ru\}_n(BFD)]^x$ ($x = 0$, $n = 1$; $x = 1^+$, $n = 2$): EPR and spectroelectrochemical studies. X-ray structure of $[\{(\eta^5\text{-}C_5Me_5)Ru\}(BFD)](OSO_2CF_3)$, **234**, 1
Biheteroaromatic ligand complexes
synthesis and characterization of 1:2 metal complexes of the biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline (L) and the X-ray structure of $[CuL_2](PF_6)$, **240**, 673
Bimetallic complexes
synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres, **236**, 141
ligand-mediated metal–metal interactions in $(\eta^5{:}\eta^5\text{-fulvalene})$-bis(dicarbonylcobalt) and rhodium complexes, **240**, 623
Bimetallic hydrogenselenites
'layered hydrogenselenites' II. Synthesis, structure studies and magnetic properties of a novel series of bimetallic hydrogenselenites: $[Cu(HSeO_3)_2MCl_2(H_2O)_4]$, M(II) = Mn, Co, Ni, Cu, Zn, **238**, 15
BINAP complexes
preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159
mechanistic aspects of Ru(BINAP)-catalysed asymmetric hydrogenation of vinylcarboxylic acid derivatives, **234**, 95
Binuclear complexes
magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281
reaction of $Rh_2(\mu^2\text{-}O_2CCH_3)_3\mu^2\text{-}(C_6H_4)PMePh(HO_2CCH_3)_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of $Rh_2(\mu^2\text{-}O_2CCH_3)_2\mu^2\text{-}(CH_2)PPh_2\text{-}\mu^2\text{-}(C_6H_4)PPh_2(PPh_3) \cdot 2CH_2Cl_2$, **229**, 365
structure and reactivity of an intermediate in the two-electron reduction of dimolybdenum(III) by a hydride ligand in the Mo–H–Mo system, **229**, 417
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173
crystal structure and magnetic properties of $[NMe_4]_4[Mn_2(C_3S_5)_4]$ ($C_3S_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate), **232**, 51
pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides, **236**, 49
Binucleating ligand complexes
preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133
X-ray crystal structure of $Cu_2(medpco\text{-}2H)Cl_2$, (medpco = *N,N′*-bis(2-*N,N*-dimethylaminoethyl)pyridine-2,6-dicarboxamide 1-oxide. Copper(II) complexes of a deprotonated binucleating pyridine *N*-oxide ligand, **230**, 139

a new asymmetric N_5O_2-donor binucleating ligand and its first $Fe^{II}Fe^{III}$ complex as a model for the redox properties of uteroferrin, **237**, 131
Bioctahedral complexes
preparation and structure of the face-sharing bioctahedral ion $Mo_2Cl_8(PEt_3)^2$, **229**, 473
synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands, **236**, 21
Biostability
phenyl-substituted copper di-Schiff base, a potent Cu_2Zn_2 superoxide dismutase mimic surviving competitive biochelation, **233**, 11
Biphenyl dianion complexes
structure, physical, chemical and photophysical properties of Pt(bph)$(CO)_2$, where bph is the biphenyl dianion, **240**, 41
Bipyridine complexes
ruthenium complexes containing tertiary phosphines and imidazole or 2,2′-bipyridine ligands, **230**, 111
crystal and molecular structure of polymeric $[MnCl_2(bpy)]_n$, **230**, 169
an electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)ruthenium(II): a potential building block for supramolecular systems, **232**, 217
oscillating luminescence in the Belousov–Zhabotinsky reaction catalyzed by $Ru(bpy)_3$, **233**, 21
synthesis of triosmium alkylidyne clusters incorporating pendant pyridyl ligands. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(4,4'\text{-bipy})\}]\cdot H_2O$ and $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(2,4'\text{-bipy})\}]$ (4,4′-bipy = 4,4′-bipyridine; 2,4′-bipy = 2,4′-bipyridine), **234**, 5
photooxidation of $Ru(bpy)(CN)_4^{2-}$ and $Ru(DMbpy)(CN)_4$, **236**, 173
syntheses, characterization, structure and redox behavior of *cis*-$[Ru(NO)X(bpy)(py)_2]^z$ (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes, **237**, 47
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
Mg^{2+}-activated double-stranded DNA cleavage by $[(bpy)_2(OH_2)Ru^{III}\text{-}O\text{-}Ru^{III}(H_2O)(bpy)_2]^{4+}$, **240**, 335
high resolution spectroscopy of the lowest excited state in Re^I tetracarbonyl complexes, **240**, 453
2,2′-Bipyridine complexes
X-ray crystal structure of (2,2′-bipyridine)(6,7-dihydro-5*H*-1,4-dithiepin-2,3-dithiolate) platinum(II), **237**, 177
4,4′-Bipyridine complexes
synthesis and crystal structure of a mono- and dinickel(0) ethylene complex with 4,4′-bipyridine; $[Ni(4,4'\text{-bpy})(C_2H_4)_2]_2[Ni_2(4,4'\text{-bpy})(C_2H_4)_4]$, **232**, 231
Biquinone complexes
transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties, **229**, 195
Bis(allyl) ligand complexes
neutral and anionic halide complexes of ruthenium(IV), **229**, 87
Biscarboranes
the synthesis and structural characterization of carborane oligomers connected by carbon–carbon and carbon–boron bonds between icosahedra, **240**, 371
1,1′-Bis(diphenylphosphino)ferrocene
structural characterization of two solid state forms of the complex bis[1,1′-bis(diphenylphosphino)ferrocene] rhodium(I) tetraphenylborate, **233**, 165
Bis(diphenylphosphino)propane complexes
synthesis, characterization and X-ray structure of $[Pd(dppp)(H_2O)(TsO)][TsO]$ (dppp = 1,3-bis(diphenylphosphino)propane; TsO = *p*-$CH_3C_6H_4SO_3$), a catalytic species in CO–C_2H_4 copolymerization, **233**, 5
Bismuth complexes
main group metal halide complexes with sterically hindered thioureas XV. The crystal and molecular structures of two unique monomeric bismuth(III) thiocyanate complexes with 1,3-dimethyl-2(3*H*)-imidazolethione, **228**, 69
synthesis and X-ray crystal structure of [K(18-crown-6)]-$[Bi\{Co(CO)_4\}_4]$: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189
cyclophanes:metal:arene ternary compounds: synthesis, crystal structure and spectroscopic properties of Bi_2Br_6:[2,2]paracyclophane:pyrene, **237**, 169
Bleomycin complexes
reaction of nitric oxide with iron bleomycin bound to DNA: properties of the nitrosyl adduct and its reaction with O_2, **240**, 535
Block f-element complexes
metal–silicon bonding energetics in organo–Group 4 and organo–f-element complexes. Implications for bonding and reactivity, **229**, 343
π-Bonded complexes
synthesis and structure of $W_2Cl_4(\mu\text{-dppm})_2(\eta^2\text{-}\mu\text{-}CH_3CN)$, **229**, 113
Bond enthalpies
metal–silicon bonding energetics in organo–Group 4 and organo–f-element complexes. Implications for bonding and reactivity, **229**, 343
Bonding complexes
a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151
Bond splitting
synthesis, reactivity and structure of $[Ir_4(\mu\text{-}CO)_3(CO)_5(\mu\text{-}PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
Borane adducts
crystal structures of two *N*-methyltriphenylphosphoranimines: triphenylphosphine-*N*-methylimine borane, $Ph_3PN(CH_3)BH_3$ and *N*,*N*-dimethylaminotriphenylphosphonium tetrafluoroborate, $[Ph_3PN(CH_3)_2]^+BF_4$, **239**, 171
Boric acid complexes
kinetic study on complexation of boric acid with 4-isopropyltropolone in non-aqueous solvents, **231**, 115
Borocaptate ligand complexes
the use of the borocaptate anion as a ligand. Synthesis and X-ray crystal structure of pentaammine(1-thiolato-*closo*-undecahydrododecaborane)ruthenium(III) dihydrate, **240**, 19
Boron complexes
symmetrical and asymmetrical bis(amine)carboxyhydroboron(+1) and bis(amine)cyanohydroboron(+1) cations: synthesis and properties, **233**, 119
Bridging complexes
synthesis and structure of $W_2Cl_4(\mu\text{-dppm})_2(\eta^2\text{-}\mu\text{-}CH_3CN)$, **229**, 113
reactions of agostic manganese complexes with molecular hydrogen, **230**, 211
Bridging cycloheptatrienyl complexes
cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-$(\mu^3{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pd(\eta^3\text{-}C_3H_5)$, **229**, 307
cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-$(\mu\text{-}\eta^3{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pt(\eta^2,\sigma^1\text{-}C_8H_{12}\text{-}C_5H_5)$, **229**, 461
Bridging diphosphine complexes
an unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-$[Mo_2(CO)_8\{\mu\text{-}Ph_2P(CH_2)_8PPh_2\}_2]$, **237**, 199
Bridging ligand complexes
metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(I,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states, **229**, 143
synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ_2-η^2,η^2-bridging mode: $[Ni_3(tmsb)(cod)_3]$, **236**, 181
Butadiyne
synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode, **231**, 213

Cadmium complexes
phosphine derivatives of mercury and cadmium dithiolates: an electrospray mass spectrometric study, **228**, 193
one-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N,N'*-dimethylpiperazinium compounds: synthesis, structural and thermal properties, **230**, 59
cadmium(II) complexation by a series of triazacycloalkanes ([*x*]aneN$_3$, *x* = 9–12). An equilibrium and structural study, **232**, 131
study of the reactivity of Cd(II) with 4,6-dimethyl- 2-thiopyrimidine. Crystal structure of 4,6-dimethyl- 2-thiopyrimidinium trichlorocadmiatum(II), **232**, 139
helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands, **236**, 185
synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate, **237**, 111
electrospray mass spectrometry and X-ray crystallography studies of divalent metal ion complexes of tris(2-pyridylmethyl)amine, **239**, 29
the reaction of cadmium dicyclohexyldithiophosphinate with tributylphosphine. The crystal and molecular structures of tetrakis(dicyclohexyldithiophosphinato)dicadmium(II) chloroform solvate, [Cd$_2$(S$_2$PCy$_2$)$_4$] · CHCl$_3$, and of the tributylphosphine adduct [Cd(S$_2$PCy$_2$)$_2$(PBu$_3$)], **239**, 87
bis[dihydrobis(1-pyrazolyl)borate]cadmium(II): a monomeric, severely distorted tetrahedral complex of cadmium(II), **240**, 669
Calcium
atomic orbital energies in calcium to copper, **229**, 171
Calcium complexes
^{1}H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes, **232**, 91
Calixarene complexes
calixarene complexes of the molybdenum–molybdenum quadruple bond, **229**, 5
solvent extraction of divalent palladium and platinum from aqueous solutions of their chloro complexes using an *N,N*-dimethyldithiocarbamoylethoxy substituted calix[4]arene, **240**, 441
Camphorsulfonate complexes
the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of ( )-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and (μ-OH)$_2$CpMo(NO)I$_2$, **229**, 39
Carbene complexes
syntheses and structures of dicyanobis(oxazolidin-2-ylidene)palladium(II) and platinum(II) complexes, **235**, 299
heterocycles as ligands 21. Stable titanium carbene complexes, **238**, 179
molecular complex design: bridging the tetrakiscarboxylatodirhodium core, **239**, 25
reactions of the haloalcohols HO(CH$_2$)$_n$Cl (n = 2, 3) with platinum(II) alkynyl and alkyne complexes. X-ray crystal structure of *trans*-[Pt(Me){C(OCH$_2$CH$_2$Cl)(CH$_2$Ph)}(PPh$_3$)$_2$][BF$_4$], **240**, 567
Carbido complexes
the synthesis, molecular and crystal structure of the bis(arene) hexaruthenium carbido-carbonyl isomers Ru$_6$C(CO)$_{11}$(C$_6$H$_4$Me$_2$-1,3)(C$_6$H$_5$Me), **235**, 413
Carbohydrate complexes
the local structure of solid diorganotin(IV) complexes formed with carbohydrates by X-ray absorption spectroscopy, **230**, 105
Carbon dioxide
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Carbon disulfide
on the photopolymerization of carbon disulfide, **232**, 27
reactions of (η^5-C$_5$Me$_5$)Ir(2,5-dimethylthiophene) with S$_8$, O$_2$, SO$_2$ and CS$_2$, **235**, 61
Carbonic anhydrase inhibitor
metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H$_2$ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H$_2$ats and the [Cu(B-ats)(NH$_3$)$_2$]$_2$ dimer complex, **232**, 117
Carbon monoxide complexes
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
Carbon monoxide substitution
carbon monoxide substitution of anionic and neutral (η^5-dicarbollyl)-Rh(CO)$_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to (η^5-C$_5$H$_5$)Rh(CO)$_2$, **235**, 89
Carbon suboxide
reactivity of carbon suboxide toward As and P stabilized ylides. Crystal and molecular structure of CH$_2${C(=O)[C(=AsPh$_3$)(COOMe)]}$_2$, **237**, 27
Carbonylation
X-ray structure of palladium(II) tetrakis-thiourea iodide, a catalyst for carbonylation reactions, **234**, 181
Carbonyl clusters
carbonyl ligand substitution at rhodium in the heterometallic cluster [PPN]$_2$[Re$_7$C(CO)$_{21}$Rh(CO)$_2$]. A reactivity comparison with mononuclear (η^5-C$_5$H$_5$)Rh(CO)$_2$ and related compounds, **240**, 615
Carbonyl complexes
reactions of complexes Co$_2$(CO)$_6$(RC$_2$R') with Group V^0 donor ligands; synthesis and spectroscopic characterization of substituted derivatives Co$_2$(CO)$_{6-n}$(L)$_n$(RC$_2$R'), **228**, 147
fulgides as ligands 1. Synthesis and photochemistry of tricarbonyl-η^6-fulgide chromium(0) complexes, **228**, 215
synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267
coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47
synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate, **229**, 153
hindered rotation about single bonds in RuHX(CO)(P^{t}Bu$_2$Me)$_2$ and IrHCl$_2$(P^{t}Bu$_2$Me)$_2$, **229**, 187
the ligand polyhedral model and its application to the fluxional behaviour of M$_4$(CO)$_{12n}$ (MCo, Rh, Ir; *n*1, 2, 4) clusters, **229**, 221
ultrafast studies of metal–metal bond cleavage in Fe$_3$(CO)$_{12}$ in solution, **229**, 469
preparation and crystal structure of the cluster complex Os$_7$H$_2$(CO)$_{21}$P(OMe)$_3$, **229**, 483
application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters. Part 3. Synthesis, structural characterization, and spectroscopic studies of the clusters [{M(CO)$_4$}$_n$(MS$_4$)]$^{2-}$ (M = Mo, W; n = 1, 2), **230**, 9
CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and Re$_2$(CO)$_8$(μ-H)(μ-η^1,η^2-C≡CPh), **230**, 45
reactivity of cationic carbonyl/phosphine ruthenium(II) compounds, **230**, 193
carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N'*-tert-butyl sulfur diimide. Novel five-membered PNSNM metallacycles, **231**, 249
synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of [(CO)$_5$Mn–Ru(Me)(CO)$_2$(σ(*N*),σ(*N'*)-iPr-PyCa)] (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine), **232**, 19

mixed Group 6 metal carbonyl complexes containing polydentate phosphine ligands, **232**, 175
synthesis, reactivity and structure of $[Ir_4(\mu\text{-}CO)_3(CO)_5(\mu\text{-}PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
cyclometallation of a pentafluorobenzaldehyde azine phosphine via a C–F bond fission by iridium(I): crystal structure of $[IrCl_2(CO)\{PPh_2CH_2C(Bu^t)=N\text{–}N=CH(C_6F_4)\}]$, **233**, 103
first structural confirmation of different geometrical isomers in the same crystal lattice: the crystal structure of benzoylacetonatocarbonyltriphenylphosphinerhodium(I), **234**, 153
functionalised phosphine complexes of Group 6 metal carbonyls: structure of pentacarbonyl(phenyl-2-carbaldehyde diphenylphosphine-κP)tungsten, **234**, 163
synthesis and X-ray crystal structure of [K(18-crown-6)]-$[Bi\{Co(CO)_4\}_4]$: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189
carbon monoxide substitution of anionic and neutral (η^5-dicarbollyl)$Rh(CO)_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to (η^5-C_5H_5)$Rh(CO)_2$, **235**, 89
a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151
Ph_3P=Se as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3\text{-}Se)(\mu\text{-}CO)(CO)_7(PPh_3)_2$, $M_3(\mu_3\text{-}Se)_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4\text{-}Se)_2(\mu\text{-}CO)_2(CO)_7(PPh_3)_2$, **235**, 173
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds Part 2. Some M_5 species, **235**, 407
the synthesis, molecular and crystal structure of the bis(arene) hexaruthenium carbido-carbonyl isomers $Ru_6C(CO)_{11}(C_6H_4Me_2\text{-}1,3)(C_6H_5Me)$, **235**, 413
^{13}C NMR study of reorientational dynamics in $Ru_3(CO)_9(\mu_3\text{-}CO)(\mu_3\text{-}NPh)$. Relaxation time analysis in the non-motional narrowing regime, **236**, 1
terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu\text{-}PPh_2)Cr(CO)_5$,S (L = CO, S = CH_3COCH_3; L = $P(OMe)_3$, S = $C_6H_5CH_3$), **237**, 79
an unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-$[Mo_2(CO)_8\{\mu\text{-}Ph_2P(CH_2)_8PPh_2\}_2]$, **237**, 199
synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N=N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-}H)(NC_5H_3\text{–}N=N(O)\text{–}C_6H_5)]$, **238**, 193
crystal structures of *trans*-$[Ru(dppe)_2(CO)(Cl)](BF_4)\cdot 2$(toluene) and *trans*-$[Ru(dppm)_2(CO)(Cl)](BF_4)\cdot CH_2Cl_2$: a study of the steric and electronic ligand effects of *trans*-positioned diphosphine ligands, **239**, 77
the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
structure, physical, chemical and photophysical properties of Pt(bph)$(CO)_2$, where bph is the biphenyl dianion, **240**, 41
mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49
the coordination chemistry of cationic main group clusters: syntheses and structures of $[Fe_3(Se_2)_2(CO)_{10}]^{2+}$ and $[Fe_4(Se_2)_3(CO)_{12}]^{2+}$, **240**, 63
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of $[M(CO)_3(\eta^7\text{-}C_7H_7)]^+$ (M = Cr, Mo, W) cations, **240**, 71
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
kinetics and mechanism of CO substitution of $[\eta^5\text{-}CpFe(CO)_3]PF_6$ with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153
heats of reaction of $HMo(CO)_3(C_5R_5)$ (R = H, CH_3) with diphenyldisulfide and of formation of the clusters $[PhSMo(CO)_x(C_5H_5)]_2$, x = 1, 2. Thermodynamic study of molybdenum–sulfur bond strengths, **240**, 175
synthesis and ligand substitution reactions of $[Ta(CO)_5NH_3]$, **240**, 379
olefin versus sulfur coordination of benzo[*b*]thiophene (BT) in $Cp(CO)_2Re(\eta^2\text{:}\eta^6\text{-}\mu_2\text{-}BT)Cr(CO)_3$, **240**, 393
substitution kinetics of tetracarbonyl(η^2-alkene)ruthenium complexes: alkene = ethene and methyl acrylate, **240**, 399
generation and spectroscopic characterization of new 18 + δ electron complexes. Relationship between the stability of 18 + δ electron organometallic complexes and their ligand reduction potentials, **240**, 405
application of the non-isothermal approach to the kinetics of organometallic reactions: the substitution of (η^5-pentamethylcyclopentadienyl)dicarbonylrhodium(I), **240**, 427
high resolution spectroscopy of the lowest excited state in Re^I tetracarbonyl complexes, **240**, 453
cofacial and antarafacial indenyl bimetallic isomers: a descriptive MO picture and implications for the indenyl effect on ligand substitution reactions, **240**, 541
rhodium(I) complexes of the type $[Tp^{3R,5R}Rh(LL)]$ (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of $Tp^{CF_3,Me}Rh(CO)_2$, **240**, 631
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
metal carbonyls of telluroether formed by the oxygen atom transfer reaction to $M(CO)_6$ (M = Mo, W) in the presence of (p-$CH_3OC_6H_4)_2TeO$ and relative kinetic investigation, **240**, 661

Carbonyl exchange
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357

Carbonyl polyhedra
chemical applications of topology and group theory 28. Carbonyl polyhedra in metal carbonyl clusters, **235**, 111

Carborane complexes
carbon monoxide substitution of anionic and neutral (η^5-dicarbollyl)$Rh(CO)_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to (η^5-C_5H_5)$Rh(CO)_2$, **235**, 89

Carboranes
the synthesis and structural characterization of carborane oligomers connected by carbon–carbon and carbon–boron bonds between icosahedra, **240**, 371

Carboxylate complexes
photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $Rh_2(O_2CCH_3)_2(\eta^2\text{-}O_2CCH_3)(C_6H_4)PPh_2(\eta^2\text{-}PCCl)(PCClP(o\text{-}ClC_6H_4)Ph_2)$, **229**, 203
reaction of $Rh_2(\mu^2\text{-}O_2CCH_3)_3\mu^2\text{-}(C_6H_4)PMePh(HO_2CCH_3)_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of $Rh_2(\mu^2\text{-}O_2CCH_3)_2\mu^2\text{-}(CH_2)PPh_2\text{-}\mu^2\text{-}(C_6H_4)PPh_2(PPh_3)\cdot 2CH_2Cl_2$, **229**, 365
reactions of $Ru(HC{=}CHR)Cl(CO)(PPh_3)_2$ with functionalized carboxylates. Crystal structure of $Ru(HC{=}CHPh)(O_2C\text{–}CH{=}CH\text{–}CH{=}CH\text{–}CH_3)(CO)(PPh_3)_2$, **231**, 181
conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of

trans-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N,N'*)cobalt(III) 4-chlorobenzoate dihydrate, **232**, 1
the nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of $[Ru_3O(O_2CCH_3)_6(OH_2)_3](ClO_4)\cdot 2H_2O$, **232**, 167
alkali metal-responsive geometric and spectral changes in a cobalt(II) complex of a constrained dicarboxylate: a carboxylate shift-mediated metallochromoionophore, **235**, 195
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253
lanthanide complexes with tetrahydrofuran-2,3,4,5-tetracarboxylic acid: the effect of ligand rigidity on cation size-selectivity, **236**, 67
molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2'-bipyridine or 2-methylpyrazine, **236**, 149
ligated lanthanide clusters in the fast atom bombardment of lanthanide carboxylates, **238**, 109
Carboxylato complexes
an asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $Ru_2O(O_2CC_6H_4$-*p*-$OMe)_3(en)(PPh_3)_2(ClO_4)\cdot 3CHCl_3$, **229**, 33
synthesis, structure and solid-state polymerization of dimethyl(propynoato)thallium, **229**, 323
Catalysis
preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159
the effect of salt on selectivity in water soluble hydroformylation catalysts, **229**, 329
synthesis, characterization and X-ray structure of $[Pd(dppp)(H_2O)(TsO)][TsO]$ (dppp = 1,3-bis(diphenylphosphino)propane; TsO = *p*-$CH_3C_6H_4SO_3$), a catalytic species in CO–C_2H_4 copolymerization, **233**, 5
oscillating luminescence in the Belousov–Zhabotinsky reaction catalyzed by $Ru(bpy)_3$, **233**, 21
dinuclear Rh(II) complexes in styrene hydroformylation. Enhancement of catalytic activity through orthometalation, **233**, 161
catalytic reactions of formate 4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution, **237**, 65
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
potassium dichromate–Adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols, **238**, 183
homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system, **238**, 187
molecular complex design: bridging the tetrakiscarboxylatodirhodium core, **239**, 25
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347
Catalytic reduction
palladium complexes present during the catalytic reduction of NO to N_2O, **240**, 299
Catechol complexes
binuclear copper(II) complexes containing phenols and catechols, **239**, 107
Cationic complexes
cationic diamineplatinum(II) complexes of nalidixic acid, **239**, 133
C–C activation
coordinatively saturated Pt(II) complexes as potential precursors of organometallic polymers, **239**, 61
Cellular ligand-field model
mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581
Cerium complexes
the synthesis and crystal structure of a cerium(III) complex of 2,6-bis[2-formylphenoxymethyl]pyridine, **232**, 227
Cerium incorporation
luminescence studies of cerium(III) incorporated in silica gels prepared using sol–gel methods, **233**, 71
Chain complexes
a novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n[salH]_{2n}\cdot 4n$py in an infinite chain ($salH_2$ = salicylic acid; py = pyridine), **234**, 27
Chalcogenide complexes
application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters Part 3. Synthesis, structural characterization, and spectroscopic studies of the clusters $[\{M(CO)_4\}_n(MS_4)]^{2-}$ (M = Mo, W; n = 1, 2), **230**, 9
Charge transfer excitation
optical metal-to-metal charge transfer of (μ-cyano)decaamminediosmium(III), **238**, 1
Chelate complexes
binuclear structure in the ammonium salt of gadolinium(III) diethylenetriaminepentaacetate, $(NH_4)_4[Gd_2(DTPA)_2]\cdot 6H_2O$, **232**, 203
crystal structure of square-planar [1,2-bis(phenylsulfanyl)ethane]dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis[chloro-μ-chloro-{*N,N'*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}copper(II)], **235**, 127
the coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine, **236**, 125
palladium(II) and platinum(II) complexes of *cis*-1,2-bis(diphenylphosphino)ethene: completely planar structures due to π bonding in the case of platinum(II), **238**, 35
Chelate ligand complexes
formation of dioxygen complexes of transition metal chelates in oxygen saturated aprotic solvents. Cyclic voltammetric evidence at a micro glassy carbon disk electrode, **240**, 609
Chelate nitrogen ligand complexes
hybridization effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases, **237**, 93
Chelating complexes
X-ray structure of dichloro- [bis(2-diphenylphosphinoethyl)-phenylphosphine] (dimethyl sulfoxide)ruthenium(II), **233**, 145
Chelating diamine complexes
conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of *trans*-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N,N'*)cobalt(III) 4-chlorobenzoate dihydrate, **232**, 1
Chelating hydrazine complexes
high oxidation state rhenium complexes with the hydridotris(1-pyrazolyl)borato-oxorhenium(V) core. Crystal and molecular structures of $[HB(pz)_3ReO(HNNC_8H_5N_2)]$ and $[HB(pz)_3ReO(2$-$SC_5H_3N)]$, **231**, 13

Chelation
organometallic chemistry of diphosphazanes. Rhodium(I) complexes of $RN(PX_2)_2$ ($R=C_6H_5$; $X=OC_6H_5$, OC_6H_4Br-*p*, $R=CH_3$; $X=OC_6H_5$), **230**, 245
Chemical bonding
chemical bonding and electronic structure in the ionic species $CrNO^2$ and $Cr(H_2O)_5NO^2$ by all electron ab initio multi configuration self consistent field calculations, **229**, 455
Chemical shift anisotropies
^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions, **230**, 185
Chemisorption
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Chiral complexes
synthesis and crystal structure of the unique chiral anion $Re_2Cl_7PBzMePh$ and the direct determination of its δ-bond energy by molecular modelling, **229**, 95
chiral metal complexes 43. Cobalt(III) complexes of novel asymmetric tetradentate and pentadentate aminopolypicolyl ligands, **233**, 79
Chirality
circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands, **229**, 101
chiral metal complexes 41. Stereoisomerism in palladium(II) complexes of a series of chiral bis-picolyl N_4-tetradentate ligands, **231**, 73
Chiral metal complexes
chiral metal complexes 44. Enantiomeric discrimination in ternary cobalt(III) complexes of *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1*S*,2*S*-diaminocyclohexane and α-amino acids; including the crystal structure of the *S*-prolinato complex, **236**, 109
Chloride complexes
synthesis and crystal structure of the unique chiral anion $Re_2Cl_7PBzMePh$ and the direct determination of its δ-bond energy by molecular modelling, **229**, 95
preparation and structure of the face-sharing bioctahedral ion $Mo_2Cl_8(PEt_3)^2$, **229**, 473
crystal and molecular structure of polymeric $[MnCl_2(bpy)]_n$, **230**, 169
the kinetics of the Hg^{2+}-assisted chloride release from some $[MCl(RNH_2)_5]^{2+}$ complexes (M = Co, Cr), **233**, 25
synthesis of the tetrachlorobis(5-nitroimidazole)ruthenium(III) anion and solution chemistry in water and methanol, **233**, 33
improved preparation of anhydrous lanthanide chlorides under mild conditions, **240**, 1
6-Chloro-2-hydroxopyridinato complexes
compounds containing linked, multiply-bonded dimetal units. 3. Preparation, molecular structure and magnetic properties of a compound containing tetrakis(μ-6-chloro-2-hydroxopyridinato)-diosmium(II,III) cations linked axially by pyrazine, **236**, 43
6-Chloro-2-oxopyridinate complexes
regioisomerism displayed by the 6-chloro-2-oxopyridinate complexes of Ru_2^{4+} and Ru_2, **236**, 55
Chlorocadmate complexes
one-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N,N'*-dimethylpiperazinium compounds: synthesis, structural and thermal properties, **230**, 59
Chromium complexes
mercury(II)-promoted formation and aquation of linkage isomers of *trans*-dicyanotetraamminechromium(III). A polarographic and spectral study, **228**, 153
fulgides as ligands 1. Synthesis and photochemistry of tricarbonyl-η^6-fulgide chromium(0) complexes, **228**, 215
chemical bonding and electronic structure in the ionic species $CrNO^2$ and $Cr(H_2O)_5NO^2$ by all electron ab initio multi configuration self consistent field calculations, **229**, 455
pressure effects on the rates of Hg^{2+}-assisted chloride release from some $[CrCl(diamine)(triamine)]^{2+}$ complexes, **230**, 29
steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2)_5H_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes, **230**, 67
an organometallic polyimine copolymer prepared from $\{\eta^6$-1,4-bis(CHO)$C_6H_4\}Cr(CO)_3$ and 1,3-phenylenediamine, **232**, 223
the kinetics of the Hg^{2+}-assisted chloride release from some $[MCl(RNH_2)_5]^{2+}$ complexes (M = Co, Cr), **233**, 25
crown thioether complexes of trivalent transition metal ions. The crystal structure of $[Cr(18S6)Cl_3]$, **234**, 35
experimental and theoretical study of a paradigm Jahn–Teller molecule, all-*trans*-$CrCl_2(H_2O)_2$(pyridine)$_2$, and the related *trans*-$CrCl_2$(pyridine)$_4\cdot$acetone, **235**, 21
synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands, **236**, 21
the synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes, **236**, 89
the synthesis and X-ray structure of *trans*-$[CrCl_2(nPrNH_2)_4]BF_4\cdot H_2O$ and the thermal and Hg^{2+}-assisted chloride release kinetics from some *trans*-$[CrCl_2(N)_4]^+$ complexes, **237**, 37
kinetics of the reaction of chromium(II) with ethyliodoacetate, iodoacetatopentaamminecobalt(III), **239**, 99
the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
studies on the kinetics and mechanism of anation reactions of some six-coordinate complexes of chromium(III) in aqueous solution, **240**, 117
olefin versus sulfur coordination of benzo[*b*]thiophene (BT) in $Cp(CO)_2Re(\eta^2{:}\eta^6$-$\mu_2$-BT)$Cr(CO)_3$, **240**, 393
cofacial and antarafacial indenyl bimetallic isomers: a descriptive MO picture and implications for the indenyl effect on ligand substitution reactions, **240**, 541
Chromium compounds
potassium dichromate–Adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols, **238**, 183
Chromium doped crystals
absorption spectra of zircon crystals doped with Cr(IV): $ZrSiO_4$:Cr^{4+}, **235**, 349
Chromium(III) complexes
low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry, **238**, 45
Chromoionophores
alkali metal-responsive geometric and spectral changes in a cobalt(II) complex of a constrained dicarboxylate: a carboxylate shift-mediated metallochromoionophore, **235**, 195
Cinnammonitrile
organometallic phosphazenes: synthesis and characterization of Pt(II) and Pt(0) cinnammonitrile cyclophosphazene derivatives, **229**, 13
Circular dichroism
circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands, **229**, 101
Citric acid complexes
syntheses and structures of the potassium-ammonium dioxocitratovanadate(V) and sodium oxocitratovanadate(IV) dimers, **237**, 193
oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution, **239**, 145
Cleavage
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide $[Ni_3(\mu$-dppm$)_3(\mu_3$-η^1-C≡CPh$)_2]$, **233**,1

Cleavage of C–S bond
synthesis and crystal structure of a tetranuclear bis(diphenylphosphino)methane palladium complex capped by a μ_4-bonded sulfide: $[Pd_4(\mu\text{-dppm})_4(\mu_4\text{-S})]\cdot 4(CH_3)_2CO$, **239**, 159
Cluster complexes
metal cluster topology 17. Hypervalent indium vertices in isolated hypoelectronic indium polyhedra in binary and ternary intermetallic phases of indium and alkali metals, **228**, 219
synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267
coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47
the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12n}$ (MCo, Rh, Ir; n1, 2, 4) clusters, **229**, 221
ultrafast studies of metal–metal bond cleavage in $Fe_3(CO)_{12}$ in solution, **229**, 469
preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$, **229**, 483
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43
high yield formation of $[Mo^{III}{}_4S_4(H_2O)_{12}]^{4+}$ by reaction of $[Mo^{IV}{}_3S_4(H_2O)_9]^{4+}$ with metallic lead, **232**, 171
synthesis, reactivity and structure of $[Ir_4(\mu\text{-CO})_3(CO)_5(\mu\text{-}PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
synthesis of triosmium alkylidyne clusters incorporating pendant pyridyl ligands. Crystal structures of $[Os_3(\mu\text{-H})_2(CO)_9\{\mu_3\text{-C}(4,4'\text{-bipy})\}]\cdot H_2O$ and $[Os_3(\mu\text{-H})_2(CO)_9\{\mu_3\text{-C}(2,4'\text{-bipy})\}]$ (4,4′-bipy = 4,4′-bipyridine; 2,4′-bipy = 2,4′-bipyridine), **234**, 5
oxomolybdenum(V) polyanion clusters. Hydrothermal syntheses and structures of $(NH_4)_5Na_4\{Na[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4)]_2\}\cdot 6H_2O$ and $(C_6H_5CH_2NMe_3)_4K_4\{K_2[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4]_2\}\cdot 10H_2O$ and their relationship to the binuclear $(Et_4N)[Mo_2O_4Cl_3(H_2O)_3]\cdot 5H_2O$, **235**, 135
$Ph_3P{=}Se$ as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3\text{-Se})(\mu\text{-CO})(CO)_7(PPh_3)_2$, $M_3(\mu_3\text{-Se})_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4\text{-Se})_2(\mu\text{-CO})_2(CO)_7(PPh_3)_2$, **235**, 173
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds Part 2. Some M_5 species, **235**, 407
^{13}C NMR study of reorientational dynamics in $Ru_3(CO)_9(\mu_3\text{-CO})(\mu_3\text{-NPh})$. Relaxation time analysis in the non-motional narrowing regime, **236**, 1
IR studies and hydrogenation catalytic activity of heterogeneous catalysts prepared by thermal treatments of a face-bridged triruthenium carbonyl cluster supported on silica and alumina, **237**, 103
ligated lanthanide clusters in the fast atom bombardment of lanthanide carboxylates, **238**, 109
synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N{=}N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-H})(NC_5H_3\text{–}N{=}N(O)\text{–}C_6H_5)]$, **238**, 193
mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-NC}(\mu\text{-O})CH_3)]$, (M = Mn or Re), **240**, 49
the coordination chemistry of cationic main group clusters: syntheses and structures of $[Fe_3(Se_2)_2(CO)_{10}]^{2+}$ and $[Fe_4(Se_2)_3(CO)_{12}]^{2+}$, **240**, 63
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
^{13}C NMR
O-methyl-dithio-/perthiooxalates — a ^{13}C NMR study, **236**, 177
^{13}C NMR relaxation studies
^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions, **230**, 185
^{13}C NMR study
^{13}C NMR study of reorientational dynamics in $Ru_3(CO)_9(\mu_3\text{-CO})(\mu_3\text{-NPh})$. Relaxation time analysis in the non-motional narrowing regime, **236**, 1
Cobaltacyclopentadiene complexes
approach to a metallacycling polymerization — reactions of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)_2]$ with α,β-diynes and $Me_3SiC{\equiv}CC_6H_4C_6H_4C{\equiv}CSiMe_3$, **230**, 215
Cobalt catalysis
a study of cobalt catalysis and copper modification in the coupled decompositions of hydrogen peroxide and peroxomonosulfate ion, **235**, 9
Cobalt complexes
reactions of $Co_2(CO)_8$ with RC_2R' alkynes. Part II. Synthesis of $Co_2(CO)_6(RC_2R')$ complexes; oligomerization or cyclotrimerization reactions of substituted acetylenes, **228**, 139
reactions of complexes $Co_2(CO)_6(RC_2R')$ with Group V^0 donor ligands; synthesis and spectroscopic characterization of substituted derivatives $Co_2(CO)_{6-n}(L)_n(RC_2R')$, **228**, 147
structural, spectroscopic and redox characterization of the soluble complexes $[M(SC_6H_4NR_2)_4]^{2-}$ and the effects of N–H···S hydrogen bonds, **228**, 199
the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12n}$ (MCo, Rh, Ir; n1, 2, 4) clusters, **229**, 221
magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281
an X-ray determination of the electron distribution in crystals of hexapyridine-*N*-oxide cobalt(II) perchlorate and the electronic structure of the Co^2 ion, **229**, 407
synthesis and characterisation of copper(II), zinc(II) and cobalt(II) complexes of salicylglycine, a metabolite of aspirin, **230**, 209
a tetranuclear cobalt complex with mercaptopyridine *N*-oxide as ligand. Synthesis and crystal structure of $[Na_3Co_4(\mu_3\text{-O})_2(mpo)_8(DMF)_4]Br\cdot 2DMF$ (mpo = 2-mercaptopyridine-*N*-oxide), **231**, 153
conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of *trans*-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N*,*N*′)cobalt(III) 4-chlorobenzoate dihydrate, **232**, 1
substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines, **232**, 75
the reaction of the P_2N_2 Schiff base ligand en=P_2 with MI_2 salts and the reaction of the tetraiodine adduct of en=P_2 with unactivated coarse grain metal powders: a comparative study (en=P_2 = *N*,*N*′-bis[(*o*-diphenylphosphino)benzylidene]ethylene- diamine; M = Mn, Co and Ni), **232**, 145
the kinetics of the Hg^{2+}-assisted chloride release from some $[MCl(RNH_2)_5]^{2+}$ complexes (M = Co, Cr), **233**, 25
cobalt(II) and iron(III) complexes with 2-(acetoacetoxy)-ethylmethacrylate: potential precursors of hybrid catalysts, **233**, 65
chiral metal complexes 43. Cobalt(III) complexes of novel asymmetric tetradentate and pentadentate aminopolypicolyl ligands, **233**, 79
transition metal complexes of quadridentate pyrazolo-based ligands with two thiolato and two imine donor atoms, **234**, 67
metal–drug interactions: synthesis and crystal structure of dichlorodithiabendazolecobalt(II) monohydrate, **234**, 149

synthesis and X-ray crystal structure of [K(18-crown-6)]-[Bi{Co(CO)$_4$}$_4$]: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189
a ^{1}H NMR study of the complex of cobalt(II) with 2,5,8,11-tetramethyl-2,5,8,11-tetraazadodecane in aerated aqueous solutions, **235**, 5
the effect of steric hindrance in the synthesis of corrolates via the cobalt catalyzed cyclization of 2-(α-hydroxyalkyl)pyrroles, **235**, 15
alkali metal-responsive geometric and spectral changes in a cobalt(II) complex of a constrained dicarboxylate: a carboxylate shift-mediated metallochromoionophore, **235**, 195
dynamics of cobalt(II) spin-equilibrium complexes, **235**, 245
pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides, **236**, 49
chiral metal complexes 44. Enantiomeric discrimination in ternary cobalt(III) complexes of *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1*S*,2*S*-diaminocyclohexane and α-amino acids; including the crystal structure of the *S*-prolinato complex, **236**, 109
synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203
effects of Co–S torsion angle variation in a cobalt(II)–thiolate complex: X-ray crystal structure analysis, single-crystal EPR measurements and ligand-field calculations, **238**, 73
N-oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex [Co(pxo)(CH$_3$OH)Cl$_2$]$_2$, **238**, 197
synthesis and some properties of T-cage type $Co^{III}{}_4Hg^{II}{}_4$ and $Rh^{III}{}_4Hg^{II}{}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19
the stereochemistry of Co(III)–amine complexes. The use of nOe and COSY ^{1}H NMR spectroscopy to determine structure in solution, **240**, 125
low energy vibronic transitions of some tetrahalogenocobalt(II) complexes, **240**, 231
hetero-polynuclear complexes containing bridging diphenylphosphinoalkenes and -alkynes. The crystal structure of an Rh$_2${μ-η^1:η^2-P(Ph$_2$)(CH$_2$)$_3$C≡CR}Co$_2$ complex, **240**, 323
ligand-mediated metal–metal interactions in (η^5:η^5-fulvalene)-bis(dicarbonylcobalt) and rhodium complexes, **240**, 623
electron exchange reaction of bis(terpyridine)cobalt$^{3+/2+}$ re-examined by NMR, **240**, 641
peculiar reversed-phase HPLC behaviour of cationic alkylcobalt(III) complexes holding a tridentate Schiff base ligand, **240**, 665
Compartmental ligand complexes
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
Complex formation
complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid, **238**, 83
Complexing ability
studies of the cation complexing ability of crowns Part I. Synthesis, characterization and crystal structure of diazacrowns and their barium complexes, **240**, 257
Computational chemistry
molecular complex design: bridging the tetrakiscarboxylatodirhodium core, **239**, 25
Conducting polymers
growth of thin processable films of poly(pyrrole) using phosphomolybdate clusters, **240**, 447
Conformational isomerism
conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of *trans*-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N,N'*)cobalt(III) 4-chlorobenzoate dihydrate, **232**, 1
μ$_3$-η^1-Coordination mode
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide [Ni$_3$(μ-dppm)$_3$(μ$_3$-η^1-C≡CPh)$_2$], **233**, 1
Coordination polymers
oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates, **229**, 211
Co-polymerization
linear co-polymerisation of *trans*-[Pt(C$_2$Bu^t)$_2$(PMe$_2$Ph)$_2$] with copper(I) chloride, **235**, 147
Copper alkyne complexes
linear co-polymerisation of *trans*-[Pt(C$_2$Bu^t)$_2$(PMe$_2$Ph)$_2$] with copper(I) chloride, **235**, 147
Copper complexes
syntheses, structures and properties of copper and nickel complexes of the macrocyclic ligand 5,6,11,12,17,18,23,24-octahydro-tetrabenzo[*b,f,j,n*][1,5,9,13]tetraazacyclo- hexadecine (H_8TAAB), **228**, 93
weak forces in the thermodynamic stereoselectivity of proton and copper(II) complexes with diastereoisomeric dipeptides containing aromatic side chains, **228**, 119
crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]- dicopper(II) diperchlorate, **228**, 173
salt induced peptide formation: on the selectivity of the copper induced peptide formation under possible prebiotic conditions, **228**, 207
a convenient method for the synthesis of macrocyclic dioxotetraamine ligands bearing pendent coordinating groups and the properties of their copper(II) complexes, **228**, 225
magnetic interactions in aqua(*L*-aspartato)- (2,2'-bipyridine)copper(II) trihydrate, **228**, 261
synthesis and structure of Cu$_2$(EBPYT)$_3$(PF$_6$)$_{2n}$ (where EBPYT*N,N'*-ethylenebis(pyridin-2-thione)); a novel polymeric complex containing 4-, 18- and 36-membered rings, **229**, 77
oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates, **229**, 211
magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281
barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of [Ba(H$_2$O)$_5$][Cu(C$_2$O$_4$)$_2$(H$_2$O)] and [Ba(C$_4$O$_4$)$_{0.5}$(H$_2$O)$_2$]$_2$[Cu(C$_4$O$_4$)$_2$(H$_2$O)$_2$], **230**, 1
X-ray crystal structure of Cu$_2$(medpco-2H)Cl$_2$, (medpco = *N,N'*-bis(2-*N,N*-dimethylaminoethyl)pyridine-2,6-dicarboxamide 1-oxide. Copper(II) complexes of a deprotonated binucleating pyridine *N*-oxide ligand, **230**, 139
charge-transfer complexes of benzylviologen (1,1'-dibenzyl-4,4'-bipyridinium(2+) cation) with cyanocuprate(I) and the structure of (BzV)$_3$Cu$_9$(CN)$_{15}$·H$_2$O, **230**, 145
nickel(II) and copper(II) complexes of mixed benzene–triazolehemiporphyrazines, **230**, 153
a dicopper complex of *N,N'*-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form, **230**, 199
synthesis and characterisation of copper(II), zinc(II) and cobalt(II) complexes of salicylglycine, a metabolite of aspirin, **230**, 209
convenient preparation of [CuX(PCy$_3$)$_2$] (X = Br, I, SCN, N$_3$) complexes. X-ray crystal structure of [Cu(N$_3$)(PCy$_3$)$_2$] (Cy = *cyclo*-C$_6$H$_{11}$), **230**, 231
a violet mixed-valence copper–mercaptoethylamine complex generated electrochemically or by reversible interaction with oxygen, **231**, 21
ferrocene containing chelating ligands 3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal

structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate, **231**, 45
structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV), **231**, 187
a new one-dimensional ferromagnetic system starting from an antiferromagnetic trinuclear Cu(II) complex, **231**, 229
a dinucleating quinquepyridine analogue, **231**, 241
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43
metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H_2ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H_2ats and the $[Cu(B\text{-ats})(NH_3)_2]_2$ dimer complex, **232**, 117
an effectively diamagnetic oximato-bridged asymmetric dinuclear copper(II) complex with a Cu(II)–I bond, **232**, 125
phenyl-substituted copper di-Schiff base, a potent Cu_2Zn_2 superoxide dismutase mimic surviving competitive biochelation, **233**, 11
preparation and study of esterified substitutes of *DL*-phenylalanine and *DL*-valine copper complexes, **233**, 155
'layered hydrogenselenite' I. Synthesis, structure redetermination of $[Cu(HSeO_3)_2(H_2O)_2]$ and determination of $[Cu(HSeO_3)_2(NO_3)_2]^{2-}\cdot 2NH_4^+, NH_4NO_3$. Structural relationships of these complexes with $[Cu(HSeO_3)_2]$, **234**, 19
a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61
transition metal complexes of quadridentate pyrazolo-based ligands with two thiolato and two imine donor atoms, **234**, 67
syntheses, spectroscopic and magnetic properties and X-ray crystal structure of two dinuclear copper(II) compounds with the ligand N^3-salicyloylpyridine-2-carboxamidrazonato, **234**, 87
the 1:2 and 1:4 π–π type molecular adducts of bis(*N*-alkyl-2-oxy-4-(1-naphthoyloxy)benzaldiminato)copper(II) and 1,3,5-trinitrobenzene, **234**, 131
4-amino-3-methyl-1,2,4-Δ^2-triazoline-5-thione: an example of thione–thiol tautomerism and stabilization of Cu(I) and Au(I) complexes, **235**, 37
a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
linear trinuclear copper(II) complexes derived from acyclic hexadentate Schiff base ligands, **235**, 273
hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of $[\{Cu(HL)H_2O\}_2SiF_6]\cdot 2H_2O$, **236**, 83
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of $[\{Cu(HL)H_2O\}_2]\cdot 2(NO_3)$ and $[\{Cu(HL)(pyridine)(NO_3)\}_2]$, **236**, 101
new copper(I) halide complexes with 2,2′-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-$(OMe)_2$–dicopper(II) complex, **236**, 117
equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza- 10,22-dioxacyclotetracosane (OBISDIEN), **236**, 189
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57
polymeric [{*cyclo*{bis-μ_3(η^2-S,η^1-N)-(1,3-thiazolidine-2-thionato)-bis-μ_4(η^3-S,η^1-N)-(1,3-thiazolidine-2-thionato) tetracopper(I)}-monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K, **237**, 87
hybridization effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases, **237**, 93
polymeric 1,7-dithenylidene-1,4,7-triazaheptane copper(II) chloride with extended linear structure, **237**, 123
preparation of the complexes $M^{II}L_2\cdot 2CH_3OH$ (M = Co, Ni, Cu, Zn) of the bidentate ligand 2-(2′-hydroxy-3′-methylphenyl)-benzimidazole (HL) and the molecular structure of $Cu^{II}L_2\cdot 2CH_3OH$, **237**, 181
anion recognition by a dicopper(II) cryptate, **238**, 5
new copper complex with π-conjugated electrically conductive polymer chelating ligand, poly(6,6′-dialkyl-2,2′-bipyridine-5,5′-diyl). Preparation and optical and electrochemical properties of the complex, **238**, 9
complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid, **238**, 83
the synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers, **238**, 149
new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2]\cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53
coordination chemistry of iminodiacetic esters. Structural and spectroscopic characterization of copper(II) and zinc(II) monoethyliminodiacetato complexes, **239**, 93
binuclear copper(II) complexes containing phenols and catechols, **239**, 107
1,4,8,11-tetrakis{(2,2′-bipyridyl-5′-ylmethyl)-bis(2,2′-bipyridyl)ruthenium(II)}-1,4,8,11-tetraazacyclotetradecane (L^1), a macrocyclic pH and transition metal ion fluorescence sensor. Equilibrium, and stopped-flow kinetic, fluorimetric studies of the reactions of L^1 with nickel(II) and copper(II) ions in aqueous solution at neutral pH, **240**, 159
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559
synthesis and characterization of 1:2 metal complexes of the biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline (L) and the X-ray structure of $[CuL_2](PF_6)$, **240**, 673

Copper compounds
interchain interactions and three-dimensional magnetic ordering in Mn(II)Cu(II) chain compounds; crystal structure and metamagnetic properties of $MnCu(pbaOH)(H_2O)_3\cdot 2H_2O$, with pbaOH = 2-hydroxo-1,3-propylenebis(oxamato), **235**, 69

Coprecipitation
sorption and coprecipitation of trace concentrations of thorium with various minerals under conditions simulating an acid uranium mill effluent environment, **229**, 247

Corrole complexes
the effect of steric hindrance in the synthesis of corrolates via the cobalt catalyzed cyclization of 2-(α-hydroxyalkyl)pyrroles, **235**, 15

CO substitution
kinetics and mechanism of CO substitution of $[\eta^5\text{-CpFe(CO)}_3]PF_6$ with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153

Coupling constants
^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions, **230**, 185

Covalency
on correlating the frequency of the $^7F_0 \rightarrow {}^5D_0$ transition in Eu^3 complexes with the sum of 'nephelauxetic parameters' for all of the coordinating atoms, **229**, 383

Crotyl complexes
the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray

crystal structures of ()-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and $(\mu\text{-OH})_2\text{CpMo(NO)I}_2$, **229**, 39

Crown ether complexes

mixed anion lanthanide(III) crown ether complexes: crystal structures of $[\text{LaCl}_2(\text{NO}_3)(12\text{-crown-4})]_2$, $[\text{La}(\text{NO}_3)(\text{OH}_2)_4\cdot(12\text{-crown-4})]\text{Cl}_2\cdot\text{CH}_3\text{CN}$ and $[\text{LaCl}_2(\text{NO}_3)(18\text{-crown-6})]$, **230**, 177

interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study, **231**, 87

synthesis and characterization of alkyne complexes analogous to Zeise's salt — $[\text{K(18-cr-6)}][\text{PtCl}_3(^n\text{PrC}{\equiv}\text{CH})]$, the first complex of platinum(II) with a terminal alkyne, **234**, 47

synthesis and X-ray crystal structure of $[\text{K(18-crown-6)}]\text{-}[\text{Bi}\{\text{Co(CO)}_4\}_4]$: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189

stereochemistry of aquo(5,10,15,20-tetraphenylporphinato)zinc(II) as its 18-crown-6, methylene chloride solvate, **237**, 5

a thermogravimetric, single crystal X-ray, and spectroscopic study of several iron(III) halide adducts with crown ethers, **239**, 67

Crown thioether complexes

crown thioether complexes of trivalent transition metal ions. The crystal structure of $[\text{Cr(18S6)Cl}_3]$, **234**, 35

Crystal field properties

a comparison of the magnetic and crystal field properties of protoporphyrin-IX, hemeoctapeptide and heme proteins, **238**, 99

Crystallographic disorder

crystallographic disorder of the M_2 units in $[M_2Cl_8]^{n-}$ (M = Mo, Re) compounds, **234**, 115

Crystal structures

main group metal halide complexes with sterically hindered thioureas XV. The crystal and molecular structures of two unique monomeric bismuth(III) thiocyanate complexes with 1,3-dimethyl-2(3*H*)-imidazolethione, **228**, 69

synthesis and structural determinations of zinc(II) complexes containing dithiol and N,N-heterocyclic ligands, **228**, 81

syntheses, structures and properties of copper and nickel complexes of the macrocyclic ligand 5,6,11,12,17,18,23,24-octahydro-tetrabenzo[*b,f,j,n*][1,5,9,13]tetraazacyclo- hexadecine (H_8TAAB), **228**, 93

inclusion properties of palladium(II) and platinum(II) hydroquinonylphosphine complexes: the molecular and crystal structures of *trans*-$[\text{PdCl}_2(\text{pphqH}_2)_2]\cdot(\text{acetone})_2$, *trans*-$[\text{PtCl}_2(\text{pphqH}_2)_2]\cdot(\text{dimethylformamide})_4$ and *trans*-$[\text{PdCl}_2(\text{pphqMe}_2)_2]$, **228**, 109

preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133

preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159

an X-ray crystallographic study on the molecular structures of seven-coordinate (ethylenediamine-*N,N,N'*-triacetato-*N'*-acetic acid)(aqua)-titanium(III) and -vanadium(III), $[\text{Ti}^{\text{III}}(\text{H-edta})(\text{H}_2\text{O})]\cdot\text{H}_2\text{O}$ and $[\text{V}^{\text{III}}(\text{Hedta})(\text{H}_2\text{O})]\cdot\text{H}_2\text{O}$, **228**, 165

crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]- dicopper(II) diperchlorate, **228**, 173

new dioxytetraethyleneoxy macrocyclic cyclophosphazene derivatives, **228**, 187

structural, spectroscopic and redox characterization of the soluble complexes $[\text{M}(\text{SC}_6\text{H}_4\text{NR}_2)_4]^{2-}$ and the effects of N–H···S hydrogen bonds, **228**, 199

synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)$(\text{Me})_2$ (TPP = 5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product $[\text{Hf(TPP)}]_2(\mu\text{-O})(\mu\text{-OH})_2$, **228**, 233

bis[4-(2,6-dimethylphenyliminomethyl)-5-pyrazolethiolato]nickel(II) complexes with an unusual *trans*-planar structure, **228**, 237

an X-ray diffraction study on the structure of solvated manganese(II) ion and manganese(II) complexes with pyridine, 3-methylpyridine and 4-methylpyridine in *N,N*-dimethylformamide, **228**, 255

magnetic interactions in aqua(*L*-aspartato)- (2,2′-bipyridine)copper(II) trihydrate, **228**, 261

synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267

conformational diversity in the solid state structures of $\text{Rh}_2(\mu\text{-CH}_3\text{N(P(OCH}_3)_2)_2)_2(\text{CH}_3\text{N(P(OCH}_3)_2)_2)_2\text{X}_2$ (XO_3SCF_3, $\text{B(C}_6\text{H}_5)_4$), **229**, 17

preparation of anhydrous vanadium(II) sulfate compounds from aqueous solutions: the synthesis and characterization of $\text{V(en)}_3\text{SO}_4$, $\text{V(bpy)}_2\text{SO}_4$ and $\text{V(py)}_4\text{SO}_4$, **229**, 27

an asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $\text{Ru}_2\text{O(O}_2\text{CC}_6\text{H}_4\text{-}p\text{-OMe)}_3\text{(en)(PPh}_3)_2(\text{ClO}_4)\cdot 3\text{CHCl}_3$, **229**, 33

the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of ()-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and $(\mu\text{-OH})_2\text{CpMo(NO)I}_2$, **229**, 39

coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47

preparation of *cis*-$\text{MoI}_4(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ and structure of $(\text{THF})_3\text{Na}(\mu\text{-I})_3\text{MoI}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ with a new coordination environment around sodium, **229**, 55

activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-$\text{Au(CH}_2)_2\text{PPhMe}_2$, and the crystal structures of $\text{Au(CH}_2)_2\text{PPhMe}_2$, $\text{Au(CH}_2)_2\text{PPhMe}_2\text{SO}_{22}$, $\text{Au(CH}_2)_2\text{PPh}_{22}\text{SO}_{22}$ and $\text{Au(CH}_2)_2\text{PPhMe}_2\text{S}_2\text{CNEt}_{22}$, **229**, 61

synthesis and structure of $\text{Cu}_2(\text{EBPYT})_3(\text{PF}_6)_{2n}$ (where EBPYT*N,N'*-ethylenebis(pyridin-2-thione)); a novel polymeric complex containing 4-, 18- and 36-membered rings, **229**, 77

neutral and anionic halide complexes of ruthenium(IV), **229**, 87

synthesis and crystal structure of the unique chiral anion $\text{Re}_2\text{Cl}_7\text{PBzMePh}$ and the direct determination of its δ-bond energy by molecular modelling, **229**, 95

reactions of monodentate tertiary phosphines with the dirhenium(II) alkyne complexes $\text{Re}_2\text{Cl}_3(\mu\text{-dppm})_2(\text{CO})\text{-}(\eta^2\text{-RCCH})\text{X}$ (XPF_6 or O_3SCF_3) to form ylides, **229**, 105

synthesis and structure of $\text{W}_2\text{Cl}_4(\mu\text{-dppm})_2(\eta^2\text{-}\mu\text{-CH}_3\text{CN})$, **229**, 113

characterization of the isocyanurate complexes M(cyan-*N*)-$(\text{H}_2\text{O})_5$(cyan-*N*)$\cdot 2\text{H}_2\text{O}$ (MNi, Co, Mn) compounds that form molecular ribbons in the solid state, **229**, 135

synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate, **229**, 153

photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $\text{Rh}_2(\text{O}_2\text{CCH}_3)_2(\eta^2\text{-O}_2\text{CCH}_3)(\text{C}_6\text{H}_4)\text{PPh}_2(\eta^2\text{-PCCl})(\text{PCClP}(o\text{-ClC}_6\text{H}_4)\text{Ph}_2)$, **229**, 203

oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates, **229**, 211

preparation and characterization of dirhenium complex anions of the type Re_2Cl_7(dithioether) with Re–Re quadruple bonds, **229**, 241

bisperoxovanadium compounds: synthesis and reactivity of some insulin mimetic complexes, **229**, 253

a novel triply bridged dinuclear manganese(III) complex containing the $\text{Mn}_2\text{O(OAc)}_2^2$ core: synthesis, crystal structure and properties of $\text{Mn}_2(\mu\text{-O})(\mu\text{-OAc})_2(\text{bpea})_2(\text{ClO}_4)_2$, **229**, 261

synthesis, structure and reactivity of stable dianionic organometallic complexes of Pt(IV). Crystal structure of PEtPh_{32}*cis*-$\text{Pt(C}_6\text{F}_5)_2\text{Cl}_4$ and NBu_4*mer*-$\text{Pt(C}_6\text{F}_5)_2\text{Cl}_3\text{-}(\text{NH}_2\text{-}p\text{-C}_6\text{H}_4\text{CH}_3)$, **229**, 291

dinuclear gold(I) and silver(I) derivatives with bridging phosphines containing an imidazole ring; X-ray crystal structure of (1-benzyl-2-imidazolyl)diphenylphosphinegold(I)chloride, **229**, 299

cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-(μ^3:η^2-C_7H_7)Fe(CO)$_3$Pd(η^3-C_3H_5), **229**, 307

synthesis and structure of trisdihydrobis(pyrazolyl)borate(tetrahydrofuran)uranium(III), UH(μ-H)Bpz$_{23}$(THF): three-center B–H···U(III) interactions in the presence of coordinated THF ligand, **229**, 315

synthesis, structure and solid-state polymerization of dimethyl(propynoato)thallium, **229**, 323

synthesis and structure of titanium tetrathiolate and tantalum pentathiolate complexes. Metal–sulfur bonding in early transition metal compounds, **229**, 335

the higher hydridospherosiloxanes: synthesis and structures of $H_nSi_nO_{1.5n}$ (n12, 14, 16, 18), **229**, 355

reaction of Rh$_2$(μ^2-O_2CCH_3)$_3$$\mu^2$-($C_6H_4$)PMePh($HO_2CCH_3$)$_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of Rh$_2$(μ^2-O_2CCH_3)$_2$$\mu^2$-($CH_2$)$PPh_2$- μ^2-(C_6H_4)PPh_2(PPh_3)·2CH_2Cl_2, **229**, 365

acetonitrile complexes of diiridium. Part 1. Isolation and characterization of the partially solvated cations Ir$_2$(COD)(μ-form)$_2$-(MeCN)$_3^2$ and Ir$_2$(μ-form)$_2$(MeCN)$_6^2$ (COD1,5-cyclooctadiene, form*N*,*N*′-di-*p*-tolylformamidinate), **229**, 373

low-nuclearity titanium oxoalkoxides: the trititanates $Ti_3O(OPr^i)_{10}$ and $Ti_3O(OPr^i)_9(OMe)$, **229**, 391

an X-ray determination of the electron distribution in crystals of hexapyridine-*N*-oxide cobalt(II) perchlorate and the electronic structure of the Co^2 ion, **229**, 407

structure and reactivity of an intermediate in the two-electron reduction of dimolybdenum(III) by a hydride ligand in the Mo–H–Mo system, **229**, 417

synthesis and identification of pentachloropyridinemolybdate(III) and pentabromopyridinemolybdate(III): crystal structures of $NH_2(CH_3)_{22}MopyCl_5$ and $N(CH_3)_{42}MopyCl_5$ (pypyridine), **229**, 421

metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from non-bonded $Cp^*_2Mo_2Cl_6$ to afford bonded $Cp^*_2Mo_2Cl_5$, **229**, 445

cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-(μ-η^3;η^2-C_7H_7)Fe(CO)$_3$Pt(η^2,σ^1-C_8H_{12}-C_5H_5), **229**, 461

preparation and structure of the face-sharing bioctahedral ion $Mo_2Cl_8(PEt_3)^2$, **229**, 473

hexacoordinated complexes of bivalent zinc incorporating thioether binding, **229**, 477

preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$, **229**, 483

barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of [Ba(H_2O)$_5$][Cu(C_2O_4)$_2$(H_2O)] and [Ba(C_4O_4)$_{0.5}$(H_2O)$_2$]$_2$[Cu(C_4O_4)$_2$(H_2O)$_2$], **230**, 1

application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters Part 3. Synthesis, structural characterization, and spectroscopic studies of the clusters [{M(CO)$_4$}$_n$(MS$_4$)]$^{2-}$ (M = Mo, W; n = 1, 2), **230**, 9

conformational characterization of square planar nickel(II) tetraaza macrocyclic complexes by proton NMR. Crystal structure of [Ni(13aneN_4)]$ZnCl_4$, **230**, 19

CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and $Re_2(CO)_8$(μ-H)(μ-η^1,η^2-C≡CPh), **230**, 45

one-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N*,*N*′-dimethylpiperazinium compounds: synthesis, structural and thermal properties, **230**, 59

ruthenium complexes containing tertiary phosphines and imidazole or 2,2′-bipyridine ligands, **230**, 111

synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand η^5-$Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of η^5-$Bz_5C_5Mo(CO)_3I$, **230**, 127

X-ray crystal structure of Cu_2(medpco-2H)Cl_2, (medpco = *N*,*N*′-bis(2-*N*,*N*-dimethylaminoethyl)pyridine-2,6-dicarboxamide 1-oxide. Copper(II) complexes of a deprotonated binucleating pyridine *N*-oxide ligand, **230**, 139

charge-transfer complexes of benzylviologen (1,1′-dibenzyl-4,4′-bipyridinium(2+) cation) with cyanocuprate(I) and the structure of $(BzV)_3Cu_9(CN)_{15}\cdot H_2O$, **230**, 145

crystal structure of Zn(trz)Cl (trz = 1,2,4-triazolato); a layered compound with triply bridging triazolato groups, **230**, 159

crystal and molecular structure of polymeric [$MnCl_2$(bpy)]$_n$, **230**, 169

mixed anion lanthanide(III) crown ether complexes: crystal structures of [$LaCl_2(NO_3)$(12-crown-4)]$_2$, [$La(NO_3)(OH_2)_4$·(12-crown-4)]$Cl_2\cdot CH_3CN$ and [$LaCl_2(NO_3)$(18-crown-6)], **230**, 177

mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-[Tc(dppe)$_2$(bu^{t}NC)$_2$](PF_6)·ethanol (dppe = bis(diphenylphosphino)ethane, bu^{t}NC = tert-butylisocyanide), **230**, 189

a dicopper complex of *N*,*N*′-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form, **230**, 199

the synthesis and characterization of a cationic technetium(V) phenylimido complex. The X-ray crystal structure of [$TcCl_2$(NPh)(PMe_2Ph)$_3$](BPh_4), **230**, 205

the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N*′))palladium(II)): a 'molecular tricorn', **230**, 225

convenient preparation of [CuX(PCy_3)$_2$] (X = Br, I, SCN, N_3) complexes. X-ray crystal structure of [Cu(N_3)(PCy_3)$_2$] (Cy = *cyclo*-C_6H_{11}), **230**, 231

peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable $K_2[VO(O_2)(C_6H_6NO_6)]\cdot 2H_2O$, **230**, 241

formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)-nickel(II)} complex, **230**, 249

synthesis and coordination chemistry of 2,6-bis(diethoxyphosphino)pyridine *P*,*P*-dioxide. Crystal and molecular structure of $UO_2(NO_3)_2$[$[(EtO)_2P(O)]_2C_5H_3N$], **231**, 1

high oxidation state rhenium complexes with the hydridotris(1-pyrazolyl)borato-oxorhenium(V) core. Crystal and molecular structures of [$HB(pz)_3ReO(HNNC_8H_5N_2)$] and [$HB(pz)_3ReO$(2-$SC_5H_3N$)], **231**, 13

mixed metal complexes of Groups 10 and 11 elements. The structure and properties of [M(mnt)$_2${Ag(PR_3)$_2$}$_2$] (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate), **231**, 35

ferrocene containing chelating ligands 3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate, **231**, 45

chiral metal complexes 41. Stereoisomerism in palladium(II) complexes of a series of chiral bis-picolyl N_4-tetradentate ligands, **231**, 73

preparation of *trans*-RuH(η^1-BH_4)L (L = Me_6[15]aneS_4, Me_8[16]aneS_4) and oxidation in alcohols to give *trans*-{Ru(OR)$_2$(*anti*-Me_8[16]aneS_4)}$^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of Me_8[16]aneS_4, **231**, 95

orthometalation of 6-amino-1,3-dimethyl-5-phenylazouracil: crystal structure and spectroscopic properties of *trans*-[Rh^{III}Cl$_2$(L)(H$_2$O)]·3H$_2$O, **231**, 103
manganese(II) complex of the 'tripod' ligand tris(2-benzimidazolylmethyl)amine. Five-coordinate and six-coordinate Mn(II) in the crystal structure, **231**, 109
synthesis and chemico-physical characterization of tin adducts with 2-imidazolidone, **231**, 139
a tetranuclear cobalt complex with mercaptopyridine *N*-oxide as ligand. Synthesis and crystal structure of [Na$_3$Co$_4$(μ_3-O)$_2$(mpo)$_8$(DMF)$_4$]Br·2DMF (mpo = 2-mercaptopyridine-*N*-oxide), **231**, 153
tetrahydrofuran and 1,2-dimethoxyethane derivatives of vanadium(II) and vanadium(III), **231**, 167
molecular and crystal structure of zirconium hydroborates, **231**, 175
reactions of Ru(HC=CHR)Cl(CO)(PPh$_3$)$_2$ with functionalized carboxylates. Crystal structure of Ru(HC=CHPh)(O$_2$C–CH=CH–CH=CH–CH$_3$)(CO)(PPh$_3$)$_2$, **231**, 181
preparation and crystal structure of *trans*-[NiBr{C$_6$H$_3$-2,6-(CH$_2$PCy$_2$)$_2$}], **231**, 195
the solid state structure of the cation bis[(1,3-dioxane-2-ylmethyl)diphenylphosphine-*P*;*O*′,*P*′]-(pentamethylcyclopentadienyl)ruthenium(II), **231**, 201
synthesis and characterisation of *trans*-[RhCl$_2$(OH$_2$){C$_6$H$_3$-2,6-(CH$_2$PCy$_2$)$_2$}]; factors influencing the Rh–O bond length in rhodium–aqua complexes, **231**, 207
synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode, **231**, 213
a new one-dimensional ferromagnetic system starting from an antiferromagnetic trinuclear Cu(II) complex, **231**, 229
synthesis and molecular structure of chloro(3-thiapentane-1,5-dithiolato)oxorhenium(V), **231**, 233
a dinucleating quinquepyridine analogue, **231**, 241
mixed-ligand complexes of rhenium. VII. Synthesis, characterization and X-ray crystal structure of bis(diethyldithiocarbamato)-(dimethylphenylphosphine)(triphenylborylimido)rhenium(V), [Re(NBPh$_3$)(Me$_2$PhP)(Et$_2$dtc)$_2$], **231**, 245
carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N*′-tert-butyl sulfur diimide. Novel five-membered PNSNM metallacycles, **231**, 249
conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of *trans*-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N*,*N*′)cobalt(III) 4-chlorobenzoate dihydrate, **232**, 1
rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of RhCl(C$_8$H$_{12}$)(C$_7$N$_2$H$_{12}$) and [Rh(C$_8$H$_{12}$)(C$_7$N$_2$H$_{10}$)][Rh(C$_8$H$_{12}$)Cl$_2$], **232**, 9
synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of [(CO)$_5$Mn–Ru(Me)(CO)$_2$(σ(*N*),σ(*N*′)-iPr-PyCa)] (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine), **232**, 19
pentahalophenyl ethylxanthate complexes of platinum(II). Structures of (NBu$_4$)[Pt(C$_6$F$_5$)$_2$(S$_2$COEt)] and (NBu$_4$)$_2${Pt$_4$(C$_6$F$_5$)$_8$[(μ_3-S)SCOEt]$_2$}. Unprecedented coordination of the xanthate ligands in the tetranuclear complex, **232**, 35
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43
crystal structure and magnetic properties of [NMe$_4$]$_4$[Mn$_2$(C$_3$S$_5$)$_4$] (C$_3$S$_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate), **232**, 51
one-pot synthesis of CpRe(CO)$_2$H$_2$ and *trans*-CpRe(CO)$_2$(SnPh$_3$)$_2$ from *cis*- and *trans*-CpRe(CO)$_2$Br$_2$ and Ph$_3$SnH. Involvement of a radical-chain sequence in the formation of CpRe(CO)$_2$H$_2$, **232**, 57
hydrothermal synthesis and structural characterization of reduced vanadium phosphates, α-Rb[V^{III}(HPO$_4$)$_2$], β-Rb[V^{III}(HPO$_4$)$_2$] and NH$_4$[V^{III}(HPO$_4$)$_2$], octahedral–tetrahedral framework solids, **232**, 83
hydrophilic platinum complexes of *N*-2-hydroxyethyl- and *N*,*N*-di(2-hydroxyethyl)-*N*′-benzoylthiourea ligands. Crystal and molecular structure of *N*,*N*-di(2-hydroxyethyl)-*N*′-benzoylthiourea, **232**, 109
metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H$_2$ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H$_2$ats and the [Cu(B-ats)(NH$_3$)$_2$]$_2$ dimer complex, **232**, 117
an effectively diamagnetic oximato-bridged asymmetric dinuclear copper(II) complex with a Cu(II)–I bond, **232**, 125
cadmium(II) complexation by a series of triazacycloalkanes ([*x*]aneN$_3$, *x* = 9–12). An equilibrium and structural study, **232**, 131
study of the reactivity of Cd(II) with 4,6-dimethyl-2-thiopyrimidine. Crystal structure of 4,6-dimethyl-2-thiopyrimidinium trichlorocadmiatum(II), **232**, 139
the reaction of the P$_2$N$_2$ Schiff base ligand en=P$_2$ with MI$_2$ salts and the reaction of the tetraiodine adduct of en=P$_2$ with unactivated coarse grain metal powders: a comparative study (en=P$_2$ = *N*,*N*′-bis[(*o*-diphenylphosphino)benzylidene]ethylene-diamine; M = Mn, Co and Ni), **232**, 145
magnetic studies on the μ-oxalato nickel(II) dimers with an [NiN$_4$O$_2$] environment. Crystal structure of (μ-ox)-[Ni(323-tet)]$_2$(ClO$_4$)$_2$·2H$_2$O (323-tet = *N*,*N*′-bis(3-aminopropyl)-1,2-ethanediamine), **232**, 151
studies on the antitumor antimony(III) aminopolycarboxylic acid chelates. Crystal structures of M[Sb(pdta)]·H$_2$O (M = Na$^+$, NH$_4^+$; pdta = propylenediaminetetraacetic acid), **232**, 161
the nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of [Ru$_3$O(O$_2$CCH$_3$)$_6$(OH$_2$)$_3$](ClO$_4$)·2H$_2$O, **232**, 167
mixed Group 6 metal carbonyl complexes containing polydentate phosphine ligands, **232**, 175
spin crossover complexes of iron(III) with an N$_4$ tetradentate Schiff base ligand, **232**, 183
authentication of aminomethyl(hydrogen)phosphonate coordination to a main group metal: synthesis and crystal structure of [Mg(O$_3$PCH$_2$NH$_3$)$_2$(H$_2$O)$_2$]·2H$_2$O, **232**, 189
a caveat. Synthesis and structure of *N*,*N*′-propylenebis-(salicylideneiminato)nitrato[*O*,*O*]iron(III), **232**, 199
binuclear structure in the ammonium salt of gadolinium(III) diethylenetriaminepentaacetate, (NH$_4$)$_4$[Gd$_2$(DTPA)$_2$]·6H$_2$O, **232**, 203
copper(II), nickel(II) and iron(II) complexes of 2,6-diacetylpyridine bis{[*DL*-hydroxy(phenyl)acetic]hydrazone}. X-ray structure of a 1:2 metal:ligand nickel complex, **232**, 211
an organometallic polyimine copolymer prepared from {η^6-1,4-bis(CHO)C$_6$H$_4$}Cr(CO)$_3$ and 1,3-phenylenediamine, **232**, 223
the synthesis and crystal structure of a cerium(III) complex of 2,6-bis[2-formylphenoxymethyl]pyridine, **232**, 227
synthesis and crystal structure of a mono- and dinickel(0) ethylene complex with 4,4′-bipyridine; [Ni(4,4′-bpy)(C$_2$H$_4$)$_2$]$_2$[Ni$_2$(4,4′-bpy)(C$_2$H$_4$)$_4$], **232**, 231
synthesis and characterization of isocyanide containing rhenium(III) complexes *trans*-[ReCl$_3$(CNR)(PPh$_3$)$_2$] and crystal structure of *trans*-[ReCl$_3$(CN-t-C$_4$H$_9$)(PPh$_3$)$_2$], **232**, 235
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide [Ni$_3$(μ-dppm)$_3$(μ_3-η^1-C≡CPh)$_2$], **233**, 1
synthesis, characterization and X-ray structure of [Pd(dppp)(H$_2$O)(TsO)][TsO] (dppp = 1,3-bis-(diphenylphosphino)propane; TsO = *p*-CH$_3$C$_6$H$_4$SO$_3$), a catalytic species in CO–C$_2$H$_4$ copolymerization, **233**, 5
phenyl-substituted copper di-Schiff base, a potent Cu$_2$Zn$_2$ superoxide dismutase mimic surviving competitive biochelation, **233**, 11

synthesis of the tetrachlorobis(5-nitroimidazole)ruthenium(III) anion and solution chemistry in water and methanol, **233**, 33
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
synthesis, thermal and electrical characterization of 2-methylpentane-1,5-diammonium tetrachlorocadmate(II) with perovskite-like structure, **233**, 85
peroxo malato vanadates(V): syntheses, spectra and structure of the $(NH_4)_2[VO(O_2)(C_4H_4O_5)]_2 2H_2O$ dimer with a rhomboidal V_2O_2(hydroxyl) bridging core, **233**, 97
cyclometallation of a pentafluorobenzaldehyde azine phosphine via a C–F bond fission by iridium(I): crystal structure of $[IrCl_2(CO)\{PPh_2CH_2C(Bu^t)=N–N=CH(C_6F_4)\}]$, **233**, 103
ferromagnetic behavior of two manganese(II) complexes with pyridine-substituted nitronyl nitroxide radicals, **233**, 131
X-ray structure of dichloro[bis(2-diphenylphosphinoethyl)-phenylphosphine] (dimethyl sulfoxide)ruthenium(II), **233**, 145
a new eight-membered $Pb_2S_4P_2$ inorganic ring. Crystal and molecular structure of dimeric $[Pb(S_2PMe_2)_2]_2$, associated into polymeric chains through intermolecular Pb···S interactions, **233**, 151
structural characterization of two solid state forms of the complex bis[1,1′-bis(diphenylphosphino)ferrocene] rhodium(I) tetraphenylborate, **233**, 165
9-9′-bifluorenylidene (BFD) complexes of ruthenium $[\{(\eta^5\text{-}C_5Me_5)Ru\}_n(BFD)]^x$ ($x=0$, $n=1$; $x=1^+$, $n=2$): EPR and spectroelectrochemical studies. X-ray structure of $[\{(\eta^5\text{-}C_5Me_5)Ru\}(BFD)](OSO_2CF_3)$, **234**, 1
synthesis of triosmium alkylidyne clusters incorporating pendant pyridyl ligands. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(4,4'\text{-bipy})\}]\cdot H_2O$ and $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(2,4'\text{-bipy})\}]$ (4,4′-bipy = 4,4′-bipyridine; 2,4′-bipy = 2,4′-bipyridine), **234**, 5
synthesis and characterization of luminescent mixed ligand zinc(II) complexes containing a novel dithiol ligand, **234**, 13
'layered hydrogenselenite' I. Synthesis, structure redetermination of $[Cu(HSeO_3)_2(H_2O)_2]$ and determination of $[Cu(HSeO_3)_2(NO_3)_2]^{2-}\cdot 2NH_4^+, NH_4NO_3$. Structural relationships of these complexes with $[Cu(HSeO_3)_2]$, **234**, 19
a novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n[salH]_{2n}\cdot 4n$py in an infinite chain ($salH_2$ = salicylic acid; py = pyridine), **234**, 27
crown thioether complexes of trivalent transition metal ions. The crystal structure of $[Cr(18S6)Cl_3]$, **234**, 35
synthesis and characterization of alkyne complexes analogous to Zeise's salt — $[K(18\text{-cr-}6)][PtCl_3(^nPrC{\equiv}CH)]$, the first complex of platinum(II) with a terminal alkyne, **234**, 47
a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61
transition metal complexes of quadridentate pyrazolo-based ligands with two thiolato and two imine donor atoms, **234**, 67
syntheses, spectroscopic and magnetic properties and X-ray crystal structure of two dinuclear copper(II) compounds with the ligand N^3-salicyloylpyridine-2-carboxamidrazonato, **234**, 87
crystallographic disorder of the M_2 units in $[M_2Cl_8]^{n-}$ (M = Mo, Re) compounds, **234**, 115
an unusual reduction of uranyl ion to uranium(IV), **234**, 127
the 1:2 and 1:4 π–π type molecular adducts of bis(*N*-alkyl-2-oxy-4-(1-naphthoyloxy)benzaldiminato)copper(II) and 1,3,5-trinitrobenzene, **234**, 131
metal–drug interactions: synthesis and crystal structure of dichlorodithiabendazolecobalt(II) monohydrate, **234**, 149
first structural confirmation of different geometrical isomers in the same crystal lattice: the crystal structure of benzoylacetonatocarbonyltriphenylphosphinerhodium(I), **234**, 153
functionalised phosphine complexes of Group 6 metal carbonyls: structure of pentacarbonyl(phenyl-2-carbaldehyde diphenylphosphine-κP)tungsten, **234**, 163
crystal structure of square-planar [1,2-bis-(phenylsulfanyl)ethane]dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173
X-ray structure of palladium(II) tetrakis-thiourea iodide, a catalyst for carbonylation reactions, **234**, 181
crystal structure of $[\{Mo(=O)Cl_2(O=PPh_2C_{10}H_{15}=NH)\}_2O]$. A binuclear oxygen-bridged oxomolybdenum(V) complex containing chelating imino-phosphine oxide ligands, **234**, 185
synthesis and X-ray crystal structure of [K(18-crown-6)]-$[Bi\{Co(CO)_4\}_4]$: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189
reactions of iron halides with thiols containing nitrogen donor atoms; the structure of an iron(III) complex of 2,2′-dimercaptodipyridine, **234**, 195
η^3-azatrimethylenemethane complexes of platinum. Structural characterization of $(PPh_3)_2Pt(\eta^3\text{-}CH_2C(4\text{-}NC_6H_4NO_2)CHPh)$, **235**, 1
experimental and theoretical study of a paradigm Jahn–Teller molecule, all-*trans*-$CrCl_2(H_2O)_2$(pyridine)$_2$, and the related *trans*-$CrCl_2$(pyridine)$_4\cdot$acetone, **235**, 21
4-amino-3-methyl-1,2,4-Δ^2-triazoline-5-thione: an example of thione–thiol tautomerism and stabilization of Cu(I) and Au(I) complexes, **235**, 37
symmetric or unsymmetric cleavage of the bridging system in $[M_2(\mu\text{-}C_6F_5)_2(C_6F_5)_4]^{2-}$ ($M_2 = Pt_2$, Pd_2 or PtPd) with 2,2′-bipyridine or 1,10-phenanthroline. Molecular structure of $[PPN]_2[(C_6F_5)_3Pt(\mu\text{-bpy})Pt(C_6F_5)_3]$ and $[NBu_4][Pt(C_6F_5)_3(phen)]$, **235**, 51
reactions of $(\eta^5\text{-}C_5Me_5)$Ir(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61
interchain interactions and three-dimensional magnetic ordering in Mn(II)Cu(II) chain compounds; crystal structure and metamagnetic properties of $MnCu(pbaOH)(H_2O)_3\cdot 2H_2O$, with pbaOH = 2-hydroxo-1,3-propylenebis(oxamato), **235**, 69
reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of $[IrI\{CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2\}(COD)]I$, containing two fused four-membered metallacycles, **235**, 77
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N*,*N*′-(2-(3,5-dimethyl-1-pyrazolyl)-ethyl)ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}-copper(II)], **235**, 127
oxomolybdenum(V) polyanion clusters. Hydrothermal syntheses and structures of $(NH_4)_5Na_4\{Na[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4)]_2\}\cdot 6H_2O$ and $(C_6H_5CH_2NMe_3)_4K_4\{K_2[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4]_2\}\cdot 10H_2O$ and their relationship to the binuclear $(Et_4N)[Mo_2O_4Cl_3(H_2O)_3]\cdot 5H_2O$, **235**, 135
linear co-polymerisation of *trans*-$[Pt(C_2Bu^t)_2(PMe_2Ph)_2]$ with copper(I) chloride, **235**, 147
ferromagnetic intermolecular coupling in the nitronyl nitroxide radical 2-(4-thiomethylphenyl)-4,4,5,5-tetramethylimidazoline- 1-oxyl-3-oxide, NIT(SMe)Ph, **235**, 159
$Ph_3P{=}Se$ as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3\text{-Se})(\mu\text{-CO})(CO)_7(PPh_3)_2$, $M_3(\mu_3\text{-Se})_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4\text{-Se})_2(\mu\text{-CO})_2(CO)_7(PPh_3)_2$, **235**, 173
synthesis of monothiohydroxamic ligands and their lead complexes. Structures of *N*-methyl-3-pyridothiohydroxamic acid, bis(*N*-methyl-3-pyridothiohydroxamato) lead(II) and bis(*N*-cyclohexyl-phenylacetothiohydroxamato) lead(II), **235**, 185
steric constraints and addition reactions in platinum(II) complexes containing 2,9-dimethyl-1,10-phenanthroline (Me_2-phen). X-ray

crystal structures of [$PtBr_2(Me_2$-phen)] and [$PtI_2(Me_2$-phen)], **235**, 205
synthetic methodologies for tripodal phosphines. The preparation of $MeSi(CH_2PPh_2)_3$ and n-$BuSn(CH_2PPh_2)_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of [Rh(NBD){n-$BuSn(CH_2PPh_2)_3$}](OTf) and [Rh(NBD){$MeSi(CH_2PPh_2)_3$}](OTf), **235**, 215
mono-, di- and trinuclear gold(I) complexes of new phosphino-substituted amides: initial steps to chlorogold(I)diphenylphosphino-terminated dendrimers, **235**, 263
linear trinuclear copper(II) complexes derived from acyclic hexadentate Schiff base ligands, **235**, 273
syntheses and structures of dicyanobis(oxazolidin-2-ylidene)-palladium(II) and platinum(II) complexes, **235**, 299
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex [Pt{$C_6H_3(CH_2NMe_2)_2$-2,6}($PHPh_2$)][OSO_2CF_3] and a diphenylphosphido-bridged Pt(II)/Pd(II) complex [Pt{$C_6H_3(CH_2NMe_2)_2$-2,6}(μ-PPh_2)Pd($C_6H_4CH_2NMe_2$-2)(H_2O)][BF_4]·CH_2Cl_2, **235**, 327
metathetic reactions involving ditungsten hexapivalate. Preparation and structures of $W_2(O_2C^tBu)_2(O^tBu)_2(N^iPr_2)_2$, $W_2(O_2C^tBu)_4(N^iPr_2)_2$, $W_2(O_2C^tBu)_2(O^tBu)_4$ and $Na_2W_4O_4Cp_2(O_2C^tBu)_6$ solvate where Cp = C_5H_5, **235**, 339
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
preparation and characterization of a new series of Ti(III) hydroborates supported by silazanate ligands, **235**, 375
transition metal complexes of L-aziridine-carboxylate, **235**, 391
the synthesis, molecular and crystal structure of the bis(arene) hexaruthenium carbido-carbonyl isomers $Ru_6C(CO)_{11}(C_6H_4Me_2$-1,3)($C_6H_5Me$), **235**, 413
syntheses and crystal structures of molybdenum(0) and palladium(II) complexes of 4-tert-butyl-2-diphenylphosphino-cyclohexanone *N,N*-dimethylhydrazone, **236**, 7
diruthenium complexes with 5-methyl-7-phenyl-1,8-naphthyridin-2-one as an ambidentate bridging ligand, **236**, 13
synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands, **236**, 21
on the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of $O(CH_2CH_2S)_2SbS_2P(OC_2H_5)_2$ and crystal and molecular structure of $(CH_2CH_2S)_2Sb$–$SCH_2CH_2OCH_2CH_2S$–$Sb(SCH_2CH_2)_2O$, a compound with two different eight-membered ring conformations, **236**, 31
compounds containing linked, multiply-bonded dimetal units. 3. Preparation, molecular structure and magnetic properties of a compound containing tetrakis(μ-6-chloro-2-hydroxopyridinato)-diosmium(II,III) cations linked axially by pyrazine, **236**, 43
pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides, **236**, 49
regioisomerism displayed by the 6-chloro-2-oxopyridinate complexes of Ru_2^{4+} and Ru_2, **236**, 55
lanthanide complexes with tetrahydrofuran-2,3,4,5-tetracarboxylic acid: the effect of ligand rigidity on cation size-selectivity, **236**, 67
stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)-1,4,7-triazacyclononane (TACN–TM) and molecular structure of In($C_{12}H_{24}N_3S_3$), **236**, 75
hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of [{Cu(HL)H_2O}$_2SiF_6$]·$2H_2O$, **236**, 83
oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to [Ru(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)]$^+$: X-ray structures of [Ru$(Cl)_2$(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)]$^+$ and [Ru(NO)(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)], **236**, 95
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of [{Cu(HL)H_2O}$_2$]·$2(NO_3)$ and [{Cu(HL)(pyridine)(NO_3)}$_2$], **236**, 101
chiral metal complexes 44. Enantiomeric discrimination in ternary cobalt(III) complexes of *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1*S*,2*S*-diaminocyclohexane and α-amino acids; including the crystal structure of the *S*-prolinato complex, **236**, 109
new copper(I) halide complexes with 2,2'-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-$(OMe)_2$–dicopper(II) complex, **236**, 117
the coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine, **236**, 125
synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres, **236**, 141
molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2'-bipyridine or 2-methylpyrazine, **236**, 149
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, [$Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3$] (Me = $-CH_3$), **236**, 155
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163
synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ_2-η^2,η^2-bridging mode: [Ni_3(tmsb)$(cod)_3$], **236**, 181
synthesis, spectroscopic study and crystal structure of bis(4,6-dimethyl-2-thiopyrimidinium) tetrachlorozincatum(II) monohydrate and its solid state transformations, **236**, 197
synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203
crystal structure of lead hydroxyapatite from powder X-ray diffraction data, **236**, 209
a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of [{($Mo_3(\mu_3$-O)$(\mu$-O)$_3(H_2O)_5$)-(μ-OH)$_2$}$_4$]($CH_3C_6H_4SO_3)_8$·$41H_2O$, **237**, 1
stereochemistry of aquo(5,10,15,20-tetraphenylporphinato)zinc(II) as its 18-crown-6, methylene chloride solvate, **237**, 5
^{1}H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles, **237**, 13
unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure, **237**, 19
reactivity of carbon suboxide toward As and P stabilized ylides. Crystal and molecular structure of CH_2{C(=O)[C(=$AsPh_3$)(COOMe)]}$_2$, **237**, 27
the synthesis and X-ray structure of *trans*-[$CrCl_2(nPrNH_2)_4$]BF_4·H_2O and the thermal and Hg^{2+}-assisted chloride release kinetics from some *trans*-[$CrCl_2(N)_4$]$^+$ complexes, **237**, 37
syntheses, characterization, structure and redox behavior of *cis*-[Ru(NO)X(bpy)$(py)_2$]^z (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes, **237**, 47
synthesis of *trans*-bis(glycinehydroxamato)platinum(II) hydrate and *trans*-dichlorobis(glycylglycine)platinum(II) dihydrate and the crystal and molecular structures of *trans*-dichlorobis(glycine)platinum(II) dihydrate and *trans,trans*-dichlorobis(glycinato)platinum(IV), hydrolysis products formed in reactions of the former complexes, **237**, 71
terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu$-$PPh_2)Cr(CO)_5$,S (L = CO, S = CH_3COCH_3; L = $P(OMe)_3$, S = $C_6H_5CH_3$), **237**, 79
polymeric [{*cyclo*{bis-μ_3(η^2-S,η^1-N)-(1,3-thiazolidine-2-thionato)-bis-μ_4(η^3-S,η^1-N)-(1,3-thiazolidine-2-thionato) tetracopper(I)}-

monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K, **237**, 87
hybridization effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases, **237**, 93
synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate, **237**, 111
polymeric 1,7-dithenylidene-1,4,7-triazaheptane copper(II) chloride with extended linear structure, **237**, 123
transition metal complexes with sulfur ligands. CXI. Skeletal rearrangement of 2,3-dibromo-1-propanol in the template alkylation of $[Ni('S_2C_6H_4')]^{2-}$ ($'S_2C_6H_4'^{2-}$ = 1,2-benzenedithiolate(2−)). Syntheses of $[M('S_4\text{-}C_3OH')]$ complexes (M = Ni^{II}, Pt^{II}; $'S_4\text{-}C_3OH'^{2-}$ = 1,3-bis(2-mercaptophenylthio)-2-propanol(2−)), **237**, 137
synthesis and crystal structure of μ_4-oxo-hexa-(μ_2-(*N*,*S*)-1-methylimidazoline-2-thionato)-tetrazinc(II), **237**, 143
the favored uns-*cis* geometry in octahedral nickel(II) complexes containing linear tetradentate edda-type ligands forming six-membered rings. Crystal structure of uns-*cis*-$[Ni(1,3\text{-pdda})(H_2O)_2]$, **237**, 151
mercury(II) chloride adducts of flexible double betaines: influence of different quaternary ammonio side groups in the adipic acid skeleton, **237**, 163
cyclophanes:metal:arene ternary compounds: synthesis, crystal structure and spectroscopic properties of Bi_2Br_6:[2,2]paracyclophane:pyrene, **237**, 169
X-ray crystal structure of (2,2′-bipyridine)(6,7-dihydro-5*H*-1,4-dithiepin-2,3-dithiolate) platinum(II), **237**, 177
preparation of the complexes $M^{II}L_2 \cdot 2CH_3OH$ (M = Co, Ni, Cu, Zn) of the bidentate ligand 2-(2′-hydroxy-3′-methylphenyl)-benzimidazole (HL) and the molecular structure of $Cu^{II}L_2 \cdot 2CH_3OH$, **237**, 181
syntheses and structures of the potassium-ammonium dioxocitratovanadate(V) and sodium oxocitratovanadate(IV) dimers, **237**, 193
an unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-$[Mo_2(CO)_8\{\mu\text{-}Ph_2P(CH_2)_8PPh_2\}_2]$, **237**, 199
copper(I) and gold(I) complexes with a phosphorus-sulfur ligand. X-ray structure of $AuCl[(C_6H_5)_2PCH_2CH_2SCH_3]$, **237**, 207
synthesis and structure of metallomacrocycles based on isothiosemicarbazides, **238**, 23
palladium(II) and platinum(II) complexes of *cis*-1,2-bis(diphenylphosphino)ethene: completely planar structures due to π bonding in the case of platinum(II), **238**, 35
effects of Co–S torsion angle variation in a cobalt(II)–thiolate complex: X-ray crystal structure analysis, single-crystal EPR measurements and ligand-field calculations, **238**, 73
crystal structures and reversible thermal isomerization of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)nitrosylruthenium(II), **238**, 89
structural and energetic studies on double salts of $M(II)Mg_2Cl_6 \cdot 12H_2O$ (M = Ca, Mn, Cd) by X-ray diffraction and density functional methods, **238**, 121
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)-2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129
the synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers, **238**, 149
structure refinement of barium metavanadate BaV_2O_6, **238**, 165
synthesis and structure of $[M(CO)_4\{(PPh_2)_2CHAu(PPh_3)\}]$ (M = Cr, Mo, W), **238**, 173
heterocycles as ligands 21. Stable titanium carbene complexes, **238**, 179
synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N{=}N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-}H)(NC_5H_3\text{–}N{=}N(O)\text{–}C_6H_5)]$, **238**, 193
N-oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex $[Co(pxo)(CH_3OH)Cl_2]_2$, **238**, 197
zinc complexes of dipyridyl-triazoles, **239**, 13
molecular complex design: bridging the tetrakiscarboxylatodirhodium core, **239**, 25
electrospray mass spectrometry and X-ray crystallography studies of divalent metal ion complexes of tris(2-pyridylmethyl)amine, **239**, 29
new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2] \cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53
coordinatively saturated Pt(II) complexes as potential precursors of organometallic polymers, **239**, 61
a thermogravimetric, single crystal X-ray, and spectroscopic study of several iron(III) halide adducts with crown ethers, **239**, 67
crystal structures of *trans*-$[Ru(dppe)_2(CO)(Cl)](BF_4) \cdot 2(toluene)$ and *trans*-$[Ru(dppm)_2(CO)(Cl)](BF_4) \cdot CH_2Cl_2$: a study of the steric and electronic ligand effects of *trans*-positioned diphosphine ligands, **239**, 77
the reaction of cadmium dicyclohexyldithiophosphinate with tributylphosphine. The crystal and molecular structures of tetrakis(dicyclohexyldithiophosphinato)dicadmium(II) chloroform solvate, $[Cd_2(S_2PCy_2)_4] \cdot CHCl_3$, and of the tributylphosphine adduct $[Cd(S_2PCy_2)_2(PBu_3)]$, **239**, 87
coordination chemistry of iminodiacetic esters. Structural and spectroscopic characterization of copper(II) and zinc(II) monoethyliminodiacetato complexes, **239**, 93
binuclear copper(II) complexes containing phenols and catechols, **239**, 107
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117
aliphatic cyclopalladation. Crystal structure of $[Pd(1\text{-}CH_2\text{-}2\text{-}\{HC{=}N[2',6'\text{-}(CH_3)_2C_6H_3]\}\text{-}3,5\text{-}(CH_3)_2C_6H_2)Br]_2$, **239**, 155
synthesis and crystal structure of a tetranuclear bis(diphenylphosphino)methane palladium complex capped by a μ_4-bonded sulfide: $[Pd_4(\mu\text{-dppm})_4(\mu_4\text{-}S)] \cdot 4(CH_3)_2CO$, **239**, 159
crystal structure and magnetic properties of manganese(II) mellitate, $[Mn_2\{C_6(COO)_6\}(H_2O)_6][Mn(H_2O)_6] \cdot 2H_2O$ with two-dimensional layered structure and three-dimensional hydrogen bonding networks, **239**, 165
crystal structures of two *N*-methyltriphenylphosphoranimines: triphenylphosphine-*N*-methylimine borane, $Ph_3PN(CH_3)BH_3$ and *N*,*N*-dimethylaminotriphenylphosphonium tetrafluoroborate, $[Ph_3PN(CH_3)_2]^+BF_4$, **239**, 171
stereoelectronic properties of the sulfinyl-substituted phosphine ligands: synthesis and X-ray structure of the stable complex $[PdCl_2\{Ph_2PCH_2S(O)Me\}\{MeOH\}]$, **239**, 185
syntheses, spectra and crystal structures of ruthenium(II) complexes with polypyridyl: $[Ru(bipy)_2(phen)](ClO_4)_2 \cdot H_2O$ and $[Ru(bipy)_2(Me\text{-}phen)](ClO_4)_2$, **240**, 5
the use of the borocaptate anion as a ligand. Synthesis and X-ray crystal structure of pentaammine(1-thiolato-*closo*-undecahydrododecaborane)ruthenium(III) dihydrate, **240**, 19
the preparation, characterisation and low temperature X-ray structure of $Ru_6(\eta^2\text{-}\mu_4\text{-}CO)_2(CO)_{13}(\eta^6\text{-}C_6Me_6)$, **240**, 29
the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
structure, physical, chemical and photophysical properties of Pt(bph)$(CO)_2$, where bph is the biphenyl dianion, **240**, 41

mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49
the coordination chemistry of cationic main group clusters: syntheses and structures of $[Fe_3(Se_2)_2(CO)_{10}]^{2+}$ and $[Fe_4(Se_2)_3(CO)_{12}]^{2+}$, **240**, 63
kinetics and mechanisms of ligand substitution reactions of molybdenum SO_2 complexes. Synthesis and X-ray structure of *trans*-$Mo(CO)_2(dmpe)(PPh_3)(SO_2)$, **240**, 99
crystal growth in aqueous hydrofluoric acid and $(HF)_x$·pyridine solutions: syntheses and crystal structures of $[Ni(H_2O)_6]^{2+}[MF_6]^{2-}$ (M = Ti, Zr, Hf) and $Ni_3(py)_{12}F_6 \cdot 7H_2O$, **240**, 109
synthesis and structure determination of some platinum(II) complexes with hydrophilic carboxylated tertiary phosphine ligands, **240**, 145
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169
structural studies on products of reduction of a nitro-$Ni_1C_3N_2$-metallocene, **240**, 191
the monofunctionalized 1,4,7-triazacyclononane derivatives 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2) and their complexes with vanadium(IV)/(V). Localized and delocalized electronic structures in compounds containing the mixed valent $[O V^{IV}\text{–}O\text{–}V^{V}O]^{3+}$ core, **240**, 217
syntheses, structures and spectroscopy of new heteroselenometalates, **240**, 239
studies of the cation complexing ability of crowns Part I. Synthesis, characterization and crystal structure of diazacrowns and their barium complexes, **240**, 257
control of the migratory aptitudes of vinyl and aryl ligands in ruthenium(II) complexes, **240**, 263
alkene rotation in $[Ru(\eta^5\text{-}C_5H_5)(L_2)(\eta^2\text{-alkene})][CF_3SO_3]$ with L_2 = iPr- or *p*Tol-diazabutadiene. X-ray crystal structure of $[Ru(\eta^5\text{-}C_5H_5)(p\text{Tol-DAB})(\eta^2\text{-ethene})][CF_3SO_3]$, **240**, 273
palladium complexes present during the catalytic reduction of NO to N_2O, **240**, 299
hetero-polynuclear complexes containing bridging diphenylphosphinoalkenes and -alkynes. The crystal structure of an $Rh_2\{\mu\text{-}\eta^1\text{:}\eta^2\text{-}P(Ph_2)(CH_2)_3C{\equiv}CR\}Co_2$ complex, **240**, 323
heterobimetallic chloro bridged complexes of $(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})$ ruthenium(IV) with palladium(II), platinum(II), rhodium(III), iridium(III), copper(I) and rhodium(I), **240**, 339
chemistry in environmentally benign media Part 1. Synthesis and characterization of 1,2-bis[bis(hydroxymethyl)phosphino]ethane ('HMPE'). X-ray structure of $[Pt\{(HOH_2C)_2PCH_2CH_2P(CH_2OH)_2\}_2](Cl)_2$, **240**, 367
the synthesis and structural characterization of carborane oligomers connected by carbon–carbon and carbon–boron bonds between icosahedra, **240**, 371
mixed-ligand rhenium(V) oxo monomers with triphenylphosphine oxide and lopsided and symmetrical heterocyclic ligands. Putative intermediates in rhenium(V) oxo synthetic chemistry, **240**, 413
solvent extraction of divalent palladium and platinum from aqueous solutions of their chloro complexes using an *N,N*-dimethyldithiocarbamoylethoxy substituted calix[4]arene, **240**, 441
synthesis and reactions of trigonal-bipyramidal rhenium and technetium complexes with a tripodal, tetradentate NS_3 ligand, **240**, 465
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
insertion of isocyanides into Re–C bonds, **240**, 495
the versatile coordination chemistry of tricyanoethenolate, $[(NC)_2C{=}C(CN)O]^-$, **240**, 515
chemistry of tris(2,4,6-trimethoxyphenyl)phosphine with rhodium(I) and iridium(I) olefin complexes, **240**, 527
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559
reactions of the haloalcohols $HO(CH_2)_nCl$ (n = 2, 3) with platinum(II) alkynyl and alkyne complexes. X-ray crystal structure of *trans*-$[Pt(Me)\{C(OCH_2CH_2Cl)(CH_2Ph)\}(PPh_3)_2][BF_4]$, **240**, 567
the rhodium(III) trisacetonitrile complexes: a re-investigation of the synthesis of *fac*- and *mer*-$[RhCl_3(CH_3CN)_3]$, their characterization by 2D NMR spectroscopy and the X-ray crystal structure of *mer*-$[RhCl_3(CH_3CN)_3] \cdot CH_3CN$, **240**, 575
rhodium(I) complexes of the type $[Tp^{3R,5R}Rh(LL)]$ (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of $Tp^{CF_3,Me}Rh(CO)_2$, **240**, 631
preparation and crystal structure of *trans*-dihydroxo-[tetrakis(2,6-dichlorophenyl)porphinato]ruthenium(IV)·2toluene, **240**, 657
synthesis and characterization of 1:2 metal complexes of the biheteroaromatic ligand 2-(2′-pyridyl)quinoxaline (L) and the X-ray structure of $[CuL_2](PF_6)$, **240**, 673

Cubane-like complexes
high yield formation of $[Mo^{III}{}_4S_4(H_2O)_{12}]^{4+}$ by reaction of $[Mo^{IV}{}_3S_4(H_2O)_9]^{4+}$ with metallic lead, **232**, 171

Cyanide complexes
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4{}^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305

Cyano-brigded complexes
Optical metal-to-metal charge transfer of (μ-cyano)decaamminediosmium(III), **238**, 1

Cyano complexes
mercury(II)-promoted formation and aquation of linkage isomers of *trans*-dicyanotetraamminechromium(III). A polarographic and spectral study, **228**, 153
gold binding sites in red blood cells, **229**, 271
symmetrical and asymmetrical bis(amine)carboxyhydroboron(+1) and bis(amine)cyanohydroboron(+1) cations: synthesis and properties, **233**, 119
photooxidation of $Ru(bpy)(CN)_4{}^{2-}$ and $Ru(DMbpy)(CN)_4$, **236**, 173
synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate, **237**, 111

Cyanocuprate complexes
charge-transfer complexes of benzylviologen (1,1′-dibenzyl-4,4′-bipyridinium(2+) cation) with cyanocuprate(I) and the structure of $(BzV)_3Cu_9(CN)_{15} \cdot H_2O$, **230**, 145

Cyanopyridinium complexes
preparation and spectroscopies of layered zirconium organophosphonates containing pyridinium and its derivative cations, **233**, 173

Cyclic complexes;
a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-}O)(\mu\text{-}O)_3(H_2O)_5)\text{-}(\mu\text{-}OH)_2\}_4](CH_3C_6H_4SO_3)_8 \cdot 41H_2O$, **237**, 1

Cyclic voltammetry
approach to a metallacycling polymerization — reactions of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)_2]$ with α,β-diynes and $Me_3SiC{\equiv}CC_6H_4C_6H_4C{\equiv}CSiMe_3$, **230**, 215
growth of thin processable films of poly(pyrrole) using phosphomolybdate clusters, **240**, 447

Cyclisation
the effect of steric hindrance in the synthesis of corrolates via the cobalt catalyzed cyclisation of 2-(α-hydroxyalkyl)pyrroles, **235**, 15
studies of the cation complexing ability of crowns Part I. Synthesis, characterization and crystal structure of diazacrowns and their barium complexes, **240**, 257

Cycloaddition reactions
η^3-azatrimethylenemethane complexes of platinum. Structural characterization of $(PPh_3)_2Pt(\eta^3\text{-}CH_2C(4\text{-}NC_6H_4NO_2)CHPh)$, **235**, 1
Cyclobutadiene complexes
approach to a metallacycling polymerization — reactions of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)_2]$ with α,β-diynes and $Me_3SiC{\equiv}CC_6H_4C_6H_4C{\equiv}CSiMe_3$, **230**, 215
Cyclometallating ligand
2,2′:6′,4″-terpyridine: a cyclometallating analogue of 2,2′:6′,2″-terpyridine for metallosupramolecular chemistry, **235**, 165
Cyclometallation
cyclometallation of a pentafluorobenzaldehyde azine phosphine via a C–F bond fission by iridium(I): crystal structure of $[IrCl_2(CO)\{PPh_2CH_2C(Bu^t){=}N\text{–}N{=}CH(C_6F_4)\}]$, **233**, 103
aliphatic cyclopalladation. Crystal structure of $[Pd(1\text{-}CH_2\text{-}2\text{-}\{HC{=}N[2',6'\text{-}(CH_3)_2C_6H_3]\}\text{-}3,5\text{-}(CH_3)_2C_6H_2)Br]_2$, **239**, 155
Cyclooctadiene complexes
rhodium(I) complexes of the type $[Tp^{3R,5R}Rh(LL)]$ (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of $Tp^{CF_3,Me}Rh(CO)_2$, **240**, 631
Cyclopalladation
cyclopalladation of secondary and primary benzylamines, **233**, 91
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
synthesis and characterisation of the six-membered cyclopalladated complexes of 2-benzylbenzothiazole, **239**, 125
Cyclopentadiene complexes
cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-$(\mu\text{-}\eta^3;\eta^2\text{-}C_7H_7)Fe(CO)_3Pt(\eta^2,\sigma^1\text{-}C_8H_{12}\text{-}C_5H_5)$, **229**, 461
Cyclopentadienyl complexes
the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of ( )-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and $(\mu\text{-}OH)_2CpMo(NO)I_2$, **229**, 39
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand $\eta^5\text{-}Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of $\eta^5\text{-}Bz_5C_5Mo(CO)_3I$, **230**, 127
the solid state structure of the cation bis[(1,3-dioxane-2-ylmethyl)-diphenylphosphine-*P*;*O*′,*P*′]-(pentamethylcyclopentadienyl)-ruthenium(II), **231**, 201
one-pot synthesis of $CpRe(CO)_2H_2$ and *trans*-$CpRe(CO)_2(SnPh_3)_2$ from *cis*- and *trans*-$CpRe(CO)_2Br_2$ and Ph_3SnH. Involvement of a radical-chain sequence in the formation of $CpRe(CO)_2H_2$, **232**, 57
the 19-electron Fe(I) state in tentacled iron sandwiches: synthesis, stability, Mössbauer spectroscopy, electronic structure and chain effect, **240**, 105
dissociative phosphine exchange for cyclopentadienylmolybdenum(III) systems. Bridging the gap between Werner-like coordination chemistry and low-valent organometallic chemistry, **240**, 355
Cyclopentadienyl-substituted complexes
effects of substitutions on cyclopentadienyl rings in complexes with molybdenum–mercury bonds. ^{95}Mo and ^{199}Hg NMR studies, **228**, 251
Cyclopentadienyl transfer
tin and thallium reagents for transfer of the 1,2-di-tert-butylcyclopentadienyl ligand to transition metals, **240**, 653
Cyclophosphazene
new dioxytetraethyleneoxy macrocyclic cyclophosphazene derivatives, **228**, 187
organometallic phosphazenes: synthesis and characterization of Pt(II) and Pt(0) cinnammonitrile cyclophosphazene derivatives, **229**, 13
Cyclotrimerization
reactions of $Co_2(CO)_8$ with RC_2R' alkynes Part II. Synthesis of $Co_2(CO)_6(RC_2R')$ complexes; oligomerization or cyclotrimerization reactions of substituted acetylenes, **228**, 139
Cytidine 5′-monophosphate complexes
acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99
Cytochrome *c* oxidase
a model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP), **229**, 9

Dendrimers
mono-, di- and trinuclear gold(I) complexes of new phosphino-substituted amides: initial steps to chlorogold(I)diphenylphosphino-terminated dendrimers, **235**, 263
Density functional methods
structural and energetic studies on double salts of $M(II)Mg_2Cl_6\cdot 12H_2O$ (M = Ca, Mn, Cd) by X-ray diffraction and density functional methods, **238**, 121
2′-Deoxycytidine 5′-monophosphate complexes
acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99
Derivatised silica
oxidative addition of surface bound aryl halides at tungsten(0), **240**, 479
Desmotropic isomerism
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)-2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129
Diacetamide complexes
preparation and spectroscopic studies of the complexes of diacetamide with metal(II) perchlorates, **229**, 165
Dialdehyde complexes
structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV), **231**, 187
Diamagnetic complexes
an effectively diamagnetic oximato-bridged asymmetric dinuclear copper(II) complex with a Cu(II)–I bond, **232**, 125
Diamine complexes
circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands, **229**, 101
Diazabutadiene complexes
alkene rotation in $[Ru(\eta^5\text{-}C_5H_5)(L_2)(\eta^2\text{-alkene})][CF_3SO_3]$ with L_2 = iPr- or *p*Tol-diazabutadiene. X-ray crystal structure of $[Ru(\eta^5\text{-}C_5H_5)(p\text{Tol-DAB})(\eta^2\text{-ethene})][CF_3SO_3]$, **240**, 273
Diazacrown ether complexes
studies of the cation complexing ability of crowns Part I. Synthesis, characterization and crystal structure of diazacrowns and their barium complexes, **240**, 257
Didentate ligand complexes
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N*,*N*′-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}copper(II)], **235**, 127
Dielectric constant effects
acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313
Diene complexes
η^2 and η^4 olefin complexation by *S*,*S*-$[Ru^{II}(Me_2edda)]$: a structural change to accommodate bidentate dienes, **230**, 77

Difluoroacetato complexes
tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum, **229**, 127
Dihydrobis(pyrazolyl)borate complexes
synthesis and structure of trisdihydrobis(pyrazolyl)-borate(tetrahydrofuran)uranium(III), UH(μ-H)Bpz_{23}(THF): three-center B–H···U(III) interactions in the presence of coordinated THF ligand, **229**, 315
bis[dihydrobis(1-pyrazolyl)borate]cadmium(II): a monomeric, severely distorted tetrahedral complex of cadmium(II), **240**, 669
Dihydrogen complexes
the kinetics and energetics of formation of a molecular hydrogen complex involving a dinuclear ruthenium(II) centre, **240**, 419
Dihydroxamic acid complexes
dihydroxamic acid complexes of iron(III): ligand pK_a and coordinated water hydrolysis constants, **240**, 519
Diimine complexes
synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of [$(CO)_5$Mn–Ru(Me)$(CO)_2(\sigma(N),\sigma(N')$-iPr-PyCa)] (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine), **232**, 19
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169
β-Diketonate complexes
characterization of titanocene(III) complexes of β-diketonates by electrochemical, spectroscopic and crystallographic methods: stabilization of oxidized and reduced β-diketonate radicals by acetyl and titanocene derivatization, respectively, **235**, 117
β-Diketonato complexes
electron transfer reaction between tris(β-diketonato)- ruthenium(II)–(III) complexes, **236**, 37
2,2′-Dimercaptodipyridine complexes
reactions of iron halides with thiols containing nitrogen donor atoms; the structure of an iron(III) complex of 2,2′-dimercaptodipyridine, **234**, 195
Dimer complexes
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N*,*N*′-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}-copper(II)], **235**, 127
Dimeric complexes
N-oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex [Co(pxo)$(CH_3OH)Cl_2]_2$, **238**, 197
Dimerisation
formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)- nickel(II)} complex, **230**, 249
Dimers
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of [{Cu(HL)H_2O}$_2$]·2(NO_3) and [{Cu(HL)(pyridine)(NO_3)}$_2$], **236**, 101
Dimetallic cryptates
anion recognition by a dicopper(II) cryptate, **238**, 5
1,2-Dimethoxyethane complexes
tetrahydrofuran and 1,2-dimethoxyethane derivatives of vanadium(II) and vanadium(III), **231**, 167
N,*N*-Dimethyldithiocarbamoylethoxy
solvent extraction of divalent palladium and platinum from aqueous solutions of their chloro complexes using an *N*,*N*-dimethyldithiocarbamoylethoxy substituted calix[4]arene, **240**, 441
2,9-Dimethyl-1,10-phenanthroline complexes
steric constraints and addition reactions in platinum(II) complexes containing 2,9-dimethyl-1,10-phenanthroline (Me_2-phen). X-ray crystal structures of [$PtBr_2$(Me_2-phen)] and [PtI_2(Me_2-phen)], **235**, 205
Dimethyloctadienyl ligand complexes
heterobimetallic chloro bridged complexes of (η^3:η^3-$C_{10}H_{16}$) ruthenium(IV) with palladium(II), platinum(II), rhodium(III), iridium(III), copper(I) and rhodium(I), **240**, 339
Dimorphic forms
structural characterization of two solid state forms of the complex bis[1,1′-bis(diphenylphosphino)ferrocene] rhodium(I) tetraphenylborate, **233**, 165
Dinitrogen complexes
synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: [$SiW_{11}O_{39}RuL]^{n-}$, L = H_2O, NO, N_2, **231**, 237
Dinuclear complexes
preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133
calixarene complexes of the molybdenum–molybdenum quadruple bond, **229**, 5
conformational diversity in the solid state structures of Rh_2(μ-$CH_3N(P(OCH_3)_2)_2)_2(CH_3N(P(OCH_3)_2)_2)_2X_2$ (XO_3SCF_3, $B(C_6H_5)_4$), **229**, 17
an asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $Ru_2O(O_2CC_6H_4$-*p*-OMe$)_3$(en)$(PPh_3)_2(ClO_4)\cdot 3CHCl_3$, **229**, 33
activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-Au$(CH_2)_2PPhMe_2$, and the crystal structures of $Au(CH_2)_2PPhMe_2$, $Au(CH_2)_2PPhMe_2SO_{22}$, $Au(CH_2)_2PPh_{22}SO_{22}$ and $Au(CH_2)_2PPhMe_2S_2CNEt_{22}$, **229**, 61
synthesis and crystal structure of the unique chiral anion $Re_2Cl_7PBzMePh$ and the direct determination of its δ-bond energy by molecular modelling, **229**, 95
circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands, **229**, 101
synthesis and structure of W_2Cl_4(μ-dppm)$_2$(η^2-μ-CH_3CN), **229**, 113
tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum, **229**, 127
metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(I,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states, **229**, 143
photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $Rh_2(O_2CCH_3)_2$(η^2-O_2CCH_3)$(C_6H_4)PPh_2$(η^2-PCCl)(PCClP(o-ClC_6H_4)Ph_2), **229**, 203
preparation and characterization of dirhenium complex anions of the type Re_2Cl_7(dithioether) with Re–Re quadruple bonds, **229**, 241
acetonitrile complexes of diiridium Part 1. Isolation and characterization of the partially solvated cations Ir_2(COD)(μ-form)$_2$-$(MeCN)_3^2$ and Ir_2(μ-form)$_2(MeCN)_6^2$ (COD1,5-cyclooctadiene, form*N*,*N*′-di-*p*-tolylformamidinate), **229**, 373
metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from non-bonded $Cp^*_2Mo_2Cl_6$ to afford bonded $Cp^*_2Mo_2Cl_5$, **229**, 445
X-ray crystal structure of Cu_2(medpco-2H)Cl_2, (medpco = *N*,*N*′-bis(2-*N*,*N*-dimethylaminoethyl)pyridine-2,6-dicarboxamide 1-oxide. Copper(II) complexes of a deprotonated binucleating pyridine *N*-oxide ligand, **230**, 139
a dicopper complex of *N*,*N*′-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form, **230**, 199
synthesis and electrochemistry of mono- and binuclear europium complexes with the macrocyclic ligand 1,4,7,10,14,17,20,23-octaaza-

cyclohexacosane-1,4,7,10,14,17,20,23-octaacetic acid (OHEC), **231**, 29
mixed metal complexes of Groups 10 and 11 elements. The structure and properties of $[M(mnt)_2\{Ag(PR_3)_2\}_2]$ (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate), **231**, 35
a dinucleating quinquepyridine analogue, **231**, 241
dinuclear Rh(II) complexes in styrene hydroformylation. Enhancement of catalytic activity through orthometalation, **233**, 161
syntheses, spectroscopic and magnetic properties and X-ray crystal structure of two dinuclear copper(II) compounds with the ligand N^3-salicyloylpyridine-2-carboxamidrazonato, **234**, 87
an unusual reduction of uranyl ion to uranium(IV), **234**, 127
reaction of an α-pyrrolidonate-bridged *cis*-diammineplatinum(II) dimer with molecular oxygen and its application to the catalytic O_2 oxidation of hydroquinone, **234**, 157
crystal structure of $[\{Mo(=O)Cl_2(O=PPh_2C_{10}H_{15}=NH)\}_2O]$. A binuclear oxygen-bridged oxomolybdenum(V) complex containing chelating imino-phosphine oxide ligands, **234**, 185
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(PHPh_2)][OSO_2CF_3]$ and a diphenylphosphido-bridged Pt(II)/Pd(II) complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(\mu\text{-}PPh_2)Pd(C_6H_4CH_2NMe_2\text{-}2)(H_2O)][BF_4]\cdot CH_2Cl_2$, **235**, 327
metathetic reactions involving ditungsten hexapivalate. Preparation and structures of $W_2(O_2C^tBu)_2(O^tBu)_2(N^iPr_2)_2$, $W_2(O_2C^tBu)_4(N^iPr_2)_2$, $W_2(O_2C^tBu)_2(O^tBu)_4$ and $Na_2W_4O_4Cp_2(O_2C^tBu)_6$ solvate where $Cp = C_5H_5$, **235**, 339
diruthenium complexes with 5-methyl-7-phenyl-1,8-naphthyridin-2-one as an ambidentate bridging ligand, **236**, 13
new copper(I) halide complexes with 2,2′-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-$(OMe)_2$–dicopper(II) complex, **236**, 117
molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2′-bipyridine or 2-methylpyrazine, **236**, 149
unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure, **237**, 19
an unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-$[Mo_2(CO)_8\{\mu\text{-}Ph_2P(CH_2)_8PPh_2\}_2]$, **237**, 199
mixed-valence Fe(III)–Fe(IV) dimers. Preparation and physical properties of oxidation products of oxo-bridged binuclear iron(III) complexes, **238**, 139
the synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers, **238**, 149
new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2]\cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53
binuclear copper(II) complexes containing phenols and catechols, **239**, 107
the synthesis and characterization of dinuclear platinum complexes bridged by the 4,4′-dipyrazolylmethane ligand, **240**, 13
heterobimetallic chloro bridged complexes of (η^3:η^3-$C_{10}H_{16}$) ruthenium(IV) with palladium(II), platinum(II), rhodium(III), iridium(III), copper(I) and rhodium(I), **240**, 339
generation and spectroscopic characterization of new 18 + δ electron complexes. Relationship between the stability of 18 + δ electron organometallic complexes and their ligand reduction potentials, **240**, 405

Dinucleating ligand complexes
a dicopper complex of *N*,*N*′-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form, **230**, 199

Dinucleoside phosphonate
the binding of dinucleoside phosphonates in the active site of the metallo-enzyme, Staphylococcal nuclease: synthetic, solution and preliminary crystallographic studies, **229**, 425

β-Dione complexes
hybridization effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases, **237**, 93

Dioxo complexes
$Tc(IV)Cl_4(PPh_3)_2$ and $Tc(III)Cl_3(CH_3CN)(PPh_3)_2$ as precursors of *trans* dioxo technetium(V) complexes with chelating amines and tetraazamacrocycles, **231**, 147

Dioxolene complexes
spectroscopic characterization of some unstable *ortho*-semiquinone and *ortho*-quinone complexes of Mn(I) by variable-temperature thin-layer spectroelectrochemistry at optically transparent electrodes, **232**, 99
a new procedure to synthesize *cis*-$[Ru(NH_3)_4L_2]^{n+}$ species containing ruthenium(II) or ruthenium(III) using tetrammino (3,4-diolatobenzoato)ruthenium(II) as precursor, **235**, 427

Dioxygen
formation of the DMPO-OH adduct from Ti(IV) and DMPO in aqueous solution — the first ESR evidence, **234**, 169

Dioxygen complexes
synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen, **230**, 219
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
formation of dioxygen complexes of transition metal chelates in oxygen saturated aprotic solvents. Cyclic voltammetric evidence at a micro glassy carbon disk electrode, **240**, 609

Dipeptide complexes
weak forces in the thermodynamic stereoselectivity of proton and copper(II) complexes with diastereoisomeric dipeptides containing aromatic side chains, **228**, 119

Diphenylphosphido-bridged complexes
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(PHPh_2)][OSO_2CF_3]$ and a diphenylphosphido-bridged Pt(II)/Pd(II) complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(\mu\text{-}PPh_2)Pd(C_6H_4CH_2NMe_2\text{-}2)(H_2O)][BF_4]\cdot CH_2Cl_2$, **235**, 327

Diphenylphosphine complexes
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(PHPh_2)][OSO_2CF_3]$ and a diphenylphosphido-bridged Pt(II)/Pd(II) complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(\mu\text{-}PPh_2)Pd(C_6H_4CH_2NMe_2\text{-}2)(H_2O)][BF_4]\cdot CH_2Cl_2$, **235**, 327

Diphosphazane complexes
organometallic chemistry of diphosphazanes. Rhodium(I) complexes of $RN(PX_2)_2$ ($R = C_6H_5$; $X = OC_6H_5$, $OC_6H_4Br\text{-}p$, $R = CH_3$; $X = OC_6H_5$), **230**, 245

Diphosphine complexes
preparation of *cis*-$MoI_4(Ph_2PCH_2CH_2PPh_2)$ and structure of $(THF)_3Na(\mu\text{-}I)_3MoI(Ph_2PCH_2CH_2PPh_2)$ with a new coordination environment around sodium, **229**, 55
mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2](PF_6)\cdot$ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = tert-butylisocyanide), **230**, 189
substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines, **232**, 75

palladium(II) and platinum(II) complexes of *cis*-1,2-bis(diphenylphosphino)ethene: completely planar structures due to π bonding in the case of platinum(II), **238**, 35
crystal structures of *trans*-[Ru(dppe)$_2$(CO)(Cl)](BF$_4$)·2(toluene) and *trans*-[Ru(dppm)$_2$(CO)(Cl)](BF$_4$)·CH$_2$Cl$_2$: a study of the steric and electronic ligand effects of *trans*-positioned diphosphine ligands, **239**, 77
chemistry in environmentally benign media Part 1. Synthesis and characterization of 1,2-bis[bis(hydroxymethyl)phosphino]ethane ('HMPE'). X-ray structure of [Pt{(HOH$_2$C)$_2$PCH$_2$CH$_2$P(CH$_2$OH)$_2$}$_2$](Cl)$_2$, **240**, 367
4,4′-Dipyrazolylmethane complexes
the synthesis and characterization of dinuclear platinum complexes bridged by the 4,4′-dipyrazolylmethane ligand, **240**, 13
2,2′-Dipyridylamine complexes
new copper(I) halide complexes with 2,2′-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-(OMe)$_2$–dicopper(II) complex, **236**, 117
Diselenole complexes
spectroscopic and electrical properties of the [W(C$_3$Se$_5$)$_3$]$^{2-}$ anion complex (C$_3$Se$_5^{2-}$ = 1,3-diselenole-2-selone-4,5-diselenolate) and the oxidized species, **230**, 235
Dismutation
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
Dissociative phosphine substitution
dissociative phosphine exchange for cyclopentadienylmolybdenum(III) systems. Bridging the gap between Werner-like coordination chemistry and low-valent organometallic chemistry, **240**, 355
Dithiacyclohexane complexes
coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47
Dithiocarbamate complexes
correlation between ^{95}Mo NMR chemical shifts and rate constants of oxygen atom transfer reactions of various *cis*-dioxo-bis(dithiocarbamato)molybdenum(VI) complexes with PPh$_3$, **228**, 89
synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate, **229**, 153
Dithiocarbamato complexes
mixed-ligand complexes of rhenium VII. Synthesis, characterization and X-ray crystal structure of bis(diethyldithiocarbamato)(dimethylphenylphosphine)- (triphenylborylimido)rhenium(V), [Re(NBPh$_3$)(Me$_2$PhP)(Et$_2$dtc)$_2$], **231**, 245
Dithiocarbene complexes
reactions and electrochemical behaviour of dithiocarbene complexes of platinum(II), **235**, 397
Dithioether ligand complexes
preparation and characterization of dirhenium complex anions of the type Re$_2$Cl$_7$(dithioether) with Re–Re quadruple bonds, **229**, 241
Dithiolate complexes
synthesis and structural determinations of zinc(II) complexes containing dithiol and N,N-heterocyclic ligands, **228**, 81
phosphine derivatives of mercury and cadmium dithiolates: an electrospray mass spectrometric study, **228**, 193
crystal structure and magnetic properties of [NMe$_4$]$_4$[Mn$_2$(C$_3$S$_5$)$_4$] (C$_3$S$_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate), **232**, 51
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
Dithiolato complexes
on the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of O(CH$_2$CH$_2$S)$_2$SbS$_2$P(OC$_2$H$_5$)$_2$ and crystal and molecular structure of (CH$_2$CH$_2$S)$_2$Sb–SCH$_2$CH$_2$OCH$_2$CH$_2$S–Sb(SCH$_2$CH$_2$)$_2$O, a compound with two different eight-membered ring conformations, **236**, 31
Dithiol complexes
synthesis and characterization of luminescent mixed ligand zinc(II) complexes containing a novel dithiol ligand, **234**, 13
Dithiolene complexes
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117
Dithiophosphinate complexes
the reaction of cadmium dicyclohexyldithiophosphinate with tributylphosphine. The crystal and molecular structures of tetrakis(dicyclohexyldithiophosphinato)dicadmium(II) chloroform solvate, [Cd$_2$(S$_2$PCy$_2$)$_4$]·CHCl$_3$, and of the tributylphosphine adduct [Cd(S$_2$PCy$_2$)$_2$(PBu$_3$)], **239**, 87
Dithiophosphinato complexes
a new eight-membered Pb$_2$S$_4$P$_2$ inorganic ring. Crystal and molecular structure of dimeric [Pb(S$_2$PMe$_2$)$_2$]$_2$, associated into polymeric chains through intermolecular Pb···S interactions, **233**, 151
Dithiophosphorus ligand complexes
an unusual reduction of uranyl ion to uranium(IV), **234**, 127
Divalent metal complexes
stability constant variations of the divalent metal complexes of four bibracchial lariat ethers, **237**, 147
Divalent metal ion complexes
stabilities of the 2-mercaptoethylamine complexes of trivalent metal ions and divalent metal ions in aqueous solution, **231**, 159
DMPO
formation of the DMPO-OH adduct from Ti(IV) and DMPO in aqueous solution — the first ESR evidence, **234**, 169
DMSO
ligand photolysis and recombination of Fe(II) protoporphyrin IX complexes in dimethyl sulfoxide, **234**, 101
DNA cleavage
Mg^{2+}-activated double-stranded DNA cleavage by [(bpy)$_2$(OH$_2$)Ru^{III}-O-Ru^{III}(H$_2$O)(bpy)$_2$]$^{4+}$, **240**, 335
DNA complexes
mer-[Ru(terpy)Cl$_3$] (terpy = 2,2′:6′,2″-terpyridine) shows biological activity, forms interstrand cross-links in DNA and binds two guanine derivatives in a *trans* configuration, **231**, 57
reaction of nitric oxide with iron bleomycin bound to DNA: properties of the nitrosyl adduct and its reaction with O$_2$, **240**, 535
Donor–acceptor interaction
the 1:2 and 1:4 π–π type molecular adducts of bis(*N*-alkyl-2-oxy-4-(1-naphthoyloxy)benzaldiminato)copper(II) and 1,3,5-trinitrobenzene, **234**, 131
Drug complexes
metal–drug interactions: synthesis and crystal structure of dichlorodithiabendazolecobalt(II) monohydrate, **234**, 149
Drug-related ligand complexes
zinc complexes of dipyridyl-triazoles, **239**, 13
Dynamics
dynamics of cobalt(II) spin-equilibrium complexes, **235**, 245
solution structures and dynamics of M$_3$(CO)$_{12-x}$(NCCH$_3$)$_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357

Edda-type ligand complexes
the favored uns-*cis* geometry in octahedral nickel(II) complexes containing linear tetradentate edda-type ligands forming six-membered rings. Crystal structure of uns-*cis*-[Ni(1,3-pdda)(H$_2$O)$_2$], **237**, 151
Eight-membered ring complex
a new eight-membered Pb$_2$S$_4$P$_2$ inorganic ring. Crystal and molecular structure of dimeric [Pb(S$_2$PMe$_2$)$_2$]$_2$, associated into polymeric chains through intermolecular Pb···S interactions, **233**, 151
Electrical conductivity

spectroscopic and electrical properties of the $[W(C_3Se_5)_3]^{2-}$ anion complex ($C_3Se_5^{2-}$ = 1,3-diselenole-2-selone-4,5-diselenolate) and the oxidized species, **230**, 235
Electrochemical synthesis
polymeric [{*cyclo*{bis-μ_3(η^2-S,η^1-N)-(1,3-thiazolidine-2-thionato)-bis-μ_4(η^3-S,η^1-N)-(1,3-thiazolidine-2-thionato) tetracopper(I)}monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K, **237**, 87
Electrochemistry
syntheses, structures and properties of copper and nickel complexes of the macrocyclic ligand 5,6,11,12,17,18,23,24-octahydro-tetrabenzo[*b,f,j,n*][1,5,9,13]tetraazacyclo- hexadecine (H_8TAAB), **228**, 93
preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133
structural, spectroscopic and redox characterization of the soluble complexes $[M(SC_6H_4NR_2)_4]^{2-}$ and the effects of N–H···S hydrogen bonds, **228**, 199
metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(I,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states, **229**, 143
spectral and electrochemical properties of vanadyl hexadecafluorophthalocyanine, **230**, 41
mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2](PF_6)\cdot$ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = tert-butylisocyanide), **230**, 189
a violet mixed-valence copper–mercaptoethylamine complex generated electrochemically or by reversible interaction with oxygen, **231**, 21
synthesis and electrochemistry of mono- and binuclear europium complexes with the macrocyclic ligand 1,4,7,10,14,17,20,23-octaazacyclohexacosane-1,4,7,10,14,17,20,23-octaacetic acid (OHEC), **231**, 29
ferrocene containing chelating ligands 3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate, **231**, 45
synthesis and spectral and electrochemical properties of 2,3,9,10,16,17,23,24-octabutylthiophthalocyaninatozinc(II), **232**, 69
study of the reactivity of Cd(II) with 4,6-dimethyl- 2-thiopyrimidine. Crystal structure of 4,6-dimethyl- 2-thiopyrimidinium trichlorocadmiatum(II), **232**, 139
an electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)ruthenium(II): a potential building block for supramolecular systems, **232**, 217
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
reactions and electrochemical behaviour of dithiocarbene complexes of platinum(II), **235**, 397
syntheses, characterization, structure and redox behavior of *cis*-$[Ru(NO)X(bpy)(py)_2]^z$ (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes, **237**, 47
synthesis and crystal structure of μ_4-oxo-hexa-(μ_2-(*N,S*)- 1-methylimidazoline-2-thionato)-tetrazinc(II), **237**, 143
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
homoleptic Fe(II) complexes of new 2,2′:6′,2″-terpyridine ligands with 4′-*p*-hydroquinonyl or 4′-*p*-quinonyl pendants, **239**, 1
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117
formation of dioxygen complexes of transition metal chelates in oxygen saturated aprotic solvents. Cyclic voltammetric evidence at a micro glassy carbon disk electrode, **240**, 609
Electronic spectra
spectroscopic and electrical properties of the $[W(C_3Se_5)_3]^{2-}$ anion complex ($C_3Se_5^{2-}$ = 1,3-diselenole-2-selone-4,5-diselenolate) and the oxidized species, **230**, 235
electronic spectra and photochemistry of trichlorostannyl complexes of ruthenium(II) and osmium(II), **234**, 55
Electronic structures
crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]- dicopper(II) diperchlorate, **228**, 173
transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties, **229**, 195
an X-ray determination of the electron distribution in crystals of hexapyridine-*N*-oxide cobalt(II) perchlorate and the electronic structure of the Co^2 ion, **229**, 407
chemical bonding and electronic structure in the ionic species $CrNO^2$ and $Cr(H_2O)_5NO^2$ by all electron ab initio multi configuration self consistent field calculations, **229**, 455
a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151
unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure, **237**, 19
the 19-electron Fe(I) state in tentacled iron sandwiches: synthesis, stability, Mössbauer spectroscopy, electronic structure and chain effect, **240**, 105
the monofunctionalized 1,4,7-triazacyclononane derivatives 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2) and their complexes with vanadium(IV)/(V). Localized and delocalized electronic structures in compounds containing the mixed valent $[OV^{IV}–O–V^{V}O]^{3+}$ core, **240**, 217
Electron paramagnetic resonance
electron paramagnetic resonance spectroscopy as a probe of coordination structure in green heme systems: iron chlorins and iron formylporphyrins reconstituted into myoglobin, **240**, 603
Electron transfer
electron transfer reaction between tris(β-diketonato)- ruthenium(II)–(III) complexes, **236**, 37
generation and spectroscopic characterization of new 18 + δ electron complexes. Relationship between the stability of 18 + δ electron organometallic complexes and their ligand reduction potentials, **240**, 405
electron exchange reaction of bis(terpyridine)$cobalt^{3+/2+}$ re-examined by NMR, **240**, 641
Electrospray mass spectrometry
phosphine derivatives of mercury and cadmium dithiolates: an electrospray mass spectrometric study, **228**, 193
cationic phosphine complexes of gold(I): an electrospray mass spectrometric study, **231**, 65
interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study, **231**, 87
a negative ion electrospray mass spectrometric study of complexes in solution formed between uninegative tripodal oxygen or nitrogen ligands and alkali metal ions and alkali metal halides, **233**, 51
electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113

electrospray mass spectrometry and X-ray crystallography studies of divalent metal ion complexes of tris(2-pyridylmethyl)amine, **239**, 29
Elevated pressures
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305
Emission
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559
Enthalpy of reaction
heats of reaction of $HMo(CO)_3(C_5R_5)$ (R = H, CH_3) with diphenyldisulfide and of formation of the clusters $[PhSMo(CO)_x(C_5H_5)]_2$, $x = 1, 2$. Thermodynamic study of molybdenum–sulfur bond strengths, **240**, 175
Enzyme complexes
a new asymmetric N_5O_2-donor binucleating ligand and its first $Fe^{II}Fe^{III}$ complex as a model for the redox properties of uteroferrin, **237**, 131
Equilibrium studies
equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15), **230**, 51
cadmium(II) complexation by a series of triazacycloalkanes ([*x*]aneN_3, *x* = 9–12). An equilibrium and structural study, **232**, 131
equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza- 10,22-dioxacyclotetracosane (OBISDIEN), **236**, 189
4-amino-3-methyl-1,2,4-Δ^2-triazoline-5-thione: an example of thione–thiol tautomerism and stabilization of Cu(I) and Au(I) complexes, **235**, 37
Ether-phosphine complexes
the solid state structure of the cation bis[(1,3-dioxane- 2-ylmethyl)-diphenylphosphine-*P*;*O′*,*P′*]- (pentamethylcyclopentadienyl)-ruthenium(II), **231**, 201
Ethyl acetoacetate compounds
studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies, **230**, 85
Ethylene complexes
synthesis and crystal structure of a mono- and dinickel(0) ethylene complex with 4,4′-bipyridine; $[Ni(4,4'\text{-bpy})(C_2H_4)_2]_2[Ni_2(4,4'\text{-bpy})(C_2H_4)_4]$, **232**, 231
Europium
spectroscopic study of ion binding in synthetic polyelectrolytes using lanthanide ions, **239**, 139
Europium complexes
on correlating the frequency of the $^7F_0 \rightarrow {}^5D_0$ transition in Eu^3 complexes with the sum of 'nephelauxetic parameters' for all of the coordinating atoms, **229**, 383
synthesis and electrochemistry of mono- and binuclear europium complexes with the macrocyclic ligand 1,4,7,10,14,17,20,23-octaazacyclohexacosane-1,4,7,10,14,17,20,23-octaacetic acid (OHEC), **231**, 29
Excited-state electron transfer
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169

Fac–mer isomerism
the rhodium(III) trisacetonitrile complexes: a re-investigation of the synthesis of *fac*- and *mer*-$[RhCl_3(CH_3CN)_3]$, their characterization by 2D NMR spectroscopy and the X-ray crystal structure of *mer*-$[RhCl_3(CH_3CN)_3] \cdot CH_3CN$, **240**, 575
Fast atom bombardment
electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113
ligated lanthanide clusters in the fast atom bombardment of lanthanide carboxylates, **238**, 109
Ferrocene complexes
facile synthesis of substituted vinyl-containing ferrocene derivatives via arsonium salts, **234**, 139
Ferrocenyl complexes
ferrocene containing chelating ligands 3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate, **231**, 45
Ferromagnetic behaviour
ferromagnetic behaviour of two manganese(II) complexes with pyridine-substituted nitronyl nitroxide radicals, **233**, 131
Ferromagnetic coupling
ferromagnetic intermolecular coupling in the nitronyl nitroxide radical 2-(4-thiomethylphenyl)-4,4,5,5-tetramethylimidazoline- 1-oxyl-3-oxide, NIT(SMe)Ph, **235**, 159
Ferromagnetism
a new one-dimensional ferromagnetic system starting from an antiferromagnetic trinuclear Cu(II) complex, **231**, 229
new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2] \cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53
Five-coordinated complexes
origin and fine tuning of the stability of five-coordinated platinum(II) and palladium(II) species. A quantum-mechanical study, **238**, 159
Five-membered metallocycle
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163
Flavin mononucleotide complexes
acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313
Fluorescence
a strongly fluorescent organoplatinum complex, **235**, 307
Fluoride complexes
evidence of zeolite-solution equilibrium for isomorphous substitution using aqueous metal fluoride complexes, **229**, 81
Fluorimetric studies
1,4,8,11-tetrakis{(2,2′-bipyridyl-5′-ylmethyl)-bis(2,2′-bipyridyl)-ruthenium(II)}-1,4,8,11-tetraazacyclotetradecane (L^1), a macrocyclic pH and transition metal ion fluorescence sensor. Equilibrium, and stopped-flow kinetic, fluorimetric studies of the reactions of L^1 with nickel(II) and copper(II) ions in aqueous solution at neutral pH, **240**, 159
Fluoro complexes
fluoro–hydrido–oxo and other fluoro–oxo complexes of rhenium(V) containing a triphosphine ligand, **240**, 435
Fluxional behaviour
cycloheptatrienyl bridged heterobimetallic complexes: fluxional behaviour and X-ray crystal structure of *syn*-(μ^3:η^2-C_7H_7)$Fe(CO)_3Pd(\eta^3$-$C_3H_5)$, **229**, 307
Fluxional complexes
synthesis and characterisation of the six-membered cyclopalladated complexes of 2-benzylbenzothiazole, **239**, 125
Fluxionality

the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12}$, (MCo, Rh, Ir; *n*1, 2, 4) clusters, **229**, 221
rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of $RhCl(C_8H_{12})(C_7N_2H_{12})$ and $[Rh(C_8H_{12})(C_7N_2H_{10})][Rh(C_8H_{12})Cl_2]$, **232**, 9
Formamidinato complexes
synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands, **236**, 21
Formic acid decomposition
catalytic reactions of formate 4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution, **237**, 65
Four-coordinate complexes
synthesis and X-ray crystal structure of [K(18-crown-6)]-$[Bi\{Co(CO)_4\}_4]$: a further example of tetrahedral coordination for four-coordinate bismuth(III), **234**, 189
Fulgide complexes
fulgides as ligands 1. Synthesis and photochemistry of tricarbonyl-η^6-fulgide chromium(0) complexes, **228**, 215
Fulvalene complexes
ligand-mediated metal–metal interactions in (η^5:η^5-fulvalene)-bis(dicarbonylcobalt) and rhodium complexes, **240**, 623
Functionalised phosphine complexes
functionalised phosphine complexes of Group 6 metal carbonyls: structure of pentacarbonyl(phenyl-2-carbaldehyde diphenylphosphine-κP)tungsten, **234**, 163

Gadolinium complexes
binuclear structure in the ammonium salt of gadolinium(III) diethylenetriaminepentaacetate, $(NH_4)_4[Gd_2(DTPA)_2]\cdot 6H_2O$, **232**, 203
Gas phase photoelectron spectroscopy
ligand-mediated metal–metal interactions in (η^5:η^5-fulvalene)-bis(dicarbonylcobalt) and rhodium complexes, **240**, 623
Geometrical isomers
first structural confirmation of different geometrical isomers in the same crystal lattice: the crystal structure of benzoylacetonatocarbonyltriphenylphosphinerhodium(I), **234**, 153
Gold complexes
activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-$Au(CH_2)_2PPhMe_2$, and the crystal structures of $Au(CH_2)_2PPhMe_2$, $Au(CH_2)_2PPhMe_2SO_{22}$, $Au(CH_2)_2PPh_{22}SO_{22}$ and $Au(CH_2)_2PPhMe_2S_2CNEt_{22}$, **229**, 61
gold binding sites in red blood cells, **229**, 271
dinuclear gold(I) and silver(I) derivatives with bridging phosphines containing an imidazole ring; X-ray crystal structure of (1-benzyl-2-imidazolyl)diphenylphosphinegold(I)chloride, **229**, 299
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173
cationic phosphine complexes of gold(I): an electrospray mass spectrometric study, **231**, 65
4-amino-3-methyl-1,2,4-Δ^2-triazoline-5-thione: an example of thione–thiol tautomerism and stabilization of Cu(I) and Au(I) complexes, **235**, 37
mono-, di- and trinuclear gold(I) complexes of new phosphino-substituted amides: initial steps to chlorogold(I)diphenylphosphino-terminated dendrimers, **235**, 263
copper(I) and gold(I) complexes with a phosphorus-sulfur ligand. X-ray structure of $AuCl[(C_6H_5)_2PCH_2CH_2SCH_3]$, **237**, 207
synthesis and structure of $[M(CO)_4\{(PPh_2)_2CHAu(PPh_3)\}]$ (M = Cr, Mo, W), **238**, 173
Gold drugs
gold binding sites in red blood cells, **229**, 271
Gold metabolism
gold binding sites in red blood cells, **229**, 271
Green heme systems
electron paramagnetic resonance spectroscopy as a probe of coordination structure in green heme systems: iron chlorins and iron formylporphyrins reconstituted into myoglobin, **240**, 603
Group 4 transition element complexes
metal–silicon bonding energetics in organo–Group 4 and organo–f-element complexes. Implications for bonding and reactivity, **229**, 343
Group 6 metal complexes
synthesis and structure of $[M(CO)_4\{(PPh_2)_2CHAu(PPh_3)\}]$ (M = Cr, Mo, W), **238**, 173
Group 6 transition metal complexes
mixed Group 6 metal carbonyl complexes containing polydentate phosphine ligands, **232**, 175
terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu\text{-}PPh_2)Cr(CO)_5$,S (L = CO, S = CH_3COCH_3; L = $P(OMe)_3$, S = $C_6H_5CH_3$), **237**, 79
Group theory
chemical applications of topology and group theory 28. Carbonyl polyhedra in metal carbonyl clusters, **235**, 111
Guanosine-5′-triphosphate complexes
conformational changes in d(TpG) and 5′GTP induced by monofunctional binding of $[PtCl(NH_3)_3]Cl$ and [PtCl(dien)] are small, **240**, 25

Hafnium complexes
reactions of tetrakis(trimethylsilylmethyl)hafnium with trimethylaluminum, **228**, 103
synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)$(Me)_2$ (TPP = 5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product $[Hf(TPP)]_2(\mu\text{-}O)(\mu\text{-}OH)_2$, **228**, 233
Halide complexes
neutral and anionic halide complexes of ruthenium(IV), **229**, 87
hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187
^{119}Sn Mössbauer isomer shift of octahedral tin(IV) halide complexes, **232**, 195
Halogeno complexes
crystal structure of square-planar [1,2-bis-(phenylsulfanyl)-ethane]dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173
low energy vibronic transitions of some tetrahalogenocobalt(II) complexes, **240**, 231
Halophenyl complexes
pentahalophenyl ethylxanthate complexes of platinum(II). Structures of $(NBu_4)[Pt(C_6F_5)_2(S_2COEt)]$ and $(NBu_4)_2\{Pt_4(C_6F_5)_8[(\mu_3\text{-}S)SCOEt]_2\}$. Unprecedented coordination of the xanthate ligands in the tetranuclear complex, **232**, 35
Halophosphine complexes
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551
Heme
ligand photolysis and recombination of Fe(II) protoporphyrin IX complexes in dimethyl sulfoxide, **234**, 101
Heme proteins
a comparison of the magnetic and crystal field properties of protoporphyrin-IX, hemeoctapeptide and heme proteins, **238**, 99
Heme *s*
electron paramagnetic resonance spectroscopy as a probe of coordination structure in green heme systems: iron chlorins and iron formylporphyrins reconstituted into myoglobin, **240**, 603
Hemihedry
mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581
Hemilabile ligand complexes

model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347
Heptanuclear cluster
preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$, **229**, 483
Heterobimetallic complexes
cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-(μ^3:η^2-C_7H_7)$Fe(CO)_3Pd(\eta^3$-$C_3H_5)$, **229**, 307
cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-(μ-η^3;η^2-C_7H_7)$Fe(CO)_3Pt(\eta^2,\sigma^1$-$C_8H_{12}$-$C_5H_5)$, **229**, 461
a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35
heterobimetallic chloro bridged complexes of (η^3:η^3-$C_{10}H_{16}$) ruthenium(IV) with palladium(II), platinum(II), rhodium(III), iridium(III), copper(I) and rhodium(I), **240**, 339
Heterocyclic ligand complexes
synthesis and structural determinations of zinc(II) complexes containing dithiol and N,N-heterocyclic ligands, **228**, 81
Heterocyclic thione complexes
synthesis and crystal structure of μ_4-oxo-hexa-(μ_2-(*N*,*S*)- 1-methylimidazoline-2-thionato)-tetrazinc(II), **237**, 143
Heterodinuclear complexes
a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61
Heterogeneous hydrogenation
IR studies and hydrogenation catalytic activity of heterogeneous catalysts prepared by thermal treatments of a face-bridged triruthenium carbonyl cluster supported on silica and alumina, **237**, 103
Heterometallic clusters
carbonyl ligand substitution at rhodium in the heterometallic cluster $[PPN]_2[Re_7C(CO)_{21}Rh(CO)_2]$. A reactivity comparison with mononuclear (η^5-C_5H_5)$Rh(CO)_2$ and related compounds, **240**, 615
Heteropolynuclear complexes
heteropolynuclear complexes containing bridging diphenylphosphinoalkenes and -alkynes. The crystal structure of an $Rh_2\{\mu$-η^1:η^2-$P(Ph_2)(CH_2)_3C{\equiv}CR\}Co_2$ complex, **240**, 323
Heteroselenometalate complexes
syntheses, structures and spectroscopy of new heteroselenometalates, **240**, 239
Hexaalkylbenzene complexes
the 19-electron Fe(I) state in tentacled iron sandwiches: synthesis, stability, Mössbauer spectroscopy, electronic structure and chain effect, **240**, 105
Hexacoordinate complexes
hexacoordinated complexes of bivalent zinc incorporating thioether binding, **229**, 477
Hexafluoroacetone trihydrate
reaction of tetraethylorthosilicate and hexafluoroacetone trihydrate, **229**, 121
Hexafluoro complexes
crystal growth in aqueous hydrofluoric acid and $(HF)_x$·pyridine solutions: syntheses and crystal structures of $[Ni(H_2O)_6]^{2+}[MF_6]^{2-}$ (M = Ti, Zr, Hf) and $Ni_3(py)_{12}F_6 \cdot 7H_2O$, **240**, 109
Hexafluorosilicate complexes
hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of $[\{Cu(HL)H_2O\}_2SiF_6] \cdot 2H_2O$, **236**, 83
Hexahydrate complexes
crystal growth in aqueous hydrofluoric acid and $(HF)_x$·pyridine solutions: syntheses and crystal structures of $[Ni(H_2O)_6]^{2+}[MF_6]^{2-}$ (M = Ti, Zr, Hf) and $Ni_3(py)_{12}F_6 \cdot 7H_2O$, **240**, 109
Hexamethylbenzene
the preparation, characterisation and low temperature X-ray structure of $Ru_6(\eta^2$-μ_4-$CO)_2(CO)_{13}(\eta^6$-$C_6Me_6)$, **240**, 29
Hexanuclear complexes
formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)- nickel(II)} complex, **230**, 249
^{199}Hg NMR
effects of substitutions on cyclopentadienyl rings in complexes with molybdenum–mercury bonds. ^{95}Mo and ^{199}Hg NMR studies, **228**, 251
Hindered rotation
hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187
3*H*-Indole structure
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
^{1}H NMR
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
^{1}H NMR relaxation
^{1}H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115
Holohedry
mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581
Homobimetallic complexes
a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35
HPLC
gold binding sites in red blood cells, **229**, 271
HSAB Principle
the HSAB Principle — more quantitative aspects, **240**, 93
Hybridisation effects
hybridisation effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases, **237**, 93
Hydrazone complexes
copper(II), nickel(II) and iron(II) complexes of 2,6-diacetylpyridine bis{[*DL*-hydroxy(phenyl)acetic]hydrazone}. X-ray structure of a 1:2 metal:ligand nickel complex, **232**, 211
Hydride complexes
hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187
structure and reactivity of an intermediate in the two-electron reduction of dimolybdenum(III) by a hydride ligand in the Mo–H–Mo system, **229**, 417
CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and $Re_2(CO)_8(\mu$-H)(μ-η^1,η^2-C≡CPh), **230**, 45
symmetrical and asymmetrical bis(amine)carboxyhydroboron(+1) and bis(amine)cyanohydroboron(+1) cations: synthesis and properties, **233**, 119
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
Hydrido complexes
preparation of *trans*-$RuH(\eta^1$-$BH_4)L$ (L = $Me_6[15]aneS_4$, $Me_8[16]aneS_4$) and oxidation in alcohols to give *trans*-{$Ru(OR)_2$(*anti*-$Me_8[16]aneS_4$)}$^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of $Me_8[16]aneS_4$, **231**, 95
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253
reactions and electrochemical behaviour of dithiocarbene complexes of platinum(II), **235**, 397

fluoro–hydrido–oxo and other fluoro–oxo complexes of rhenium(V) containing a triphosphine ligand, **240**, 435
Hydridospherosiloxane compounds
the higher hydridospherosiloxanes: synthesis and structures of $H_n Si_n O_{1.5n}$ (n12, 14, 16, 18), **229**, 355
Hydroborate complexes
preparation and characterization of a new series of Ti(III) hydroborates supported by silazanate ligands, **235**, 375
Hydrodesulfurisation
olefin versus sulfur coordination of benzo[*b*]thiophene (BT) in $Cp(CO)_2Re(\eta^2{:}\eta^6\text{-}\mu_2\text{-BT})Cr(CO)_3$, **240**, 393
Hydroformylation
the effect of salt on selectivity in water soluble hydroformylation catalysts, **229**, 329
dinuclear Rh(II) complexes in styrene hydroformylation. Enhancement of catalytic activity through orthometalation, **233**, 161
Hydrogenation
preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159
homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system, **238**, 187
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347
Hydrogen bonding
synthesis and characterisation of *trans*-$[RhCl_2(OH_2)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$; factors influencing the Rh–O bond length in rhodium–aqua complexes, **231**, 207
Hydrogen complexes
reactions of agostic manganese complexes with molecular hydrogen, **230**, 211
Hydrogen peroxide decomposition
a study of cobalt catalysis and copper modification in the coupled decompositions of hydrogen peroxide and peroxomonosulfate ion, **235**, 9
Hydrogen production
catalytic reactions of formate 4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution, **237**, 65
Hydrogenselenite complexes
'layered hydrogenselenite' I. Synthesis, structure redetermination of $[Cu(HSeO_3)_2(H_2O)_2]$ and determination of $[Cu(HSeO_3)_2(NO_3)_2]^{2-}\cdot 2NH_4^+$,$NH_4NO_3$. Structural relationships of these complexes with $[Cu(HSeO_3)_2]$, **234**, 19
Hydrolysis
synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)(Me)$_2$ (TPP=5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product $[Hf(TPP)]_2(\mu\text{-O})(\mu\text{-OH})_2$, **228**, 233
Hydrolysis constants
dihydroxamic acid complexes of iron(III): ligand pK_a and coordinated water hydrolysis constants, **240**, 519
Hydronated ligand complexes
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N*,*N*′-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}-copper(II)], **235**, 127
Hydrophilic carboxylated tertiary phosphines
synthesis and structure determination of some platinum(II) complexes with hydrophilic carboxylated tertiary phosphine ligands, **240**, 145
Hydrophilic complexes
hydrophilic platinum complexes of *N*-2-hydroxyethyl- and *N*,*N*-di(2-hydroxyethyl)-*N*′-benzoylthiourea ligands. Crystal and molecular structure of *N*,*N*-di(2-hydroxyethyl)-*N*′-benzoylthiourea, **232**, 109
Hydroquinone complexes
reaction of an α-pyrrolidonate-bridged *cis*-diammineplatinum(II) dimer with molecular oxygen and its application to the catalytic O_2 oxidation of hydroquinone, **234**, 157
Hydroquinonylphosphine complexes
inclusion properties of palladium(II) and platinum(II) hydroquinonylphosphine complexes: the molecular and crystal structures of *trans*-$[PdCl_2(pphqH_2)_2]\cdot(acetone)_2$, *trans*-$[PtCl_2(pphqH_2)_2]\cdot(dimethylformamide)_4$ and *trans*-$[PdCl_2(pphqMe_2)_2]$, **228**, 109
Hydrothermal synthesis
structure refinement of barium metavanadate BaV_2O_6, **238**, 165
Hydroxo-bridged complexes
a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-O})(\mu\text{-O})_3(H_2O)_5)(\mu\text{-OH})_2\}_4]\text{-}(CH_3C_6H_4SO_3)_8\cdot 41H_2O$, **237**, 1
Hydroxo complexes
preparation and crystal structure of *trans*-dihydroxo-[tetrakis(2,6-dichlorophenyl)porphinato]ruthenium(IV)·2toluene, **240**, 657
Hydroxyapatite complexes
crystal structure of lead hydroxyapatite from powder X-ray diffraction data, **236**, 209
Hydroxyl radical
formation of the DMPO-OH adduct from Ti(IV) and DMPO in aqueous solution — the first ESR evidence, **234**, 169

Icosahedra
the synthesis and structural characterization of carborane oligomers connected by carbon–carbon and carbon–boron bonds between icosahedra, **240**, 371
ICP-MS
gold binding sites in red blood cells, **229**, 271
Imidazol-2-ylidene complexes
heterocycles as ligands 21. Stable titanium carbene complexes, **238**, 179
Imidazole bridges
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57
Imidazole complexes
dinuclear gold(I) and silver(I) derivatives with bridging phosphines containing an imidazole ring; X-ray crystal structure of (1-benzyl-2-imidazolyl)diphenylphosphinegold(I)chloride, **229**, 299
ruthenium complexes containing tertiary phosphines and imidazole or 2,2′-bipyridine ligands, **230**, 111
synthesis of the tetrachlorobis(5-nitroimidazole)ruthenium(III) anion and solution chemistry in water and methanol, **233**, 33
spontaneous aquation reactions of a promising tumor inhibitor *trans*-imidazolium-tetrachlorobis(imidazole)ruthenium(III), *trans*-HIm$[RuCl_4(Im)_2]$, **233**, 59
Imidazolidone complexes
synthesis and chemico-physical characterization of tin adducts with 2-imidazolidone, **231**, 139
Imidazoline nitroxide complexes
pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides, **236**, 49
Imidazoline-thione complexes
adducts of organotin(IV), tin(IV) and tin(II) halides with 1-methylimidazoline-2(3*H*)-thione (Hmimt) and imidazoline-2(1,3*H*)-thione (Himt). Synthesis, spectroscopic (IR, Mössbauer and ^{1}H, ^{13}C, ^{119}Sn NMR) studies and in vitro antitumour activity, **239**, 177
Imido complexes

the synthesis and characterization of a cationic technetium(V) phenylimido complex. The X-ray crystal structure of $[TcCl_2(NPh)(PMe_2Ph)_3](BPh_4)$, **230**, 205
mixed-ligand complexes of rhenium VII. Synthesis, characterization and X-ray crystal structure of bis(diethyldithiocarbamato)(dimethylphenylphosphine)- (triphenylborylimido)rhenium(V), $[Re(NBPh_3)(Me_2PhP)(Et_2dtc)_2]$, **231**, 245
Imine complexes
aliphatic cyclopalladation. Crystal structure of $[Pd(1\text{-}CH_2\text{-}2\text{-}\{HC{=}N[2',6'\text{-}(CH_3)_2C_6H_3]\}\text{-}3,5\text{-}(CH_3)_2C_6H_2)Br]_2$, **239**, 155
Iminodiacetic ester complexes
coordination chemistry of iminodiacetic esters. Structural and spectroscopic characterization of copper(II) and zinc(II) monoethyliminodiacetato complexes, **239**, 93
Imino-phosphine oxide complexes
crystal structure of $[\{Mo(=O)Cl_2(O{=}PPh_2C_{10}H_{15}{=}NH)\}_2O]$. A binuclear oxygen-bridged oxomolybdenum(V) complex containing chelating imino-phosphine oxide ligands, **234**, 185
Iminophosphorane complexes
reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of $[IrI\{CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2\}(COD)]I$, containing two fused four-membered metallacycles, **235**, 77
Inclusion complexes
anion recognition by a dicopper(II) cryptate, **238**, 5
Indenyl complexes
cofacial and antarafacial indenyl bimetallic isomers: a descriptive MO picture and implications for the indenyl effect on ligand substitution reactions, **240**, 541
Indium complexes
N,N'-bis(2-mercaptoethyl)ethylenediamine-*N,N'*-diacetic acid; an effective ligand for indium(III), **228**, 77
metal cluster topology 17. Hypervalent indium vertices in isolated hypoelectronic indium polyhedra in binary and ternary intermetallic phases of indium and alkali metals, **228**, 219
stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)- 1,4,7-triazacyclononane (TACN–TM) and molecular structure of $In(C_{12}H_{24}N_3S_3)$, **236**, 75
Indole-3-acetate complexes
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
Indole complexes
characterization of titanocene(III) complexes of β-diketonates by electrochemical, spectroscopic and crystallographic methods: stabilization of oxidized and reduced β-diketonate radicals by acetyl and titanocene derivatization, respectively, **235**, 117
Induced field
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
Infrared Raman spectroscopy
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds Part 2. Some M_5 species, **235**, 407
Infrared spectroscopy
pressure-tuning infrared spectra of the thiamine enzyme 'active aldehyde' intermediate 2-(α-hydroxycyclohexylmethyl)thiamine chloride (HCMT·HCl) and its complex with zinc(II), $Zn(HCMT)Cl_3$, **231**, 191
Insertion reaction
insertion of isocyanides into Re–C bonds, **240**, 495
Insulin mimetic complexes
bisperoxovanadium compounds: synthesis and reactivity of some insulin mimetic complexes, **229**, 253
Inversion
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133
Iodide complexes
preparation of *cis*-$MoI_4(Ph_2PCH_2CH_2PPh_2)$ and structure of $(THF)_3Na(\mu\text{-}I)_3MoI(Ph_2PCH_2CH_2PPh_2)$ with a new coordination environment around sodium, **229**, 55
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559
Iodo complexes
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
Ionic conduction
synthesis, thermal and electrical characterization of 2-methylpentane-1,5-diammonium tetrachlorocadmate(II) with perovskite-like structure, **233**, 85
Ionisation process
complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid, **238**, 83
Iridium complexes
hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187
the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12n}$ (MCo, Rh, Ir; *n*1, 2, 4) clusters, **229**, 221
acetonitrile complexes of diiridium. Part 1. Isolation and characterization of the partially solvated cations $[Ir_2(COD)(\mu\text{-form})_2(MeCN)_3]^{2+}$ and $[Ir_2(\mu\text{-form})_2(MeCN)_6]^{2+}$ (COD1,5-cyclooctadiene, form = *N,N'*-di-*p*-tolylformamidinate), **229**, 373
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173
synthesis, reactivity and structure of $[Ir_4(\mu\text{-}CO)_3(CO)_5(\mu\text{-}PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
cyclometallation of a pentafluorobenzaldehyde azine phosphine via a C–F bond fission by iridium(I): crystal structure of $[IrCl_2(CO)\{PPh_2CH_2C(Bu^t){=}N\text{–}N{=}CH(C_6F_4)\}]$, **233**, 103
reactions of $(\eta^5\text{-}C_5Me_5)$Ir(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61
reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of $[IrI\{CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2\}(COD)]I$, containing two fused four-membered metallacycles, **235**, 77
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
chemistry of tris(2,4,6-trimethoxyphenyl)phosphine with rhodium(I) and iridium(I) olefin complexes, **240**, 527
Iron complexes
structural, spectroscopic and redox characterization of the soluble complexes $[M(SC_6H_4NR_2)_4]^{2-}$ and the effects of N–H···S hydrogen bonds, **228**, 199
a model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP), **229**, 9
cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-$(\mu^3{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pd(\eta^3\text{-}C_3H_5)$, **229**, 307
cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-$(\mu\text{-}\eta^3{;}\eta^2\text{-}C_7H_7)Fe(CO)_3Pt(\eta^2,\sigma^1\text{-}C_8H_{12}\text{-}C_5H_5)$, **229**, 461
ultrafast studies of metal–metal bond cleavage in $Fe_3(CO)_{12}$ in solution, **229**, 469

chemistry of vinylidene complexes XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors, **230**, 97
molecular structures of Fe(II) complexes with mono- and di-protonated ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate (Hedta and H_2edta), as determined by X-ray crystal analyses, **230**, 119
substituent effects on the spin equilibrium in iron(II) pyrazolylborate complexes, **231**, 221
substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines, **232**, 75
reaction volume for the reaction of the hexaaquairon(III) ion with 4-isopropyltropolone in acidic aqueous solution, **232**, 157
spin crossover complexes of iron(III) with an N_4 tetradentate Schiff base ligand, **232**, 183
a caveat. Synthesis and structure of *N*,*N*′-propylenebis- (salicylideneiminato)nitrato[*O*,*O*]iron(III), **232**, 199
cobalt(II) and iron(III) complexes with 2-(acetoacetoxy)-ethylmethacrylate: potential precursors of hybrid catalysts, **233**, 65
reactivity of 2-(diphenylphosphino)pyridine and 2-(diphenylphosphine oxide)pyridine towards iron nitrosyl complexes and its relevance to oxygen activation, **233**, 109
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
reactions of iron halides with thiols containing nitrogen donor atoms; the structure of an iron(III) complex of 2,2′-dimercaptodipyridine, **234**, 195
Ph_3P=Se as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3\text{-Se})(\mu\text{-CO})(CO)_7(PPh_3)_2$, $M_3(\mu_3\text{-Se})_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4\text{-Se})_2(\mu\text{-CO})_2(CO)_7(PPh_3)_2$, **235**, 173
iron octaphenyltetraazaporphyrins: synthesis and characterization of the five-coordinate complexes of iron(III) (XFe^{III}OPTAP; X = F, Cl, Br, I, HSO_4), **236**, 131
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, $[Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3]$ (Me = $-CH_3$), **236**, 155
a new asymmetric N_5O_2-donor binucleating ligand and its first $Fe^{II}Fe^{III}$ complex as a model for the redox properties of uteroferrin, **237**, 131
mixed-valence Fe(III)–Fe(IV) dimers. Preparation and physical properties of oxidation products of oxo-bridged binuclear iron(III) complexes, **238**, 139
homoleptic Fe(II) complexes of new 2,2′:6′,2″-terpyridine ligands with 4′-*p*-hydroquinonyl or 4′-*p*-quinonyl pendants, **239**, 1
a thermogravimetric, single crystal X-ray, and spectroscopic study of several iron(III) halide adducts with crown ethers, **239**, 67
the coordination chemistry of cationic main group clusters: syntheses and structures of $[Fe_3(Se_2)_2(CO)_{10}]^{2+}$ and $[Fe_4(Se_2)_3(CO)_{12}]^{2+}$, **240**, 63
the 19-electron Fe(I) state in tentacled iron sandwiches: synthesis, stability, Mössbauer spectroscopy, electronic structure and chain effect, **240**, 105
kinetics and mechanism of CO substitution of $[\eta^5\text{-CpFe(CO)}_3]PF_6$ with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205
rationalization of the reduction potentials within the series of the high potential iron–sulfur proteins, **240**, 251
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305
dihydroxamic acid complexes of iron(III): ligand pK_a and coordinated water hydrolysis constants, **240**, 519
reaction of nitric oxide with iron bleomycin bound to DNA: properties of the nitrosyl adduct and its reaction with O_2, **240**, 535
Iron porphyrin complexes
ligand photolysis and recombination of Fe(II) protoporphyrin IX complexes in dimethyl sulfoxide, **234**, 101
Iron–sulfur clusters
protein-bound iron–sulfur clusters: application of a structural database, **229**, 229
Iron–sulfur proteins
protein-bound iron–sulfur clusters: application of a structural database, **229**, 229
Isocyanide complexes
mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2](PF_6)$·ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = tert-butylisocyanide), **230**, 189
synthesis and characterization of isocyanide containing rhenium(III) complexes *trans*-$[ReCl_3(CNR)(PPh_3)_2]$ and crystal structure of *trans*-$[ReCl_3(CN\text{-}t\text{-}C_4H_9)(PPh_3)_2]$, **232**, 235
synthesis and reactions of trigonal-bipyramidal rhenium and technetium complexes with a tripodal, tetradentate NS_3 ligand, **240**, 465
Isomerisation
crystal structures and reversible thermal isomerisation of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)-nitrosylruthenium(II), **238**, 89
Isomorphous substitution
evidence of zeolite-solution equilibrium for isomorphous substitution using aqueous metal fluoride complexes, **229**, 81
Isoquinolinium complexes
preparation and spectroscopies of layered zirconium organophosphonates containing pyridinium and its derivative cations, **233**, 173

Keggin structure
synthesis and characterization of the polyoxothioanion α-$[PW_{11}NbSO_{39}]^{4-}$ derived from the Keggin structure, **239**, 39
β-Ketoesterate complexes
cobalt(II) and iron(III) complexes with 2-(acetoacetoxy)-ethylmethacrylate: potential precursors of hybrid catalysts, **233**, 65
5-Ketogluconic acid
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
Kinetics and mechanisms
pressure effects on the rates of Hg^{2+}-assisted chloride release from some $[CrCl(diamine)(triamine)]^{2+}$ complexes, **230**, 29
equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15), **230**, 51
steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2)_5H_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes, **230**, 67
kinetic study on complexation of boric acid with 4-isopropyltropolone in non-aqueous solvents, **231**, 115
the chelation of monochelated protoheme, **231**, 121
the kinetics of the Hg^{2+}-assisted chloride release from some $[MCl(RNH_2)_5]^{2+}$ complexes (M = Co, Cr), **233**, 25
a study of cobalt catalysis and copper modification in the coupled decompositions of hydrogen peroxide and peroxomonosulfate ion, **235**, 9
equilibrium and kinetic studies on the displacement of pyridine by chloride ion in pyridine[2,6-bis(methylthiomethyl)pyridine]-palladium(II) perchlorate, **235**, 29

solvent and temperature effects in the mechanism of allyl amination of the α-diimine complex [Pd(η³-C_3H_5)-(C_5H_4N-2-CH=NC_6H_4OMe-4)]⁺ by piperidine and morpholine, **235**, 45
carbon monoxide substitution of anionic and neutral (η⁵-dicarbollyl)-$Rh(CO)_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to (η⁵-C_5H_5)$Rh(CO)_2$, **235**, 89
direct evidence for a rate determining chelate ring closure mechanism in the reaction of a platinum(II) complex with bidentate nitrogen ligands, **235**, 281
electron transfer reaction between tris(β-diketonato)- ruthenium(II)–(III) complexes, **236**, 37
the synthesis and X-ray structure of *trans*-[$CrCl_2$(nPrNH_2)$_4$]$BF_4 \cdot H_2O$ and the thermal and Hg^{2+}-assisted chloride release kinetics from some *trans*-[$CrCl_2(N)_4$]⁺ complexes, **237**, 37
mechanism of an oxygen atom transfer reaction involving an oxo-bridged Mo(V) complex, **237**, 117
lead(II) complexes of 1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate: solution chemistry and application to tumor localization with ^{203}Pb labeled monoclonal antibodies, **239**, 43
kinetics of the reaction of chromium(II) with ethyliodoacetate, iodoacetatopentaamminecobalt(III), **239**, 99
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of [$M(CO)_3$(η⁷-C_7H_7)]⁺ (M = Cr, Mo, W) cations, **240**, 71
ion-pair mechanism in square planar substitution. Reactivity of cationic platinum(II) complexes with negatively charged nucleophiles in solvents of high, medium and low polarity, **240**, 81
kinetics and mechanisms of ligand substitution reactions of molybdenum SO_2 complexes. Synthesis and X-ray structure of *trans*-$Mo(CO)_2$(dmpe)(PPh_3)(SO_2), **240**, 99
studies on the kinetics and mechanism of anation reactions of some six-coordinate complexes of chromium(III) in aqueous solution, **240**, 117
kinetics and mechanism of CO substitution of [η⁵-CpFe$(CO)_3$]PF_6 with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153
1,4,8,11-tetrakis{(2,2′-bipyridyl-5′-ylmethyl)-bis(2,2′-bipyridyl)-ruthenium(II)}-1,4,8,11-tetraazacyclotetradecane (L^1), a macrocyclic pH and transition metal ion fluorescence sensor. Equilibrium, and stopped-flow kinetic, fluorimetric studies of the reactions of L^1 with nickel(II) and copper(II) ions in aqueous solution at neutral pH, **240**, 159
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305
dissociative phosphine exchange for cyclopentadienylmolybdenum(III) systems. Bridging the gap between Werner-like coordination chemistry and low-valent organometallic chemistry, **240**, 355
substitution kinetics of tetracarbonyl(η²-alkene)ruthenium complexes: alkene = ethene and methyl acrylate, **240**, 399
carbonyl ligand substitution at rhodium in the heterometallic cluster [PPN]$_2$[$Re_7C(CO)_{21}Rh(CO)_2$]. A reactivity comparison with mononuclear (η⁵-C_5H_5)$Rh(CO)_2$ and related compounds, **240**, 615
electron exchange reaction of bis(terpyridine)cobalt$^{3+/2+}$ re-examined by NMR, **240**, 641
metal carbonyls of telluroether formed by the oxygen atom transfer reaction to $M(CO)_6$ (M = Mo, W) in the presence of (*p*-$CH_3OC_6H_4)_2$TeO and relative kinetic investigation, **240**, 661

Lanthanide complexes
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311
lanthanide complexes with tetrahydrofuran-2,3,4,5-tetracarboxylic acid: the effect of ligand rigidity on cation size-selectivity, **236**, 67
macrocyclic complexes of lanthanides in identical ligand frameworks Part 1. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered dioxatetraaza macrocycle, **238**, 63
ligated lanthanide clusters in the fast atom bombardment of lanthanide carboxylates, **238**, 109
spectroscopic study of ion binding in synthetic polyelectrolytes using lanthanide ions, **239**, 139
improved preparation of anhydrous lanthanide chlorides under mild conditions, **240**, 1
Lanthanum complexes
mixed anion lanthanide(III) crown ether complexes: crystal structures of [$LaCl_2(NO_3)$(12-crown-4)]$_2$, [$La(NO_3)(OH_2)_4$-(12-crown-4)]$Cl_2 \cdot CH_3CN$ and [$LaCl_2(NO_3)$(18-crown-6)], **230**, 177
Layered compounds
crystal structure of Zn(trz)Cl (trz = 1,2,4-triazolato); a layered compound with triply bridging triazolato groups, **230**, 159
preparation and spectroscopies of layered zirconium organophosphonates containing pyridinium and its derivative cations, **233**, 173
Layered structure
crystal structure and magnetic properties of manganese(II) mellitate, [Mn_2{C_6(COO)$_6$}(H_2O)$_6$][$Mn(H_2O)_6$]$\cdot 2H_2O$ with two-dimensional layered structure and three-dimensional hydrogen bonding networks, **239**, 165
Lead complexes
a new eight-membered $Pb_2S_4P_2$ inorganic ring. Crystal and molecular structure of dimeric [$Pb(S_2PMe_2)_2$]$_2$, associated into polymeric chains through intermolecular Pb···S interactions, **233**, 151
helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands, **236**, 185
crystal structure of lead hydroxyapatite from powder X-ray diffraction data, **236**, 209
lead(II) complexes of 1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate: solution chemistry and application to tumor localization with ^{203}Pb labeled monoclonal antibodies, **239**, 43
Lead coordination
synthesis of monothiohydroxamic ligands and their lead complexes. Structures of *N*-methyl-3-pyridothiohydroxamic acid, bis(*N*-methyl-3-pyridothiohydroxamato) lead(II) and bis(*N*-cyclohexyl-phenylacetothiohydroxamato) lead(II), **235**, 185
Lead oxide films
SIMS methods in reactivity studies on metal oxides, **235**, 381
Leaving groups
leaving group effects on ligand substitution reactions of pentacyanoferrate(II) complexes: rate constant and activation volume correlations, **240**, 305
Lewis acid complexes
activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-Au$(CH_2)_2$$PPhMe_2$, and the crystal structures of Au$(CH_2)_2$$PPhMe_2$, Au$(CH_2)_2$$PPhMe_2SO_{22}$, Au$(CH_2)_2$$PPh_{22}SO_{22}$ and Au$(CH_2)_2$$PPhMe_2S_2CNEt_{22}$, **229**, 61
Ligand effects
crystal structures of *trans*-[Ru$(dppe)_2$(CO)(Cl)](BF$_4$)$\cdot$2(toluene) and *trans*-[Ru$(dppm)_2$(CO)(Cl)](BF$_4$)$\cdot$$CH_2Cl_2$: a study of the steric and electronic ligand effects of *trans*-positioned diphosphine ligands, **239**, 77
Ligand field calculations

effects of Co–S torsion angle variation in a cobalt(II)–thiolate complex: X-ray crystal structure analysis, single-crystal EPR measurements and ligand field calculations, **238**, 73

Ligand field parameters
low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry, **238**, 45

Ligand field spectra
crown thioether complexes of trivalent transition metal ions. The crystal structure of $[Cr(18S6)Cl_3]$, **234**, 35

Ligand photolysis
ligand photolysis and recombination of Fe(II) protoporphyrin IX complexes in dimethyl sulfoxide, **234**, 101

Ligand polyhedral model
the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12n}$ (MCo, Rh, Ir; n1, 2, 4) clusters, **229**, 221

Ligand shuttle
a model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP), **229**, 9

Ligand–structure relationship
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43

Ligand substitutions
fluoro–hydrido–oxo and other fluoro–oxo complexes of rhenium(V) containing a triphosphine ligand, **240**, 435
carbonyl ligand substitution at rhodium in the heterometallic cluster $[PPN]_2[Re_7C(CO)_{21}Rh(CO)_2]$. A reactivity comparison with mononuclear $(\eta^5\text{-}C_5H_5)Rh(CO)_2$ and related compounds, **240**, 615

Ligand substitution reactions
kinetics and mechanisms of ligand substitution reactions of molybdenum SO_2 complexes. Synthesis and X-ray structure of *trans*-$Mo(CO)_2(dmpe)(PPh_3)(SO_2)$, **240**, 99

Ligand-to-metal charge transfer
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551

Linkage isomerism
platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. *Trans* influence studies and detection of linkage isomers of thiocyanate by ^{31}P NMR in $[PtX_2(triphos)]$ complexes, **234**, 109

Liquid crystal complexes
structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV), **231**, 187

Lopsided ligand complexes
mixed-ligand rhenium(V) oxo monomers with triphenylphosphine oxide and lopsided and symmetrical heterocyclic ligands. Putative intermediates in rhenium(V) oxo synthetic chemistry, **240**, 413

Luminescence
on correlating the frequency of the $^7F_0 \rightarrow {}^5D_0$ transition in Eu^3 complexes with the sum of 'nephelauxetic parameters' for all of the coordinating atoms, **229**, 383
oscillating luminescence in the Belousov–Zhabotinsky reaction catalyzed by $Ru(bpy)_3$, **233**, 21
luminescence studies of cerium(III) incorporated in silica gels prepared using sol–gel methods, **233**, 71
synthesis and characterization of luminescent mixed ligand zinc(II) complexes containing a novel dithiol ligand, **234**, 13
low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry, **238**, 45
spectroscopic study of ion binding in synthetic polyelectrolytes using lanthanide ions, **239**, 139
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169
high resolution spectroscopy of the lowest excited state in Re^I tetracarbonyl complexes, **240**, 453

Macrocycle complexes
barium complexes of Schiff base macrocycles incorporating a difurylpropane unit and bearing a pendant arm, **231**, 217
crown thioether complexes of trivalent transition metal ions. The crystal structure of $[Cr(18S6)Cl_3]$, **234**, 35

Macrocyclic complexes
conformational characterization of square planar nickel(II) tetraaza macrocyclic complexes by proton NMR. Crystal structure of $[Ni(13aneN_4)]ZnCl_4$, **230**, 19
equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N*,*N*′,*N*″,*N*‴-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15), **230**, 51
the best-fit size and geometry of metal ions for coordination with nitrogen-donor macrocycles, **230**, 165
$Tc(IV)Cl_4(PPh_3)_2$ and $Tc(III)Cl_3(CH_3CN)(PPh_3)_2$ as precursors of *trans* dioxo technetium(V) complexes with chelating amines and tetraazamacrocycles, **231**, 147

Macrocyclic ether complexes
selective recognition of metal complexes by macrocyclic ethers: further observations on the macrocycle size dependence and the first-sphere ligand composition dependence of recognition thermodynamics, **240**, 285

Macrocyclic ligand complexes
a convenient method for the synthesis of macrocyclic dioxotetraamine ligands bearing pendent coordinating groups and the properties of their copper(II) complexes, **228**, 225
magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133
synthesis and electrochemistry of mono- and binuclear europium complexes with the macrocyclic ligand 1,4,7,10,14,17,20,23-octaazacyclohexacosane-1,4,7,10,14,17,20,23-octaacetic acid (OHEC), **231**, 29
interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study, **231**, 87
preparation of *trans*-$RuH(\eta^1\text{-}BH_4)L$ ($L = Me_6[15]aneS_4$, $Me_8[16]aneS_4$) and oxidation in alcohols to give *trans*-$\{Ru(OR)_2(anti\text{-}Me_8[16]aneS_4)\}^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of $Me_8[16]aneS_4$, **231**, 95
synthesis and characterization of a tetraphosphine macrocyclic ligand and its manganese(II) complexes, **231**, 225
^1H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes, **232**, 91
the synthesis and crystal structure of a cerium(III) complex of 2,6-bis[2-formylphenoxymethyl]pyridine, **232**, 227
nickel(II) complexes bonded to 12-membered macrocyclic ligands, **234**, 75
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)- 1,4,7-triazacyclononane (TACN–TM) and molecular structure of $In(C_{12}H_{24}N_3S_3)$, **236**, 75

macrocyclic complexes of lanthanides in identical ligand frameworks Part 1. Synthesis of lanthanide(III) and yttrium(III) complexes of an 18-membered dioxatetraaza macrocycle, **238**, 63

1,4,8,11-tetrakis{(2,2′-bipyridyl-5′-ylmethyl)-bis(2,2′-bipyridyl)-ruthenium(II)}-1,4,8,11-tetraazacyclotetradecane (L^1), a macrocyclic pH and transition metal ion fluorescence sensor. Equilibrium, and stopped-flow kinetic, fluorimetric studies of the reactions of L^1 with nickel(II) and copper(II) ions in aqueous solution at neutral pH, **240**, 159

Macrocyclic ligands

new dioxytetraethyleneoxy macrocyclic cyclophosphazene derivatives, **228**, 187

synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203

Magnesium

a spectroelectrochemical and photochemical investigation of photoinduced electron transfer reaction between Mg(II) porphyrin and viologen, **228**, 243

Magnesium complexes

^{1}H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes, **232**, 91

authentication of aminomethyl(hydrogen)phosphonate coordination to a main group metal: synthesis and crystal structure of $[Mg(O_3PCH_2NH_3)_2(H_2O)_2]\cdot 2H_2O$, **232**, 189

structural and energetic studies on double salts of $M(II)Mg_2Cl_6\cdot 12H_2O$ (M = Ca, Mn, Cd) by X-ray diffraction and density functional methods, **238**, 121

Magnesium(II)-activated

Mg^{2+}-activated double-stranded DNA cleavage by $[(bpy)_2(OH_2)Ru^{III}\text{-}O\text{-}Ru^{III}(H_2O)(bpy)_2]^{4+}$, **240**, 335

Magnetic couplings

copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of $[\{Cu(HL)H_2O\}_2]\cdot 2(NO_3)$ and $[\{Cu(HL)(pyridine)(NO_3)\}_2]$, **236**, 101

Magnetic properties

'layered hydrogenselenites' II. Synthesis, structure studies and magnetic properties of a novel series of bimetallic hydrogenselenites: $[Cu(HSeO_3)_2MCl_2(H_2O)_4]$, M(II) = Mn, Co, Ni, Cu, Zn, **238**, 15

Magnetic resonance imaging

coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311

Magnetic susceptibility

crystal structure and magnetic properties of manganese(II) mellitate, $[Mn_2\{C_6(COO)_6\}(H_2O)_6][Mn(H_2O)_6]\cdot 2H_2O$ with two-dimensional layered structure and three-dimensional hydrogen bonding networks, **239**, 165

Magnetism

magnetic interactions in aqua(*L*-aspartato)-(2,2′-bipyridine)-copper(II) trihydrate, **228**, 261

transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties, **229**, 195

magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281

a dicopper complex of *N*,*N*′-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form, **230**, 199

crystal structure and magnetic properties of $[NMe_4]_4[Mn_2(C_3S_5)_4]$ ($C_3S_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate), **232**, 51

a novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n[salH]_{2n}\cdot 4n$py in an infinite chain ($salH_2$ = salicylic acid; py = pyridine), **234**, 27

a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61

compounds containing linked, multiply-bonded dimetal units. 3. Preparation, molecular structure and magnetic properties of a compound containing tetrakis(μ-6-chloro-2-hydroxopyridinato)-diosmium(II,III) cations linked axially by pyrazine, **236**, 43

a comparison of the magnetic and crystal field properties of protoporphyrin-IX, hemeoctapeptide and heme proteins, **238**, 99

magnetic and spectroscopic properties of a series of linear homo- and heterotrinuclear metal compounds with asymmetric 3,4-disubstituted 1,2,4-triazoles as ligands, **239**, 5

Malate complexes

peroxo malato vanadates(V): syntheses, spectra and structure of the $(NH_4)_2[VO(O_2)(C_4H_4O_5)]_2 2H_2O$ dimer with a rhomboidal V_2O_2(hydroxyl) bridging core, **233**, 97

Manganese carbonyls

spectroscopic characterization of some unstable *ortho*-semiquinone and *ortho*-quinone complexes of Mn(I) by variable-temperature thin-layer spectroelectrochemistry at optically transparent electrodes, **232**, 99

Manganese complexes

an X-ray diffraction study on the structure of solvated manganese(II) ion and manganese(II) complexes with pyridine, 3-methylpyridine and 4-methylpyridine in *N*,*N*-dimethylformamide, **228**, 255

a novel triply bridged dinuclear manganese(III) complex containing the $Mn_2O(OAc)_2{}^2$ core: synthesis, crystal structure and properties of $Mn_2(\mu\text{-}O)(\mu\text{-}OAc)_2(bpea)_2(ClO_4)_2$, **229**, 261

magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281

chemistry of vinylidene complexes XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors, **230**, 97

crystal and molecular structure of polymeric $[MnCl_2(bpy)]_n$, **230**, 169

reactions of agostic manganese complexes with molecular hydrogen, **230**, 211

synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen, **230**, 219

manganese(II) complex of the 'tripod' ligand tris(2-benzimidazolylmethyl)amine. Five-coordinate and six-coordinate Mn(II) in the crystal structure, **231**, 109

synthesis and characterization of a tetraphosphine macrocyclic ligand and its manganese(II) complexes, **231**, 225

synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of $[(CO)_5Mn\text{–}Ru(Me)(CO)_2(\sigma(N),\sigma(N')\text{-iPr-PyCa})]$ (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine), **232**, 19

crystal structure and magnetic properties of $[NMe_4]_4[Mn_2(C_3S_5)_4]$ ($C_3S_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate), **232**, 51

the reaction of the P_2N_2 Schiff base ligand en=P_2 with MI_2 salts and the reaction of the tetraiodine adduct of en=P_2 with unactivated coarse grain metal powders: a comparative study (en=P_2 = *N*,*N*′-bis[(*o*-diphenylphosphino)benzylidene]ethylene-diamine; M = Mn, Co and Ni), **232**, 145

a novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n[salH]_{2n}\cdot 4n$py in an infinite chain ($salH_2$ = salicylic acid; py = pyridine), **234**, 27

the coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine, **236**, 125

molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2′-bipyridine or 2-methylpyrazine, **236**, 149

synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate, **237**, 111

structural and energetic studies on double salts of $M(II)Mg_2Cl_6 \cdot 12H_2O$ (M = Ca, Mn, Cd) by X-ray diffraction and density functional methods, **238**, 121

crystal structure and magnetic properties of manganese(II) mellitate, $[Mn_2\{C_6(COO)_6\}(H_2O)_6][Mn(H_2O)_6] \cdot 2H_2O$ with two-dimensional layered structure and three-dimensional hydrogen bonding networks, **239**, 165

mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49

the versatile coordination chemistry of tricyanoethenolate, $[(NC)_2C{=}C(CN)O]^-$, **240**, 515

Manganese compounds

interchain interactions and three-dimensional magnetic ordering in Mn(II)Cu(II) chain compounds; crystal structure and metamagnetic properties of MnCu(pbaOH)$(H_2O)_3 \cdot 2H_2O$, with pbaOH = 2-hydroxo-1,3-propylenebis(oxamato), **235**, 69

Manganese(II) complexes

ferromagnetic behavior of two manganese(II) complexes with pyridine-substituted nitronyl nitroxide radicals, **233**, 131

Manganese(VI) complexes

oxidations with unstable manganese(VI) in acidic solution, **237**, 173

Mass spectrometry

tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum, **229**, 127

Mellitate complexes

crystal structure and magnetic properties of manganese(II) mellitate, $[Mn_2\{C_6(COO)_6\}(H_2O)_6][Mn(H_2O)_6] \cdot 2H_2O$ with two-dimensional layered structure and three-dimensional hydrogen bonding networks, **239**, 165

Mercaptoethylamine complexes

a violet mixed-valence copper–mercaptoethylamine complex generated electrochemically or by reversible interaction with oxygen, **231**, 21

2-Mercaptoethylamine complexes

stabilities of the 2-mercaptoethylamine complexes of trivalent metal ions and divalent metal ions in aqueous solution, **231**, 159

Mercaptoethyl donor groups

N,N'-bis(2-mercaptoethyl)ethylenediamine-*N,N'*-diacetic acid; an effective ligand for indium(III), **228**, 77

Mercurated compounds

studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies, **230**, 85

Mercury complexes

phosphine derivatives of mercury and cadmium dithiolates: an electrospray mass spectrometric study, **228**, 193

helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands, **236**, 185

mercury(II) chloride adducts of flexible double betaines: influence of different quaternary ammonio side groups in the adipic acid skeleton, **237**, 163

synthesis and some properties of T-cage type $Co^{III}{}_4Hg^{II}{}_4$ and $Rh^{III}{}_4Hg^{II}{}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19

Metalated ligand complexes

reaction of $Rh_2(\mu^2\text{-}O_2CCH_3)_3\mu^2\text{-}(C_6H_4)PMePh(HO_2CCH_3)_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of $Rh_2(\mu^2\text{-}O_2CCH_3)_2\mu^2\text{-}(CH_2)PPh_2\text{-}\mu^2\text{-}(C_6H_4)PPh_2(PPh_3) \cdot 2CH_2Cl_2$, **229**, 365

Metal carbonyl clusters

chemical applications of topology and group theory 28. Carbonyl polyhedra in metal carbonyl clusters, **235**, 111

Metal carbonyl complexes

an analysis of the bonding in some 'nonclassical' d^0 and d^{10} metal carbonyl complexes, **229**, 437

Metal cluster topology

metal cluster topology 17. Hypervalent indium vertices in isolated hypoelectronic indium polyhedra in binary and ternary intermetallic phases of indium and alkali metals, **228**, 219

Metal complexes

evidence of zeolite-solution equilibrium for isomorphous substitution using aqueous metal fluoride complexes, **229**, 81

Metal ion complexes

equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N,N',N'',N'''*-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N,N',N'',N'''*-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15), **230**, 51

the best-fit size and geometry of metal ions for coordination with nitrogen-donor macrocycles, **230**, 165

Metal ion–FMN complexes

acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313

Metallacycle complexes

approach to a metallacycling polymerization — reactions of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)_2]$ with α,β-diynes and $Me_3SiC{\equiv}CC_6H_4C_6H_4C{\equiv}CSiMe_3$, **230**, 215

reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of $[IrI\{CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2\}(COD)]I$, containing two fused four-membered metallacycles, **235**, 77

Metallacycles

carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N'*-tert-butyl sulfur diimide. Novel five-membered PNSNM metallacycles, **231**, 249

Metallated ligand complexes

synthesis and characterisation of *trans*-$[RhCl_2(OH_2)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$; factors influencing the Rh–O bond length in rhodium–aqua complexes, **231**, 207

Metallation

preparation and crystal structure of *trans*-$[NiBr\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$, **231**, 195

Metallocyclic complexes

formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)- nickel(II)} complex, **230**, 249

Metallo-enzyme

the binding of dinucleoside phosphonates in the active site of the metallo-enzyme, Staphylococcal nuclease: synthetic, solution and preliminary crystallographic studies, **229**, 425

Metallomacrocycles

synthesis and structure of metallomacrocycles based on isothiosemicarbazides, **238**, 23

Metallomesogen

structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV), **231**, 187

synthesis and mesomorphic behaviour of oxochloro[5,10,15,20-tetrakis(4-n-dodecylphenyl)porphinato]molybdenum(V), **238**, 169

Metallophthalocyanine complexes

photoreduction of metallophthalocyanines and phthalocyanine-sensitized photoreduction of methylviologen in the presence of azaferrocene, **232**, 63

Metallosupramolecular chemistry

2,2':6',4''-Terpyridine: a cyclometallating analogue of 2,2':6',2''-terpyridine for metallosupramolecular chemistry, **235**, 165

Metal–metal bond cleavage

ultrafast studies of metal–metal bond cleavage in $Fe_3(CO)_{12}$ in solution, **229**, 469
Metal–metal bonding
metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from nonbonded $Cp^*_2Mo_2Cl_6$ to afford bonded $Cp^*_2Mo_2Cl_5$, **229**, 445
Metal–metal complexes
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551
Metamagnetic properties
interchain interactions and three-dimensional magnetic ordering in Mn(II)Cu(II) chain compounds; crystal structure and metamagnetic properties of $MnCu(pbaOH)(H_2O)_3 \cdot 2H_2O$, with pbaOH = 2-hydroxo-1,3-propylenebis(oxamato), **235**, 69
Metavanadate complexes
structure refinement of barium metavanadate BaV_2O_6, **238**, 165
Methanol complexes
stereoelectronic properties of the sulfinyl-substituted phosphine ligands: synthesis and X-ray structure of the stable complex $[PdCl_2\{Ph_2PCH_2S(O)Me\}\{MeOH\}]$, **239**, 185
Methoxo complexes
new copper(I) halide complexes with 2,2′-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-$(OMe)_2$–dicopper(II) complex, **236**, 117
Methylchlorin
electron paramagnetic resonance spectroscopy as a probe of coordination structure in green heme systems: iron chlorins and iron formylporphyrins reconstituted into myoglobin, **240**, 603
O-Methyl-1,1-dithiooxalate complexes
O-methyl-dithio-/perthiooxalates — a ^{13}C NMR study, **236**, 177
Methylviologen
photoreduction of metallophthalocyanines and phthalocyanine-sensitized photoreduction of methylviologen in the presence of azaferrocene, **232**, 63
Methylviologen complexes
effect of the negative charge of heme propionate on photoinduced electron transfer between zinc myoglobin and methylviologen, **233**, 127
Migration
control of the migratory aptitudes of vinyl and aryl ligands in ruthenium(II) complexes, **240**, 263
Migratory insertion
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
Mineral complexes
sorption and coprecipitation of trace concentrations of thorium with various minerals under conditions simulating an acid uranium mill effluent environment, **229**, 247
Mixed-ligand complexes
mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2](PF_6) \cdot$ ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = tert-butylisocyanide), **230**, 189
synthesis and characterization of luminescent mixed ligand zinc(II) complexes containing a novel dithiol ligand, **234**, 13
O-methyl-dithio-/perthiooxalates — a ^{13}C NMR study, **236**, 177
Mixed-oxide electrodes
SIMS methods in reactivity studies on metal oxides, **235**, 381
Mixed-valence complexes
a violet mixed-valence copper–mercaptoethylamine complex generated electrochemically or by reversible interaction with oxygen, **231**, 21
electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113
a novel mixed-valence manganese(II,III) complex of $[Mn_4(sal)_4(H_2O)_4(py)_8]_n[salH]_{2n} \cdot 4n$py in an infinite chain ($salH_2$ = salicylic acid; py = pyridine), **234**, 27
mixed-valence Fe(III)–Fe(IV) dimers. Preparation and physical properties of oxidation products of oxo-bridged binuclear iron(III) complexes, **238**, 139
Molecular cluster approach
a molecular cluster approach to the study of the bonding of CO and NH_3 to a $d^{[7]}$ ion on ZnO(0001) and CuCl(111), **235**, 151
Molecular complexes
the 1:2 and 1:4 π–π type molecular adducts of bis(*N*-alkyl-2-oxy-4-(1-naphthoyloxy)benzaldiminato)copper(II) and 1,3,5-trinitrobenzene, **234**, 131
Molecular orbital calculations
an analysis of the bonding in some 'nonclassical' d^0 and d^{10} metal carbonyl complexes, **229**, 437
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
Molecular oxygen complexes
reaction of an α-pyrrolidonate-bridged *cis*-diammineplatinum(II) dimer with molecular oxygen and its application to the catalytic O_2 oxidation of hydroquinone, **234**, 157
Molecular packing
molecular and crystal structure of zirconium hydroborates, **231**, 175
Molecular recognition
selective recognition of metal complexes by macrocyclic ethers: further observations on the macrocycle size dependence and the first-sphere ligand composition dependence of recognition thermodynamics, **240**, 285
Molecular structure
molecular structures of Fe(II) complexes with mono- and di-protonated ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate (Hedta and H_2edta), as determined by X-ray crystal analyses, **230**, 119
Molten salt complexes
^1H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115
Molybdenum complexes
correlation between ^{95}Mo NMR chemical shifts and rate constants of oxygen atom transfer reactions of various *cis*-dioxobis(dithiocarbamato)molybdenum(VI) complexes with PPh_3, **228**, 89
effects of substitutions on cyclopentadienyl rings in complexes with molybdenum–mercury bonds. ^{95}Mo and ^{199}Hg NMR studies, **228**, 251
calixarene complexes of the molybdenum–molybdenum quadruple bond, **229**, 5
the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of ( )-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and $(\mu\text{-}OH)_2CpMo(NO)I_2$, **229**, 39
preparation of *cis*-$MoI_4(Ph_2PCH_2CH_2PPh_2)$ and structure of $(THF)_3Na(\mu\text{-}I)_3MoI(Ph_2PCH_2CH_2PPh_2)$ with a new coordination environment around sodium, **229**, 55
circular dichroism of configurationally chiral dimolybdenum complexes with chiral diamine ligands, **229**, 101
tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum, **229**, 127
metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(I,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states, **229**, 143
synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate, **229**, 153
structure and reactivity of an intermediate in the two-electron reduction of dimolybdenum(III) by a hydride ligand in the Mo–H–Mo system, **229**, 417

synthesis and identification of pentachloropyridinemolybdate(III) and pentabromopyridinemolybdate(III): crystal structures of $NH_2(CH_3)_{22}MopyCl_5$ and $N(CH_3)_{42}MopyCl_5$ (pypyridine), **229**, 421
metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from non-bonded $Cp^*_2Mo_2Cl_6$ to afford bonded $Cp^*_2Mo_2Cl_5$, **229**, 445
preparation and structure of the face-sharing bioctahedral ion $Mo_2Cl_8(PEt_3)^2$, **229**, 473
application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters Part 3. Synthesis, structural characterization, and spectroscopic studies of the clusters $[\{M(CO)_4\}_n(MS_4)]^{2-}$ (M = Mo, W; n = 1, 2), **230**, 9
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand η^5-$Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of η^5-$Bz_5C_5Mo(CO)_3I$, **230**, 127
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43
high yield formation of $[Mo^{III}_4S_4(H_2O)_{12}]^{4+}$ by reaction of $[Mo^{IV}_3S_4(H_2O)_9]^{4+}$ with metallic lead, **232**, 171
crystallographic disorder of the M_2 units in $[M_2Cl_8]^{n-}$ (M = Mo, Re) compounds, **234**, 115
crystal structure of $[\{Mo(=O)Cl_2(O=PPh_2C_{10}H_{15}=NH)\}_2O]$. A binuclear oxygen-bridged oxomolybdenum(V) complex containing chelating imino-phosphine oxide ligands, **234**, 185
oxomolybdenum(V) polyanion clusters. Hydrothermal syntheses and structures of $(NH_4)_5Na_4\{Na[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4)]_2\}\cdot 6H_2O$ and $(C_6H_5CH_2NMe_3)_4K_4\{K_2[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4]_2\}\cdot 10H_2O$ and their relationship to the binuclear $(Et_4N)[Mo_2O_4Cl_3(H_2O)_3]\cdot 5H_2O$, **235**, 135
syntheses and crystal structures of molybdenum(0) and palladium(II) complexes of 4-tert-butyl-2-diphenylphosphino-cyclohexanone *N*,*N*-dimethylhydrazone, **236**, 7
synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands, **236**, 21
the synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes, **236**, 89
synthesis and characterization of 15-molybdodiphosphate, **236**, 167
a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-}O)(\mu\text{-}O)_3(H_2O)_5)(\mu\text{-}OH)_2\}_4]$-$(CH_3C_6H_4SO_3)_8\cdot 41H_2O$, **237**, 1
mechanism of an oxygen atom transfer reaction involving an oxo-bridged Mo(V) complex, **237**, 117
an unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-$[Mo_2(CO)_8\{\mu\text{-}Ph_2P(CH_2)_8PPh_2\}_2]$, **237**, 199
synthesis and mesomorphic behaviour of oxochloro[5,10,15,20-tetrakis(4-n-dodecylphenyl)porphinato]molybdenum(V), **238**, 169
the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
kinetics and mechanisms of ligand substitution reactions of molybdenum SO_2 complexes. Synthesis and X-ray structure of *trans*-$Mo(CO)_2(dmpe)(PPh_3)(SO_2)$, **240**, 99
heats of reaction of $HMo(CO)_3(C_5R_5)$ (R = H, CH_3) with diphenyldisulfide and of formation of the clusters $[PhSMo(CO)_x(C_5H_5)]_2$, x = 1, 2. Thermodynamic study of molybdenum–sulfur bond strengths, **240**, 175
dissociative phosphine exchange for cyclopentadienylmolybdenum(III) systems. Bridging the gap between Werner-like coordination chemistry and low-valent organometallic chemistry, **240**, 355
^{95}Mo NMR
effects of substitutions on cyclopentadienyl rings in complexes with molybdenum–mercury bonds. ^{95}Mo and ^{199}Hg NMR studies, **228**, 251
^{95}Mo NMR spectroscopy
correlation between ^{95}Mo NMR chemical shifts and rate constants of oxygen atom transfer reactions of various *cis*-dioxobis(dithiocarbamato)molybdenum(VI) complexes with PPh_3, **228**, 89
Monochelated protoheme
the chelation of monochelated protoheme, **231**, 121
Monoclonal antibodies
lead(II) complexes of 1,4,7,10-tetraazacyclododecane-*N*,*N*′,*N*″,*N*‴-tetraacetate: solution chemistry and application to tumor localization with ^{203}Pb labeled monoclonal antibodies, **239**, 43
Mono-, di- and trinuclear complexes
mono-, di- and trinuclear gold(I) complexes of new phosphino-substituted amides: initial steps to chlorogold(I)diphenylphosphino-terminated dendrimers, **235**, 263
Monodimensional chain complexes
one-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N*,*N*′-dimethylpiperazinium compounds: synthesis, structural and thermal properties, **230**, 59
Mononuclear complexes
the reactions of dirhenium complexes with tris(diphenylphosphino)-methane. The conversion of the dirhenium(III) complex *cis*-$Re_2(O_2CCH_3)_2Cl_4(py)_2$ to mononuclear *trans*-$ReCl_2$-$[\eta^2\text{-}HC(PPh_2)_3]_2$, **235**, 421
Morpholine complexes
solvent and temperature effects in the mechanism of allyl amination of the α-diimine complex $[Pd(\eta^3\text{-}C_3H_5)\text{-}(C_5H_4N\text{-}2\text{-}CH{=}NC_6H_4OMe\text{-}4)]^+$ by piperidine and morpholine, **235**, 45
Mössbauer spectra
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, $[Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3]$ (Me = $-CH_3$), **236**, 155
Mössbauer spectroscopy
^{119}Sn Mössbauer isomer shift of octahedral tin(IV) halide complexes, **232**, 195
reactions of iron halides with thiols containing nitrogen donor atoms; the structure of an iron(III) complex of 2,2′-dimercaptodipyridine, **234**, 195
a thermogravimetric, single crystal X-ray, and spectroscopic study of several iron(III) halide adducts with crown ethers, **239**, 67
the 19-electron Fe(I) state in tentacled iron sandwiches: synthesis, stability, Mössbauer spectroscopy, electronic structure and chain effect, **240**, 105
MO study
cofacial and antarafacial indenyl bimetallic isomers: a descriptive MO picture and implications for the indenyl effect on ligand substitution reactions, **240**, 541
Multidentate amine ligand complexes
low-temperature doublet luminescence and absorption spectra of multidentate hexaam(m)ine Cr(III) complexes. Effects of ligand induced distortion from O_h symmetry, **238**, 45
Multidentate ligand complexes
synthesis of *N*-hydroxybenzylethylenediamine-*N*,*N*′,*N*′-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **233**, 137
Myoglobin complexes
effect of the negative charge of heme propionate on photoinduced electron transfer between zinc myoglobin and methylviologen, **233**, 127

Nalidixato complexes
cationic diamineplatinum(II) complexes of nalidixic acid, **239**, 133
Nephelauxetic effect

on correlating the frequency of the $^7F_0 \rightarrow {}^5D_0$ transition in Eu^3 complexes with the sum of 'nephelauxetic parameters' for all of the coordinating atoms, **229**, 383

N-heterocyclic ligand complexes
mixed-ligand rhenium(V) oxo monomers with triphenylphosphine oxide and lopsided and symmetrical heterocyclic ligands. Putative intermediates in rhenium(V) oxo synthetic chemistry, **240**, 413

Nickel(0) complexes
nickel(II) and nickel(0) complexes containing 2-pyridylphosphine ligands, including water-soluble species, **235**, 291

Nickel complexes
syntheses, structures and properties of copper and nickel complexes of the macrocyclic ligand 5,6,11,12,17,18,23,24-octahydro-tetrabenzo[*b,f,j,n*][1,5,9,13]tetraazacyclo- hexadecine (H_8TAAB), **228**, 93
preparation of a flexible binucleating ligand, xylylene-bridged biscyclam α,α'-bis(1,4,8,11-tetraazacyclotetradecan-6-yl)-*p*-xylene and structure of its dinickel(II) complex, **228**, 133
bis[4-(2,6-dimethylphenyliminomethyl)-5-pyrazolethiolato]-nickel(II) complexes with an unusual *trans*-planar structure, **228**, 237
magnetic properties of binuclear manganese(II), cobalt(II), nickel(II) and copper(II) complexes of a macrocyclic ligand derived from pyridine-*N*-oxide, and crystal structure of the nickel complex, **229**, 281
conformational characterization of square planar nickel(II) tetraaza macrocyclic complexes by proton NMR. Crystal structure of [Ni(13aneN_4)]$ZnCl_4$, **230**, 19
nickel(II) and copper(II) complexes of mixed benzene–triazolehemiporphyrazines, **230**, 153
formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)- nickel(II)} complex, **230**, 249
competition between the terminal amino and imidazole nitrogen donors for coordination to Ni(II) ions in oligopeptides, **231**, 7
preparation and crystal structure of *trans*-[NiBr{C_6H_3-2,6-$(CH_2PCy_2)_2$}], **231**, 195
synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode, **231**, 213
the reaction of the P_2N_2 Schiff base ligand en=P_2 with MI_2 salts and the reaction of the tetraiodine adduct of en=P_2 with unactivated coarse grain metal powders: a comparative study (en=P_2=*N,N'*-bis[(*o*-diphenylphosphino)benzylidene]ethylene- diamine; M=Mn, Co and Ni), **232**, 145
magnetic studies on the μ-oxalato nickel(II) dimers with an [NiN_4O_2] environment. Crystal structure of (μ-ox)- [Ni(323-tet)]$_2$-$(ClO_4)_2 \cdot 2H_2O$ (323-tet=*N,N'*-bis(3-aminopropyl)- 1,2-ethanediamine), **232**, 151
copper(II), nickel(II) and iron(II) complexes of 2,6-diacetylpyridine bis{[*DL*-hydroxy(phenyl)acetic]hydrazone}. X-ray structure of a 1:2 metal:ligand nickel complex, **232**, 211
synthesis and crystal structure of a mono- and dinickel(0) ethylene complex with 4,4'-bipyridine; [Ni(4,4'-bpy)$(C_2H_4)_2$]$_2$[Ni_2(4,4'-bpy)$(C_2H_4)_4$], **232**, 231
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide [$Ni_3(\mu$-dppm$)_3(\mu_3$-η^1-C≡CPh$)_2$], **233**, 1
a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61
transition metal complexes of quadridentate pyrazolo-based ligands with two thiolato and two imine donor atoms, **234**, 67
nickel(II) complexes bonded to 12-membered macrocyclic ligands, **234**, 75
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N,N'*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}-copper(II)], **235**, 127
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides, **236**, 49
the coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine, **236**, 125
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163
synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ_2-η^2,η^2-bridging mode: [Ni_3(tmsb)$(cod)_3$], **236**, 181
synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57
transition metal complexes with sulfur ligands. CXI. Skeletal rearrangement of 2,3-dibromo-1-propanol in the template alkylation of [Ni('$S_2C_6H_4$')]$^{2-}$ ('$S_2C_6H_4$'$^{2-}$ = 1,2-benzenedithiolate(2−)). Syntheses of [M('S_4-C_3OH')] complexes (M=Ni^{II}, Pt^{II}; 'S_4-C_3OH'$^{2-}$ = 1,3-bis(2-mercaptophenylthio)- 2-propanol(2−)), **237**, 137
the favored uns-*cis* geometry in octahedral nickel(II) complexes containing linear tetradentate edda-type ligands forming six-membered rings. Crystal structure of uns-*cis*-[Ni(1,3-pdda)$(H_2O)_2$], **237**, 151
synthesis and structure of metallomacrocycles based on isothiosemicarbazides, **238**, 23
N-oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex [Co(pxo)$(CH_3OH)Cl_2]_2$, **238**, 197
crystal growth in aqueous hydrofluoric acid and $(HF)_x \cdot$pyridine solutions: syntheses and crystal structures of $[Ni(H_2O)_6]^{2+}[MF_6]^{2-}$ (M=Ti, Zr, Hf) and $Ni_3(py)_{12}F_6 \cdot 7H_2O$, **240**, 109
1,4,8,11-tetrakis{(2,2'-bipyridyl-5'-ylmethyl)-bis(2,2'-bipyridyl)-ruthenium(II)}-1,4,8,11-tetraazacyclotetradecane (L^1), a macrocyclic pH and transition metal ion fluorescence sensor. Equilibrium, and stopped-flow kinetic, fluorimetric studies of the reactions of L^1 with nickel(II) and copper(II) ions in aqueous solution at neutral pH, **240**, 159
structural studies on products of reduction of a nitro-$Ni_1C_3N_2$-metallocene, **240**, 191
properties of monovalent nickel complexes with tetraaza-macrocyclic ligands in aqueous solutions, **240**, 503

Nickel(II) complexes
nickel(II) and nickel(0) complexes containing 2-pyridylphosphine ligands, including water-soluble species, **235**, 291

Niobium complexes
terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu$-$PPh_2)Cr(CO)_5$,S (L=CO, S=CH_3COCH_3; L=$P(OMe)_3$, S=$C_6H_5CH_3$), **237**, 79

Nitric oxide complexes
reaction of nitric oxide with iron bleomycin bound to DNA: properties of the nitrosyl adduct and its reaction with O_2, **240**, 535

Nitrile complexes
^{1}H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles, **237**, 13

Nitrite complexes
catalytic reactions of formate 4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution, **237**, 65

Nitrito complexes

new examples of dinuclear copper complexes with ferromagnetic interactions mediated by μ-1,1 bridging azido and nitrito groups: structures and magnetic properties of $[L_2(N_3)_2Cu_2]$ and $[L_2(NO_2)_2Cu_2]\cdot H_2O$ (L = 7-amino-4-methyl-5-aza-3-hepten-2-onato(1−)), **239**, 53

Nitrogen donor atoms
bis[dihydrobis(1-pyrazolyl)borate]cadmium(II): a monomeric, severely distorted tetrahedral complex of cadmium(II), **240**, 669

Nitrogen donor complexes
equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15), **230**, 51
the best-fit size and geometry of metal ions for coordination with nitrogen-donor macrocycles, **230**, 165

Nitro-metallocene complexes
structural studies on products of reduction of a nitro-$Ni_1C_3N_2$-metallocene, **240**, 191

Nitronyl nitroxide complexes
ferromagnetic behavior of two manganese(II) complexes with pyridine-substituted nitronyl nitroxide radicals, **233**, 131

Nitronyl radical
ferromagnetic intermolecular coupling in the nitronyl nitroxide radical 2-(4-thiomethylphenyl)-4,4,5,5-tetramethylimidazoline- 1-oxyl-3-oxide, NIT(SMe)Ph, **235**, 159

Nitrosodicyanomethanide complexes
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163

Nitrosyl complexes
the resolution of CpMo(NO)(methylallyl)(X) complexes. X-ray crystal structures of ( )-CpMo(NO)(*syn*-crotyl)((1*S*)-10-camphorsulfonate) and (μ-OH)$_2$CpMo(NO)I_2, **229**, 39
synthesis and structural characterization of some molybdenum carbonyl nitrosyl complexes of diethyldithiocarbamate, **229**, 153
chemical bonding and electronic structure in the ionic species $CrNO^2$ and $Cr(H_2O)_5NO^2$ by all electron ab initio multi configuration self consistent field calculations, **229**, 455
synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: $[SiW_{11}O_{39}RuL]^{n-}$, L = H_2O, NO, N_2, **231**, 237
reactivity of 2-(diphenylphosphino)pyridine and 2-(diphenylphosphine oxide)pyridine towards iron nitrosyl complexes and its relevance to oxygen activation, **233**, 109
oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to $[Ru(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$: X-ray structures of $[Ru(Cl)_2(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$ and $[Ru(NO)(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]$, **236**, 95
syntheses, characterization, structure and redox behavior of *cis*-$[Ru(NO)X(bpy)(py)_2]^z$ (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes, **237**, 47
synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate, **237**, 111
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
crystal structures and reversible thermal isomerization of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)-nitrosylruthenium(II), **238**, 89
palladium complexes present during the catalytic reduction of NO to N_2O, **240**, 299

Nitroxide radical
ferromagnetic intermolecular coupling in the nitronyl nitroxide radical 2-(4-thiomethylphenyl)-4,4,5,5-tetramethylimidazoline- 1-oxyl-3-oxide, NIT(SMe)Ph, **235**, 159

NMR spectroscopy
the effect of steric hindrance in the synthesis of corrolates via the cobalt catalyzed cyclization of 2-(α-hydroxyalkyl)pyrroles, **235**, 15
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357

nOe/COSY spectra
the stereochemistry of Co(III)–amine complexes. The use of nOe and COSY ^{1}H NMR spectroscopy to determine structure in solution, **240**, 125

Non-isothermal kinetics
application of the non-isothermal approach to the kinetics of organometallic reactions: the substitution of (η^5-pentamethylcyclopentadienyl)dicarbonylrhodium(I), **240**, 427

Non-symmetrical Schiff bases
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57

Norbornadiene complexes
rhodium(I) complexes of the type $[Tp^{3R,5R}Rh(LL)]$ (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of $Tp^{CF_3,Me}Rh(CO)_2$, **240**, 631

Nuclear magnetic resonance spectroscopy
polymetallic hydrolytic zinc enzymes. Probing the site of nuclease P1 through cobalt(II) substitution, **234**, 9

Nucleophile complexes
ion-pair mechanism in square planar substitution. Reactivity of cationic platinum(II) complexes with negatively charged nucleophiles in solvents of high, medium and low polarity, **240**, 81

Nucleophilic addition
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163

Nucleophilic attack
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of $[M(CO)_3(\eta^7\text{-}C_7H_7)]^+$ (M = Cr, Mo, W) cations, **240**, 71

Nucleotide complexes
acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99

OBISDIEN complexes
equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza- 10,22-dioxacyclotetracosane (OBISDIEN), **236**, 189

Octabutylthiophthalocyanine
synthesis and spectral and electrochemical properties of 2,3,9,10,16,17,23,24-octabutylthiophthalocyaninatozinc(II), **232**, 69

Octachlorodimetal complexes
crystallographic disorder of the M_2 units in $[M_2Cl_8]^{n-}$ (M = Mo, Re) compounds, **234**, 115

Octahedral complexes
^{119}Sn Mössbauer isomer shift of octahedral tin(IV) halide complexes, **232**, 195

Octanuclear complexes
synthesis and some properties of T-cage type $Co^{III}{}_4Hg^{II}{}_4$ and $Rh^{III}{}_4Hg^{II}{}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19

Olefin complexes
reactions of $Ru(HC{=}CHR)Cl(CO)(PPh_3)_2$ with functionalized carboxylates. Crystal structure of $Ru(HC{=}CHPh)(O_2C\text{–}CH{=}CH\text{–}CH{=}CH\text{–}CH_3)(CO)(PPh_3)_2$, **231**, 181
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253

chemistry of tris(2,4,6-trimethoxyphenyl)phosphine with rhodium(I) and iridium(I) olefin complexes, **240**, 527

Olefins
homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system, **238**, 187
model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347

Oligomerisation
reactions of $Co_2(CO)_8$ with RC_2R' alkynes Part II. Synthesis of $Co_2(CO)_6(RC_2R')$ complexes; oligomerisation or cyclotrimerisation reactions of substituted acetylenes, **228**, 139

Oligopeptide complexes
competition between the terminal amino and imidazole nitrogen donors for coordination to Ni(II) ions in oligopeptides, **231**, 7

Oligopyridine analogue complexes
a dinucleating quinquepyridine analogue, **231**, 241

^{17}O NMR spectrometry
coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311

Organic complexes
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand η^5-$Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of η^5-$Bz_5C_5Mo(CO)_3I$, **230**, 127

Organic halide complexes
kinetics of the reaction of chromium(II) with ethyliodoacetate, iodoacetatopentaamminecobalt(III), **239**, 99

Organometallic complexes
synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)$(Me)_2$ (TPP = 5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product $[Hf(TPP)]_2(\mu\text{-}O)(\mu\text{-}OH)_2$, **228**, 233
preparation and crystal structure of *trans*-[NiBr{C_6H_3-2,6-$(CH_2PCy_2)_2$}], **231**, 195

Organometallic phosphazenes
organometallic phosphazenes: synthesis and characterization of Pt(II) and Pt(0) cinnammonitrile cyclophosphazene derivatives, **229**, 13

Organometallic polymer complexes
approach to a metallacycling polymerization — reactions of [(η^5-C_5H_5)Co$(PPh_3)_2$] with α,β-diynes and $Me_3SiC{\equiv}CC_6H_4C_6H_4C{\equiv}CSiMe_3$, **230**, 215

Organometallic polymers
an organometallic polyimine copolymer prepared from {η^6-1,4-bis(CHO)C_6H_4}$Cr(CO)_3$ and 1,3-phenylenediamine, **232**, 223

Organophosphonate complexes
preparation and spectroscopies of layered zirconium organophosphonates containing pyridinium and its derivative cations, **233**, 173

Organoplatinum complexes
a strongly fluorescent organoplatinum complex, **235**, 307

Organotin complexes
the local structure of solid diorganotin(IV) complexes formed with carbohydrates by X-ray absorption spectroscopy, **230**, 105
an organometallic polyimine copolymer prepared from {η^6-1,4-bis(CHO)C_6H_4}$Cr(CO)_3$ and 1,3-phenylenediamine, **232**, 223
coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids, **237**, 187
adducts of organotin(IV), tin(IV) and tin(II) halides with 1-methylimidazoline-2(3*H*)-thione (Hmimt) and imidazoline-2(1,3*H*)-thione (Himt). Synthesis, spectroscopic (IR, Mössbauer and ^1H, ^{13}C, ^{119}Sn NMR) studies and in vitro antitumour activity, **239**, 177

Organyl complexes
metal–silicon bonding energetics in organo–Group 4 and organo–f-element complexes. Implications for bonding and reactivity, **229**, 343

Orthometalation
dinuclear Rh(II) complexes in styrene hydroformylation. Enhancement of catalytic activity through orthometalation, **233**, 161

Osmium complexes
synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267
coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47
preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$, **229**, 483
a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113
synthesis of triosmium alkylidyne clusters incorporating pendant pyridyl ligands. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(4,4'\text{-bipy})\}]\cdot H_2O$ and $[Os_3(\mu\text{-}H)_2(CO)_9\{\mu_3\text{-}C(2,4'\text{-bipy})\}]$ (4,4′-bipy = 4,4′-bipyridine; 2,4′-bipy = 2,4′-bipyridine), **234**, 5
electronic spectra and photochemistry of trichlorostannyl complexes of ruthenium(II) and osmium(II), **234**, 55
solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, x = 1, 2, 3; M = Os, x = 1, 2), **235**, 357
compounds containing linked, multiply-bonded dimetal units. 3. Preparation, molecular structure and magnetic properties of a compound containing tetrakis(μ-6-chloro-2-hydroxopyridinato)- diosmium(II,III) cations linked axially by pyrazine, **236**, 43
optical metal-to-metal charge transfer of (μ-cyano)-decaamminediosmium(III), **238**, 1
synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N{=}N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-}H)(NC_5H_3\text{–}N{=}N(O)\text{–}C_6H_5)]$, **238**, 193
synthesis and reactivity of coordinatively unsaturated osmium and ruthenium stannyl complexes, **240**, 385

Oxalate complexes
barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of $[Ba(H_2O)_5][Cu(C_2O_4)_2(H_2O)]$ and $[Ba(C_4O_4)_{0.5}(H_2O)_2]_2[Cu(C_4O_4)_2(H_2O)_2]$, **230**, 1

Oxalato complexes
magnetic studies on the μ-oxalato nickel(II) dimers with an $[NiN_4O_2]$ environment. Crystal structure of (μ-ox)- [Ni(323-tet)]$_2$-$(ClO_4)_2\cdot 2H_2O$ (323-tet = *N*,*N*′-bis(3-aminopropyl)- 1,2-ethanediamine), **232**, 151

Oxamide complexes
oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates, **229**, 211

Oxidation
oxidations with unstable manganese(VI) in acidic solution, **237**, 173
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205

Oxidative additions
reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of [IrI{$CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2$}(COD)]I, containing two fused four-membered metallacycles, **235**, 77

oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to $[Ru(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$: X-ray structures of $[Ru(Cl)_2(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$ and $[Ru(NO)(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]$, **236**, 95

oxidative addition of surface bound aryl halides at tungsten(0), **240**, 479

Oxidative cleavage

potassium dichromate–Adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols, **238**, 183

Oxide complexes

a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151

Oximate-bridged complexes

a heterodinuclear *anti* oximate-bridged copper(II)–nickel(II) complex: crystal structure and magnetic properties, **234**, 61

Oximato-bridged complexes

an effectively diamagnetic oximato-bridged asymmetric dinuclear copper(II) complex with a Cu(II)–I bond, **232**, 125

Oxime complexes

oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates, **229**, 211

Oxoalkoxide complexes

low-nuclearity titanium oxoalkoxides: the trititanates $Ti_3O(OPr^i)_{10}$ and $Ti_3O(OPr^i)_9(OMe)$, **229**, 391

Oxoanion complexes

synthesis and characterization of 15-molybdodiphosphate, **236**, 167

Oxo-bridged complexes

a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-}O)(\mu\text{-}O)_3(H_2O)_5)(\mu\text{-}OH)_2\}_4]\text{-}(CH_3C_6H_4SO_3)_8\cdot 41H_2O$, **237**, 1

mechanism of an oxygen atom transfer reaction involving an oxo-bridged Mo(V) complex, **237**, 117

mixed-valence Fe(III)–Fe(IV) dimers. Preparation and physical properties of oxidation products of oxo-bridged binuclear iron(III) complexes, **238**, 139

Mg^{2+}-activated double-stranded DNA cleavage by $[(bpy)_2(OH_2)Ru^{III}\text{-}O\text{-}Ru^{III}(H_2O)(bpy)_2]^{4+}$, **240**, 335

Oxocarbon complexes

barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of $[Ba(H_2O)_5][Cu(C_2O_4)_2(H_2O)]$ and $[Ba(C_4O_4)_{0.5}(H_2O)_2]_2[Cu(C_4O_4)_2(H_2O)_2]$, **230**, 1

Oxo complexes

correlation between ^{95}Mo NMR chemical shifts and rate constants of oxygen atom transfer reactions of various *cis*-dioxo-bis(dithiocarbamato)molybdenum(VI) complexes with PPh_3, **228**, 89

an asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $Ru_2O(O_2CC_6H_4\text{-}p\text{-}OMe)_3(en)(PPh_3)_2(ClO_4)\cdot 3CHCl_3$, **229**, 33

high oxidation state rhenium complexes with the hydridotris(1-pyrazolyl)borato-oxorhenium(V) core. Crystal and molecular structures of $[HB(pz)_3ReO(HNNC_8H_5N_2)]$ and $[HB(pz)_3ReO(2\text{-}SC_5H_3N)]$, **231**, 13

synthesis and molecular structure of chloro(3-thiapentane- 1,5-dithiolato)oxorhenium(V), **231**, 233

the nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of $[Ru_3O(O_2CCH_3)_6(OH_2)_3](ClO_4)\cdot 2H_2O$, **232**, 167

crystal structure of $[\{Mo(=O)Cl_2(O=PPh_2C_{10}H_{15}=NH)\}_2O]$. A binuclear oxygen-bridged oxomolybdenum(V) complex containing chelating imino-phosphine oxide ligands, **234**, 185

oxomolybdenum(V) polyanion clusters. Hydrothermal syntheses and structures of $(NH_4)_5Na_4\{Na[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4)]_2\}\cdot 6H_2O$ and $(C_6H_5CH_2NMe_3)_4K_4\{K_2[Mo_6O_{12}(OH)_3(O_3PC_6H_5)_4]_2\}\cdot 10H_2O$ and their relationship to the binuclear $(Et_4N)[Mo_2O_4Cl_3(H_2O)_3]\cdot 5H_2O$, **235**, 135

the synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes, **236**, 89

synthesis and mesomorphic behaviour of oxochloro[5,10,15,20-tetrakis(4-n-dodecylphenyl)porphinato]molybdenum(V), **238**, 169

oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution, **239**, 145

mixed-ligand rhenium(V) oxo monomers with triphenylphosphine oxide and lopsided and symmetrical heterocyclic ligands. Putative intermediates in rhenium(V) oxo synthetic chemistry, **240**, 413

fluoro–hydrido–oxo and other fluoro–oxo complexes of rhenium(V) containing a triphosphine ligand, **240**, 435

Oxovanadium complexes

structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV), **231**, 187

Oxygen

reactions of $(\eta^5\text{-}C_5Me_5)Ir$(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61

Oxygen activation

reactivity of 2-(diphenylphosphino)pyridine and 2-(diphenylphosphine oxide)pyridine towards iron nitrosyl complexes and its relevance to oxygen activation, **233**, 109

Oxygen atom transfer reaction

mechanism of an oxygen atom transfer reaction involving an oxo-bridged Mo(V) complex, **237**, 117

kinetics and mechanism of CO substitution of $[\eta^5\text{-}CpFe(CO)_3]PF_6$ with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153

metal carbonyls of telluroether formed by the oxygen atom transfer reaction to $M(CO)_6$ (M = Mo, W) in the presence of $(p\text{-}CH_3OC_6H_4)_2TeO$ and relative kinetic investigation, **240**, 661

Palladium complexes

inclusion properties of palladium(II) and platinum(II) hydroquinonylphosphine complexes: the molecular and crystal structures of *trans*-$[PdCl_2(pphqH_2)_2]\cdot$(acetone)$_2$, *trans*-$[PtCl_2(pphqH_2)_2]\cdot$(dimethylformamide)$_4$ and *trans*-$[PdCl_2(pphqMe_2)_2]$, **228**, 109

cycloheptatrienyl bridged heterobimetallic complexes: fluxional behavior and X-ray crystal structure of *syn*-$(\mu^3\text{:}\eta^2\text{-}C_7H_7)Fe(CO)_3Pd(\eta^3\text{-}C_3H_5)$, **229**, 307

macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133

the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N*′))palladium(II)): a 'molecular tricorn', **230**, 225

chiral metal complexes 41. Stereoisomerism in palladium(II) complexes of a series of chiral bis-picolyl N_4-tetradentate ligands, **231**, 73

synthesis, characterization and X-ray structure of $[Pd(dppp)(H_2O)(TsO)][TsO]$ (dppp = 1,3-bis-(diphenylphosphino)propane; TsO = $p\text{-}CH_3C_6H_4SO_3$), a catalytic species in CO–C_2H_4 copolymerization, **233**, 5

cyclopalladation of secondary and primary benzylamines, **233**, 91

X-ray structure of palladium(II) tetrakis-thiourea iodide, a catalyst for carbonylation reactions, **234**, 181

equilibrium and kinetic studies on the displacement of pyridine by chloride ion in pyridine[2,6-bis(methylthiomethyl)pyridine]-palladium(II) perchlorate, **235**, 29

solvent and temperature effects in the mechanism of allyl amination of the α-diimine complex $[Pd(\eta^3\text{-}C_3H_5)\text{-}(C_5H_4N\text{-}2\text{-}CH{=}NC_6H_4OMe\text{-}4)]^+$ by piperidine and morpholine, **235**, 45

symmetric or unsymmetric cleavage of the bridging system in $[M_2(\mu\text{-}C_6F_5)_2(C_6F_5)_4]^{2-}$ (M_2 = Pt_2, Pd_2 or PtPd) with 2,2′-bipyridine or 1,10-phenanthroline. Molecular structure of

[PPN]$_2$[$(C_6F_5)_3$Pt(μ-bpy)Pt$(C_6F_5)_3$] and [NBu_4][Pt$(C_6F_5)_3$(phen)], **235**, 51
syntheses and structures of dicyanobis(oxazolidin-2-ylidene)-palladium(II) and platinum(II) complexes, **235**, 299
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex [Pt{$C_6H_3(CH_2NMe_2)_2$-2,6}$(PHPh_2)$][OSO_2CF_3] and a diphenylphosphido-bridged Pt(II)/Pd(II) complex [Pt{$C_6H_3(CH_2NMe_2)_2$-2,6}-(μ-PPh_2)Pd($C_6H_4CH_2NMe_2$-2)-(H_2O)][BF_4]·CH_2Cl_2, **235**, 327
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
palladium(II) and platinum(II) complexes of *cis*-1,2-bis-(diphenylphosphino)ethene: completely planar structures due to π bonding in the case of platinum(II), **238**, 35
origin and fine tuning of the stability of five-coordinated platinum(II) and palladium(II) species. A quantum-mechanical study, **238**, 159
synthesis and characterisation of the six-membered cyclopalladated complexes of 2-benzylbenzothiazole, **239**, 125
aliphatic cyclopalladation. Crystal structure of [Pd(1-CH_2-2-{HC=N[2′,6′-$(CH_3)_2C_6H_3$]}-3,5-$(CH_3)_2C_6H_2$)Br]$_2$, **239**, 155
synthesis and crystal structure of a tetranuclear bis(diphenylphosphino)methane palladium complex capped by a μ_4-bonded sulfide: [Pd_4(μ-dppm)$_4$(μ_4-S)]·4$(CH_3)_2CO$, **239**, 159
stereoelectronic properties of the sulfinyl-substituted phosphine ligands: synthesis and X-ray structure of the stable complex [$PdCl_2$\{Ph_2PCH_2S(O)Me\}\{MeOH\}], **239**, 185
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205
palladium complexes present during the catalytic reduction of NO to N_2O, **240**, 299
solvent extraction of divalent palladium and platinum from aqueous solutions of their chloro complexes using an *N,N*-dimethyldithiocarbamoylethoxy substituted calix[4]arene, **240**, 441
[2,2]Paracyclophane–pyrene complexes
cyclophanes:metal:arene ternary compounds: synthesis, crystal structure and spectroscopic properties of Bi_2Br_6:[2,2]paracyclophane:pyrene, **237**, 169
Paramagnetic complexes
^{1}H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles, **237**, 13
^{207}Pb NMR spectroscopy
synthesis of monothiohydroxamic ligands and their lead complexes. Structures of *N*-methyl-3-pyridothiohydroxamic acid, bis(*N*-methyl-3-pyridothiohydroxamato) lead(II) and bis(*N*-cyclohexyl-phenylacetothiohydroxamato) lead(II), **235**, 185
Pendant pyridylmethyl groups
synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203
Pentacoordinated complexes
coordinatively saturated Pt(II) complexes as potential precursors of organometallic polymers, **239**, 61
Pentafluorophenyl groups
synthesis, structure and reactivity of stable dianionic organometallic complexes of Pt(IV). Crystal structure of $PEtPh_3$*cis*-Pt$(C_6F_5)_2Cl_4$ and NBu_4*mer*-Pt$(C_6F_5)_2Cl_3$-(NH_2-*p*-$C_6H_4CH_3$), **229**, 291
Pentamethylcyclopentadienyl
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173
Pentamethylcyclopentadienyl complexes
metal–metal bonding in pentamethylcyclopentadienylmolybdenum(IV) dinuclear compounds: chloride abstraction from non-bonded $Cp^*_2Mo_2Cl_6$ to afford bonded $Cp^*_2Mo_2Cl_5$, **229**, 445
synthesis and characterization of Cp*Ru(η^6-arene)$^+$ and Cp*Ru(η^6:η^6-diarene)RuCp*$^{2+}$ complexes, **231**, 133
9-9′-bifluorenylidene (BFD) complexes of ruthenium [{(η^5-C_5Me_5)Ru}$_n$(BFD)]^x ($x=0$, $n=1$; $x=1^+$, $n=2$): EPR and spectroelectrochemical studies. X-ray structure of [{(η^5-C_5Me_5)Ru}(BFD)](OSO_2CF_3), **234**, 1
oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to [Ru(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)]$^+$: X-ray structures of [Ru(Cl)$_2$(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)]$^+$ and [Ru(NO)(η^5-C_5Me_5)($Ph_2PCH_2CH_2PPh_2$)], **236**, 95
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex Cp*Ru(NO)(dmit). Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117
application of the non-isothermal approach to the kinetics of organometallic reactions: the substitution of (η^5-pentamethylcyclopentadienyl)dicarbonylrhodium(I), **240**, 427
the migratory insertion of carbon monoxide in pentamethylcyclopentadienyliridium(III) complexes. Structural effects on reactivity and mechanism for rhodium and iridium systems, **240**, 485
Peptide complexes
salt induced peptide formation: on the selectivity of the copper induced peptide formation under possible prebiotic conditions, **228**, 207
competition between the terminal amino and imidazole nitrogen donors for coordination to Ni(II) ions in oligopeptides, **231**, 7
synthesis of *trans*-bis(glycinehydroxamato)platinum(II) hydrate and *trans*-dichlorobis(glycylglycine)platinum(II) dihydrate and the crystal and molecular structures of *trans*-dichlorobis-(glycine)platinum(II) dihydrate and *trans,trans*-dichlorobis-(glycinato)platinum(IV), hydrolysis products formed in reactions of the former complexes, **237**, 71
Perfluorinate phthalocyanine complexes
spectral and electrochemical properties of vanadyl hexadecafluorophthalocyanine, **230**, 41
Perfluoroaryl complexes
symmetric or unsymmetric cleavage of the bridging system in [M_2(μ-$C_6F_5)_2(C_6F_5)_4]^{2-}$ ($M_2=Pt_2$, Pd_2 or PtPd) with 2,2′-bipyridine or 1,10-phenanthroline. Molecular structure of [PPN]$_2$[$(C_6F_5)_3$Pt(μ-bpy)Pt$(C_6F_5)_3$] and [NBu_4][Pt$(C_6F_5)_3$(phen)], **235**, 51
Peroxo complexes
bisperoxovanadium compounds: synthesis and reactivity of some insulin mimetic complexes, **229**, 253
peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable K_2[$VO(O_2)(C_6H_6NO_6)$]·$2H_2O$, **230**, 241
peroxo malato vanadates(V): syntheses, spectra and structure of the $(NH_4)_2$[$VO(O_2)(C_4H_4O_5)$]$_2$$2H_2O$ dimer with a rhomboidal V_2O_2(hydroxyl) bridging core, **233**, 97
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
Peroxomonosulfate decomposition
a study of cobalt catalysis and copper modification in the coupled decompositions of hydrogen peroxide and peroxomonosulfate ion, **235**, 9
Perthiooxalate complexes
O-methyl-dithio-/perthiooxalates — a ^{13}C NMR study, **236**, 177
Phenolate complexes
preparation of the complexes $M^{II}L_2$·$2CH_3OH$ (M = Co, Ni, Cu, Zn) of the bidentate ligand 2-(2′-hydroxy-3′-methylphenyl)-benzimidazole (HL) and the molecular structure of $Cu^{II}L_2$·$2CH_3OH$, **237**, 181

Phenol complexes
binuclear copper(II) complexes containing phenols and catechols, **239**, 107
2-Phenylazopyridine complexes
synthesis and structural characterization of osmium cluster complexes containing 2-phenylazopyridine. Crystal structures of $[Os_3(CO)_{10}(NC_5H_4\text{–}N{=}N\text{–}C_6H_5)]$ and $[Os_3(CO)_{10}(\mu\text{-}H)(NC_5H_3\text{–}N{=}N(O)\text{–}C_6H_5)]$, **238**, 193
Phenylsulfide complexes
heats of reaction of $HMo(CO)_3(C_5R_5)$ ($R = H, CH_3$) with diphenyldisulfide and of formation of the clusters $[PhSMo(CO)_x(C_5H_5)]_2$, $x = 1, 2$. Thermodynamic study of molybdenum–sulfur bond strengths, **240**, 175
Phosphate
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
Phosphate complexes
hydrothermal synthesis and structural characterization of reduced vanadium phosphates, α-$Rb[V^{III}(HPO_4)_2]$, β-$Rb[V^{III}(HPO_4)_2]$ and $NH_4[V^{III}(HPO_4)_2]$, octahedral–tetrahedral framework solids, **232**, 83
Phosphido complexes
terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu\text{-}PPh_2)Cr(CO)_5$,S ($L = CO$, $S = CH_3COCH_3$; $L = P(OMe)_3$, $S = C_6H_5CH_3$), **237**, 79
Phosphine complexes
reactions of complexes $Co_2(CO)_6(RC_2R')$ with Group V^0 donor ligands; synthesis and spectroscopic characterization of substituted derivatives $Co_2(CO)_{6-n}(L)_n(RC_2R')$, **228**, 147
hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187
preparation and structure of the face-sharing bioctahedral ion $Mo_2Cl_8(PEt_3)^2$, **229**, 473
reactivity of cationic carbonyl/phosphine ruthenium(II) compounds, **230**, 193
synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen, **230**, 219
cationic phosphine complexes of gold(I): an electrospray mass spectrometric study, **231**, 65
synthesis and characterization of a tetraphosphine macrocyclic ligand and its manganese(II) complexes, **231**, 225
mixed Group 6 metal carbonyl complexes containing polydentate phosphine ligands, **232**, 175
the kinetics and energetics of formation of a molecular hydrogen complex involving a dinuclear ruthenium(II) centre, **240**, 419
Phosphine derivatised dipeptide complexes
preparation and characterization of a new rhenium(V) complex containing the 3-diphenylphosphinopropionylglycyl-*L*-(*S*-benzyl)-cysteinyl methyl ester ligand, **240**, 291
Phosphine hydrazone complexes
syntheses and crystal structures of molybdenum(0) and palladium(II) complexes of 4-tert-butyl-2-diphenylphosphino-cyclohexanone *N*,*N*-dimethylhydrazone, **236**, 7
Phosphine ligands
the reactions of dirhenium complexes with tris(diphenylphosphino)methane. The conversion of the dirhenium(III) complex *cis*-$Re_2(O_2CCH_3)_2Cl_4(py)_2$ to mononuclear *trans*-$ReCl_2[\eta^2\text{-}HC(PPh_2)_3]_2$, **235**, 421
Phosphine sulfoxide complexes
stereoelectronic properties of the sulfinyl-substituted phosphine ligands: synthesis and X-ray structure of the stable complex $[PdCl_2\{Ph_2PCH_2S(O)Me\}\{MeOH\}]$, **239**, 185
Phosphinoalkene complexes
hetero-polynuclear complexes containing bridging diphenylphosphino-alkenes and -alkynes. The crystal structure of an $Rh_2\{\mu\text{-}\eta^1{:}\eta^2\text{-}P(Ph_2)(CH_2)_3C{\equiv}CR\}Co_2$ complex, **240**, 323
Phosphinoalkyne complexes
hetero-polynuclear complexes containing bridging diphenylphosphino-alkenes and -alkynes. The crystal structure of an $Rh_2\{\mu\text{-}\eta^1{:}\eta^2\text{-}P(Ph_2)(CH_2)_3C{\equiv}CR\}Co_2$ complex, **240**, 323
Phosphino-pyridine complexes
reactivity of 2-(diphenylphosphino)pyridine and 2-(diphenylphosphine oxide)pyridine towards iron nitrosyl complexes and its relevance to oxygen activation, **233**, 109
Phosphinopyridine ligand complexes
synthesis and coordination chemistry of 2,6-bis(diethoxyphosphino)pyridine *P*,*P*-dioxide. Crystal and molecular structure of $UO_2(NO_3)_2\{[(EtO)_2P(O)]_2C_5H_3N\}$, **231**, 1
Phosphino-substituted amide complexes
mono-, di- and trinuclear gold(I) complexes of new phosphino-substituted amides: initial steps to chlorogold(I)diphenylphosphino-terminated dendrimers, **235**, 263
Phosphite ligand complexes
preparation and crystal structure of the cluster complex $Os_7H_2(CO)_{21}P(OMe)_3$, **229**, 483
Phosphomolybdate clusters
growth of thin processable films of poly(pyrrole) using phosphomolybdate clusters, **240**, 447
Phosphoranimine adducts
crystal structures of two *N*-methyltriphenylphosphoranimines: triphenylphosphine-*N*-methylimine borane, $Ph_3PN(CH_3)BH_3$ and *N*,*N*-dimethylaminotriphenylphosphonium tetrafluoroborate, $[Ph_3PN(CH_3)_2]^+BF_4$, **239**, 171
Phosphorus donor ligand complexes
synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands, **233**, 43
Phosphorus ylides
reactivity of carbon suboxide toward As and P stabilized ylides. Crystal and molecular structure of $CH_2\{C(=O)[C(=AsPh_3)(COOMe)]\}_2$, **237**, 27
Phospine complexes
^1H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles, **237**, 13
Photocatalysis
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
Photochemistry
fulgides as ligands 1. Synthesis and photochemistry of tricarbonyl-η^6-fulgide chromium(0) complexes, **228**, 215
a spectroelectrochemical and photochemical investigation of photoinduced electron transfer reaction between Mg(II) porphyrin and viologen, **228**, 243
photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $Rh_2(O_2CCH_3)_2(\eta^2\text{-}O_2CCH_3)(C_6H_4)PPh_2(\eta^2\text{-}PCCl)(PCClP(o\text{-}ClC_6H_4)Ph_2)$, **229**, 203
photoreduction of metallophthalocyanines and phthalocyanine-sensitized photoreduction of methylviologen in the presence of azaferrocene, **232**, 63
electronic spectra and photochemistry of trichlorostannyl complexes of ruthenium(II) and osmium(II), **234**, 55
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551
Photoinduced electron transfer
a spectroelectrochemical and photochemical investigation of photoinduced electron transfer reaction between Mg(II) porphyrin and viologen, **228**, 243
effect of the negative charge of heme propionate on photoinduced electron transfer between zinc myoglobin and methylviologen, **233**, 127

Photolysis
the chelation of monochelated protoheme, **231**, 121
Photooxidation
photooxidation of Ru(bpy)$(CN)_4^{2-}$ and Ru(DMbpy)$(CN)_4$, **236**, 173
Photophysical properties
structure, physical, chemical and photophysical properties of Pt(bph)$(CO)_2$, where bph is the biphenyl dianion, **240**, 41
Photopolymerisation
on the photopolymerisation of carbon disulfide, **232**, 27
Photosystem II model
a novel triply bridged dinuclear manganese(III) complex containing the $Mn_2O(OAc)_2^2$ core: synthesis, crystal structure and properties of $Mn_2(\mu\text{-}O)(\mu\text{-}OAc)_2(bpea)_2(ClO_4)_2$, **229**, 261
Phthalocyanine complexes
synthesis and spectral and electrochemical properties of 2,3,9,10,16,17,23,24-octabutylthiophthalocyaninatozinc(II), **232**, 69
Physisorbed complexes
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
Piperidine complexes
solvent and temperature effects in the mechanism of allyl amination of the α-diimine complex [Pd(η^3-C_3H_5)-(C_5H_4N-2-CH=NC_6H_4OMe-4)]$^+$ by piperidine and morpholine, **235**, 45
Pivalate complexes
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, $[Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3]$ (Me = $-CH_3$), **236**, 155
Pivalic acid complexes
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, $[Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3]$ (Me = $-CH_3$), **236**, 155
Platinum alkynyl complexes
linear co-polymerisation of *trans*-$[Pt(C_2Bu^t)_2(PMe_2Ph)_2]$ with copper(I) chloride, **235**, 147
Platinum complexes
platinum–rhodium A-frame and double A-frame complexes bridged by bis(diphenylphosphino)methane ligands, **228**, 73
inclusion properties of palladium(II) and platinum(II) hydroquinonylphosphine complexes: the molecular and crystal structures of *trans*-$[PdCl_2(pphqH_2)_2]\cdot(acetone)_2$, *trans*-$[PtCl_2(pphqH_2)_2]\cdot(dimethylformamide)_4$ and *trans*-$[PdCl_2(pphqMe_2)_2]$, **228**, 109
cycloheptatrienyl bridged heterobimetallic complexes: synthesis, fluxional behaviour and X-ray crystal structure of *syn*-(μ-η^3;η^2-C_7H_7)Fe$(CO)_3$Pt(η^2,σ^1-C_8H_{12}-C_5H_5), **229**, 461
chemistry of vinylidene complexes XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors, **230**, 97
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133
pentahalophenyl ethylxanthate complexes of platinum(II). Structures of $(NBu_4)[Pt(C_6F_5)_2(S_2COEt)]$ and $(NBu_4)_2\{Pt_4(C_6F_5)_8[(\mu_3\text{-}S)SCOEt]_2\}$. Unprecedented coordination of the xanthate ligands in the tetranuclear complex, **232**, 35
synthesis and characterization of alkyne complexes analogous to Zeise's salt — [K(18-cr-6)][$PtCl_3$(^{n}PrC≡CH)], the first complex of platinum(II) with a terminal alkyne, **234**, 47
platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. *Trans* influence studies and detection of linkage isomers of thiocyanate by ^{31}P NMR in $[PtX_2(triphos)]$ complexes, **234**, 109
reaction of an α-pyrrolidonate-bridged *cis*-diammineplatinum(II) dimer with molecular oxygen and its application to the catalytic O_2 oxidation of hydroquinone, **234**, 157
crystal structure of square-planar [1,2-bis(phenylsulfanyl)-ethane]dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173
η^3-azatrimethylenemethane complexes of platinum. Structural characterization of $(PPh_3)_2Pt(\eta^3\text{-}CH_2C(4\text{-}NC_6H_4NO_2)CHPh)$, **235**, 1
symmetric or unsymmetric cleavage of the bridging system in $[M_2(\mu\text{-}C_6F_5)_2(C_6F_5)_4]^{2-}$ (M_2 = Pt_2, Pd_2 or PtPd) with 2,2′-bipyridine or 1,10-phenanthroline. Molecular structure of $[PPN]_2[(C_6F_5)_3Pt(\mu\text{-bpy})Pt(C_6F_5)_3]$ and $[NBu_4][Pt(C_6F_5)_3(phen)]$, **235**, 51
acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99
steric constraints and addition reactions in platinum(II) complexes containing 2,9-dimethyl-1,10-phenanthroline (Me_2-phen). X-ray crystal structures of $[PtBr_2(Me_2\text{-phen})]$ and $[PtI_2(Me_2\text{-phen})]$, **235**, 205
direct evidence for a rate determining chelate ring closure mechanism in the reaction of a platinum(II) complex with bidentate nitrogen ligands, **235**, 281
syntheses and structures of dicyanobis(oxazolidin-2-ylidene)-palladium(II) and platinum(II) complexes, **235**, 299
a strongly fluorescent organoplatinum complex, **235**, 307
stabilization and reaction behaviour of a terminal phosphido unit on a mononuclear Pt(II) centre. Synthesis and X-ray structure of a cationic diphenylphosphine complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(PHPh_2)][OSO_2CF_3]$ and a diphenylphosphido-bridged Pt(II)/Pd(II) complex $[Pt\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}(\mu\text{-}PPh_2)Pd(C_6H_4CH_2NMe_2\text{-}2)(H_2O)][BF_4]\cdot CH_2Cl_2$, **235**, 327
reactions and electrochemical behaviour of dithiocarbene complexes of platinum(II), **235**, 397
synthesis of *trans*-bis(glycinehydroxamato)platinum(II) hydrate and *trans*-dichlorobis(glycylglycine)platinum(II) dihydrate and the crystal and molecular structures of *trans*-dichlorobis-(glycine)platinum(II) dihydrate and *trans,trans*-dichlorobis-(glycinato)platinum(IV), hydrolysis products formed in reactions of the former complexes, **237**, 71
X-ray crystal structure of (2,2′-bipyridine)(6,7-dihydro-5*H*-1,4-dithiepin-2,3-dithiolate) platinum(II), **237**, 177
origin and fine tuning of the stability of five-coordinated platinum(II) and palladium(II) species. A quantum-mechanical study, **238**, 159
coordinatively saturated Pt(II) complexes as potential precursors of organometallic polymers, **239**, 61
cationic diamineplatinum(II) complexes of nalidixic acid, **239**, 133
the synthesis and characterization of dinuclear platinum complexes bridged by the 4,4′-dipyrazolylmethane ligand, **240**, 13
conformational changes in d(TpG) and 5′GTP induced by monofunctional binding of $[PtCl(NH_3)_3]Cl$ and [PtCl(dien)] are small, **240**, 25
structure, physical, chemical and photophysical properties of Pt(bph)$(CO)_2$, where bph is the biphenyl dianion, **240**, 41
ion-pair mechanism in square planar substitution. Reactivity of cationic platinum(II) complexes with negatively charged nucleophiles in solvents of high, medium and low polarity, **240**, 81
synthesis and structure determination of some platinum(II) complexes with hydrophilic carboxylated tertiary phosphine ligands, **240**, 145
chemistry in environmentally benign media Part 1. Synthesis and characterization of 1,2-bis[bis(hydroxymethyl)phosphino]ethane ('HMPE'). X-ray structure of $[Pt\{(HOH_2C)_2PCH_2CH_2P(CH_2OH)_2\}_2](Cl)_2$, **240**, 367
solvent extraction of divalent palladium and platinum from aqueous solutions of their chloro complexes using an *N,N*-dimethyldithiocarbamoylethoxy substituted calix[4]arene, **240**, 441
reactions of the haloalcohols $HO(CH_2)_nCl$ (n = 2, 3) with platinum(II) alkynyl and alkyne complexes. X-ray crystal structure of

trans-[Pt(Me){C(OCH_2CH_2Cl)(CH_2Ph)}(PPh_3)$_2$][BF_4], **240**, 567
Platinum derivatives
organometallic phosphazenes: synthesis and characterization of Pt(II) and Pt(0) cinnammonitrile cyclophosphazene derivatives, **229**, 13
Platinum(IV) complexes
synthesis, structure and reactivity of stable dianionic organometallic complexes of Pt(IV). Crystal structure of $PEtPh_3$ *cis*-Pt(C_6F_5)$_2Cl_4$ and NBu_4 *mer*-Pt(C_6F_5)$_2Cl_3$- (NH_2-*p*-$C_6H_4CH_3$), **229**, 291
Platinum-substituted thiourea complexes
hydrophilic platinum complexes of *N*-2-hydroxyethyl- and *N*,*N*-di(2-hydroxyethyl)-*N'*-benzoylthiourea ligands. Crystal and molecular structure of *N*,*N*-di(2-hydroxyethyl)- *N'*-benzoylthiourea, **232**, 109
^{31}P NMR spectroscopy
synthesis and characterization of the polyoxothioanion α-[$PW_{11}NbSO_{39}$]$^{4-}$ derived from the Keggin structure, **239**, 39
Polarography
mercury(II)-promoted formation and aquation of linkage isomers of *trans*-dicyanotetraamminechromium(III). A polarographic and spectral study, **228**, 153
Polyacrylic acid complexes
spectroscopic study of ion binding in synthetic polyelectrolytes using lanthanide ions, **239**, 139
Polyamine cage complexes
anion recognition by a dicopper(II) cryptate, **238**, 5
Polyamine ligand complexes
a ^{1}H NMR study of the complex of cobalt(II) with 2,5,8,11-tetramethyl-2,5,8,11-tetraazadodecane in aerated aqueous solutions, **235**, 5
Polyaminocarboxylate complexes
coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311
Polyanion complexes
oxomolybdenum(V) polyanion clusters. Hydrothermal syntheses and structures of
(NH_4)$_5Na_4${Na[Mo_6O_{12}(OH)$_3$($O_3PC_6H_5$)$_4$)]$_2$}·$6H_2O$ and
($C_6H_5CH_2NMe_3$)$_4K_4${K_2[Mo_6O_{12}(OH)$_3$($O_3PC_6H_5$)$_4$]$_2$}·$10H_2O$ and their relationship to the binuclear
(Et_4N)[$Mo_2O_4Cl_3$(H_2O)$_3$]·$5H_2O$, **235**, 135
Polydentate amine complexes
pressure effects on the rates of Hg^{2+}-assisted chloride release from some [CrCl(diamine)(triamine)]$^{2+}$ complexes, **230**, 29
^{1}H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes, **232**, 91
electrospray mass spectrometry and X-ray crystallography studies of divalent metal ion complexes of tris(2-pyridylmethyl)amine, **239**, 29
Polydentate aminopolypicolyl ligand complexes
chiral metal complexes 43. Cobalt(III) complexes of novel asymmetric tetradentate and pentadentate aminopolypicolyl ligands, **233**, 79
Polydentate complexes
binuclear structure in the ammonium salt of gadolinium(III) diethylenetriaminepentaacetate, (NH_4)$_4$[Gd_2(DTPA)$_2$]·$6H_2O$, **232**, 203
Polydentate ligand complexes
an X-ray crystallographic study on the molecular structures of seven-coordinate (ethylenediamine-*N*,*N*,*N'*-triacetato-*N'*-acetic acid)(aqua)-titanium(III) and -vanadium(III), [Ti^{III}(H-edta)(H_2O)]·H_2O and [V^{III}(Hedta)(H_2O)]·H_2O, **228**, 165
synthesis and structure of Cu_2(EBPYT)$_3$(PF_6)$_{2n}$ (where EBPYT*N*,*N'*-ethylenebis(pyridin-2-thione)); a novel polymeric complex containing 4-, 18- and 36-membered rings, **229**, 77
transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties, **229**, 195
the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N'*))palladium(II)): a 'molecular tricorn', **230**, 225
chiral metal complexes 41. Stereoisomerism in palladium(II) complexes of a series of chiral bis-picolyl N_4-tetradentate ligands, **231**, 73
manganese(II) complex of the 'tripod' ligand tris(2-benzimidazolylmethyl)amine. Five-coordinate and six-coordinate Mn(II) in the crystal structure, **231**, 109
synthesis and molecular structure of chloro(3-thiapentane- 1,5-dithiolato)oxorhenium(V), **231**, 233
syntheses, spectroscopic and magnetic properties and X-ray crystal structure of two dinuclear copper(II) compounds with the ligand N^3-salicyloylpyridine-2-carboxamidrazonato, **234**, 87
lanthanide complexes with tetrahydrofuran-2,3,4,5-tetracarboxylic acid: the effect of ligand rigidity on cation size-selectivity, **236**, 67
the favored uns-*cis* geometry in octahedral nickel(II) complexes containing linear tetradentate edda-type ligands forming six-membered rings. Crystal structure of uns-*cis*-[Ni(1,3-pdda)(H_2O)$_2$], **237**, 151
Poly(dialkylbipyridine) complexes
new copper complex with π-conjugated electrically conductive polymer chelating ligand, poly(6,6'-dialkyl-2,2'-bipyridine-5,5'-diyl). Preparation and optical and electrochemical properties of the complex, **238**, 9
Polyelectrolyte complexes
spectroscopic study of ion binding in synthetic polyelectrolytes using lanthanide ions, **239**, 139
Polyfunctional ligand complexes
characterization of the isocyanurate complexes M(cyan-*N*)-(H_2O)$_5$(cyan-*N*)·$2H_2O$ (MNi, Co, Mn) compounds that form molecular ribbons in the solid state, **229**, 135
Polyhydride complexes
synthesis and reactivity of ReH_7($AsPh_3$)$_2$, **236**, 63
the ReH_6[$P(C_6H_5)_3$]$_2^-$ ion as a ligand: complexes with M(CO)$_3$ fragments (M=Cr, Mo, W), **240**, 33
Polyimine complexes
an organometallic polyimine copolymer prepared from {η^6-1,4-bis(CHO)C_6H_4}Cr(CO)$_3$ and 1,3-phenylenediamine, **232**, 223
Polymer chelating ligand complexes
new copper complex with π-conjugated electrically conductive polymer chelating ligand, poly(6,6'-dialkyl-2,2'-bipyridine-5,5'-diyl). Preparation and optical and electrochemical properties of the complex, **238**, 9
Polymeric chlorocadmates
synthesis, thermal and electrical characterization of 2-methylpentane-1,5-diammonium tetrachlorocadmate(II) with perovskite-like structure, **233**, 85
Polymeric complexes
synthesis and structure of Cu_2(EBPYT)$_3$(PF_6)$_{2n}$ (where EBPYT*N*,*N'*-ethylenebis(pyridin-2-thione)); a novel polymeric complex containing 4-, 18- and 36-membered rings, **229**, 77
one-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N*,*N'*-dimethylpiperazinium compounds: synthesis, structural and thermal properties, **230**, 59
crystal and molecular structure of polymeric [$MnCl_2$(bpy)]$_n$, **230**, 169
synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen, **230**, 219
4-amino-3-methyl-1,2,4-Δ^2-triazoline-5-thione: an example of thione–thiol tautomerism and stabilization of Cu(I) and Au(I) complexes, **235**, 37
Polymerisable complexes
cobalt(II) and iron(III) complexes with 2-(acetoacetoxy)ethylmethacrylate: potential precursors of hybrid catalysts, **233**, 65
Polymerisation

synthesis, structure and solid-state polymerisation of dimethyl(propynoato)thallium, **229**, 323
the synthesis and reactivity of electrophilic iridium(III) complexes containing bis(diphenylphosphino)ethane, **240**, 135
Polymetallic catalysts
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205
Polymolybdodiphosphate complexes
synthesis and characterization of 15-molybdodiphosphate, **236**, 167
Polynuclear complexes
magnetic studies on the μ-oxalato nickel(II) dimers with an $[NiN_4O_2]$ environment. Crystal structure of (μ-ox)-$[Ni(323\text{-tet})]_2(ClO_4)_2 \cdot 2H_2O$ (323-tet = *N,N'*-bis(3-aminopropyl)-1,2-ethanediamine), **232**, 151
electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
a dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-}O)(\mu\text{-}O)_3(H_2O)_5)(\mu\text{-}OH)_2\}_4](CH_3C_6H_4SO_3)_8 \cdot 41H_2O$, **237**, 1
magnetic and spectroscopic properties of a series of linear homo- and heterotrinuclear metal compounds with asymmetric 3,4-disubstituted 1,2,4-triazoles as ligands, **239**, 5
Polyoxothiotungstate
synthesis and characterization of the polyoxothioanion α-$[PW_{11}NbSO_{39}]^{4-}$ derived from the Keggin structure, **239**, 39
Polyphenylene polymer
heterogenized polymetallic catalysts Part II. Oxidation of 3,5-di-t-butylphenol by Cu(II), Fe(III) and Pd(II) complexed to a polyphenylene polymer containing β-di- and triketone surface ligands; an improved catalyst system, **240**, 205
Polypyridine complexes
a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35
Polypyridyl complexes
syntheses, spectra and crystal structures of ruthenium(II) complexes with polypyridyl: $[Ru(bipy)_2(phen)](ClO_4)_2 \cdot H_2O$ and $[Ru(bipy)_2(Me\text{-}phen)](ClO_4)_2$, **240**, 5
Poly(pyrrole)
growth of thin processable films of poly(pyrrole) using phosphomolybdate clusters, **240**, 447
Polytungstate complexes
synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: $[SiW_{11}O_{39}RuL]^{n-}$, L = H_2O, NO, N_2, **231**, 237
Porphyrazine complexes
nickel(II) and copper(II) complexes of mixed benzene–triazolehemiporphyrazines, **230**, 153
Porphyrin
a spectroelectrochemical and photochemical investigation of photoinduced electron transfer reaction between Mg(II) porphyrin and viologen, **228**, 243
Porphyrin complexes
synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)$(Me)_2$ (TPP = 5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product $[Hf(TPP)]_2(\mu\text{-}O)(\mu\text{-}OH)_2$, **228**, 233
a model for the 'shuttling ligand' of cytochrome *c* oxidase. The synthesis and spectroscopic characterization of allyl–Fe(TPP) and Cp–Fe(TPP), **229**, 9
preparation and crystal structure of *trans*-dihydroxo-[tetrakis(2,6-dichlorophenyl)porphinato]ruthenium(IV) · 2toluene, **240**, 657
Potentiometry
competition between the terminal amino and imidazole nitrogen donors for coordination to Ni(II) ions in oligopeptides, **231**, 7
Pressure effect
pressure effects on the rates of Hg^{2+}-assisted chloride release from some $[CrCl(diamine)(triamine)]^{2+}$ complexes, **230**, 29
Primary amine complexes
cyclopalladation of secondary and primary benzylamines, **233**, 91
Protein complexes
rationalization of the reduction potentials within the series of the high potential iron–sulfur proteins, **240**, 251
Protoheme monomethyl ester
the chelation of monochelated protoheme, **231**, 121
Protonated ethylenediamine complexes
molecular structures of Fe(II) complexes with mono- and di-protonated ethylenediamine-*N,N,N',N'*-tetraacetate (Hedta and H_2edta), as determined by X-ray crystal analyses, **230**, 119
Protonated ligand complexes
coordination compounds of a didentate pyrazole-containing ligand. Spectroscopic analyses and crystal structures of bis-[chloro-μ-chloro-{*N,N'*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)-ethylamine}nickel(II)] and [trichloro-{*N*-(2-(3,5-dimethyl-1-pyrazolyl)ethyl)hydro-ethylammonium}-copper(II)], **235**, 127
Protonation constants
^1H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes, **232**, 91
Proton complexes
weak forces in the thermodynamic stereoselectivity of proton and copper(II) complexes with diastereoisomeric dipeptides containing aromatic side chains, **228**, 119
Proton NMR spectroscopy
conformational characterization of square planar nickel(II) tetraaza macrocyclic complexes by proton NMR. Crystal structure of $[Ni(13aneN_4)]ZnCl_4$, **230**, 19
Proton NMR study
a ^1H NMR study of the complex of cobalt(II) with 2,5,8,11-tetramethyl-2,5,8,11-tetraazadodecane in aerated aqueous solutions, **235**, 5
Protoporphyrin-IX
a comparison of the magnetic and crystal field properties of protoporphyrin-IX, hemeoctapeptide and heme proteins, **238**, 99
Pyrazole
formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere, **236**, 163
Pyrazolylborate complexes
substituent effects on the spin equilibrium in iron(II) pyrazolylborate complexes, **231**, 221
Pyrazolyl complexes
the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N,N'*))palladium(II)): a 'molecular tricorn', **230**, 225
Pyridine base complexes
complex formation of copper(II) acetate with pyridine bases in anhydrous acetic acid, **238**, 83
Pyridine complexes
an X-ray diffraction study on the structure of solvated manganese(II) ion and manganese(II) complexes with pyridine, 3-methylpyridine and 4-methylpyridine in *N,N*-dimethylformamide, **228**, 255
synthesis and identification of pentachloropyridinemolybdate(III) and pentabromopyridinemolybdate(III): crystal structures of $NH_2(CH_3)_{22}MopyCl_5$ and $N(CH_3)_{42}MopyCl_5$ (pypyridine), **229**, 421
experimental and theoretical study of a paradigm Jahn–Teller molecule, all-*trans*-$CrCl_2(H_2O)_2(pyridine)_2$, and the related *trans*-$CrCl_2(pyridine)_4 \cdot acetone$, **235**, 21

equilibrium and kinetic studies on the displacement of pyridine by chloride ion in pyridine[2,6-bis(methylthiomethyl)pyridine]- palladium(II) perchlorate, **235**, 29
Pyridine-*N*-oxide complexes
an X-ray determination of the electron distribution in crystals of hexapyridine-*N*-oxide cobalt(II) perchlorate and the electronic structure of the Co^2 ion, **229**, 407
kinetics and mechanism of CO substitution of $[\eta^5$-$CpFe(CO)_3]PF_6$ with PPh_3 in the presence of substituted pyridine *N*-oxide, **240**, 153
Pyridine *N*-oxide ligand complexes
N-oxide-bridged complexes of cobalt(II) and nickel(II) with 2-acetylpyridine 1-oxide oxime (pxo). X-ray crystal structure of the dimeric complex $[Co(pxo)(CH_3OH)Cl_2]_2$, **238**, 197
Pyridine-substituted complexes
an X-ray diffraction study on the structure of solvated manganese(II) ion and manganese(II) complexes with pyridine, 3-methylpyridine and 4-methylpyridine in *N*,*N*-dimethylformamide, **228**, 255
2-Pyridyl ketone oxime complexes
the synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers, **238**, 149
Pyridylphosphine complexes
synthesis, reactivity and structure of $[Ir_4(\mu$-$CO)_3(CO)_5(\mu$-$PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
2-Pyridylphosphine complexes
nickel(II) and nickel(0) complexes containing 2-pyridylphosphine ligands, including water-soluble species, **235**, 291
α-Pyrrolidone complexes
reaction of an α-pyrrolidonate-bridged *cis*-diammineplatinum(II) dimer with molecular oxygen and its application to the catalytic O_2 oxidation of hydroquinone, **234**, 157

Quadruple bond complexes
calixarene complexes of the molybdenum–molybdenum quadruple bond, **229**, 5
preparation and characterization of dirhenium complex anions of the type Re_2Cl_7(dithioether) with Re–Re quadruple bonds, **229**, 241
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551
Quantum-mechanical study
origin and fine tuning of the stability of five-coordinated platinum(II) and palladium(II) species. A quantum-mechanical study, **238**, 159
Quinolinolinato complexes
crystal structures and reversible thermal isomerization of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)-nitrosylruthenium(II), **238**, 89
Quinone complexes
a new procedure to synthesize *cis*-$[Ru(NH_3)_4L_2]^{n+}$ species containing ruthenium(II) or ruthenium(III) using tetrammino (3,4-diolatobenzoato)ruthenium(II) as precursor, **235**, 427
Quinone substituents
homoleptic Fe(II) complexes of new 2,2′:6′,2″-terpyridine ligands with 4′-*p*-hydroquinonyl or 4′-*p*-quinonyl pendants, **239**, 1

Radiopharmaceuticals
N,*N*′-bis(2-mercaptoethyl)ethylenediamine-*N*,*N*′-diacetic acid; an effective ligand for indium(III), **228**, 77
Reactant–separation distance
electron transfer reaction between tris(β-diketonato)- ruthenium(II)–(III) complexes, **236**, 37
Reaction volume
reaction volume for the reaction of the hexaaquairon(III) ion with 4-isopropyltropolone in acidic aqueous solution, **232**, 157
Reduction
structural studies on products of reduction of a nitro-$Ni_1C_3N_2$-metallocene, **240**, 191
Reduction potentials
rationalization of the reduction potentials within the series of the high potential iron–sulfur proteins, **240**, 251
Regioisomerism
regioisomerism displayed by the 6-chloro-2-oxopyridinate complexes of Ru_2^{4+} and Ru_2, **236**, 55
Relaxation models
^{1}H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115
Remote shielding
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
Restriction enzymes
polymetallic hydrolytic zinc enzymes. Probing the site of nuclease P1 through cobalt(II) substitution, **234**, 9
Reversed-phase chromatography
peculiar reversed-phase HPLC behaviour of cationic alkylcobalt(III) complexes holding a tridentate Schiff base ligand, **240**, 665
Reversible adsorption
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Reversible CO coordination
synthesis, reactivity and structure of $[Ir_4(\mu$-$CO)_3(CO)_5(\mu$-$PPh_2pyl)(PPh_2pyl)_2]$, **232**, 207
Rhenium clusters
carbonyl ligand substitution at rhodium in the heterometallic cluster $[PPN]_2[Re_7C(CO)_{21}Rh(CO)_2]$. A reactivity comparison with mononuclear $(\eta^5$-$C_5H_5)Rh(CO)_2$ and related compounds, **240**, 615
Rhenium complexes
synthesis and crystal structure of the unique chiral anion $Re_2Cl_7PBzMePh$ and the direct determination of its δ-bond energy by molecular modelling, **229**, 95
reactions of monodentate tertiary phosphines with the dirhenium(II) alkyne complexes $Re_2Cl_3(\mu$-$dppm)_2(CO)$- $(\eta^2$-RCCH)X (XPF_6 or O_3SCF_3) to form ylides, **229**, 105
preparation and characterization of dirhenium complex anions of the type Re_2Cl_7(dithioether) with Re–Re quadruple bonds, **229**, 241
CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and $Re_2(CO)_8(\mu$-H)$(\mu$-η^1,η^2-C≡CPh), **230**, 45
high oxidation state rhenium complexes with the hydridotris(1-pyrazolyl)borato-oxorhenium(V) core. Crystal and molecular structures of $[HB(pz)_3ReO(HNNC_8H_5N_2)]$ and $[HB(pz)_3ReO(2$-$SC_5H_3N)]$, **231**, 13
synthesis and molecular structure of chloro(3-thiapentane- 1,5-dithiolato)oxorhenium(V), **231**, 233
mixed-ligand complexes of rhenium VII. Synthesis, characterization and X-ray crystal structure of bis(diethyldithiocarbamato)(dimethylphenylphosphine)-(triphenylborylimido)rhenium(V), $[Re(NBPh_3)(Me_2PhP)(Et_2dtc)_2]$, **231**, 245
one-pot synthesis of $CpRe(CO)_2H_2$ and *trans*-$CpRe(CO)_2(SnPh_3)_2$ from *cis*- and *trans*-$CpRe(CO)_2Br_2$ and Ph_3SnH. Involvement of a radical-chain sequence in the formation of $CpRe(CO)_2H_2$, **232**, 57
synthesis and characterization of isocyanide containing rhenium(III) complexes *trans*-$[ReCl_3(CNR)(PPh_3)_2]$ and crystal structure of *trans*-$[ReCl_3(CN$-t-$C_4H_9)(PPh_3)_2]$, **232**, 235
crystallographic disorder of the M_2 units in $[M_2Cl_8]^{n-}$ (M = Mo, Re) compounds, **234**, 115
the reactions of dirhenium complexes with tris(diphenylphosphino)methane. The conversion of the dirhenium(III) complex *cis*-$Re_2(O_2CCH_3)_2Cl_4(py)_2$ to mononuclear *trans*-$ReCl_2[\eta^2$-$HC(PPh_2)_3]_2$, **235**, 421
synthesis and reactivity of $ReH_7(AsPh_3)_2$, **236**, 63
^{1}H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles, **237**, 13

the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169
preparation and characterization of a new rhenium(V) complex containing the 3-diphenylphosphinopropionylglycyl-*L*-(*S*-benzyl)-cysteinyl methyl ester ligand, **240**, 291
olefin versus sulfur coordination of benzo[*b*]thiophene (BT) in $Cp(CO)_2Re(\eta^2\text{:}\eta^6\text{-}\mu_2\text{-BT})Cr(CO)_3$, **240**, 393
fluoro–hydrido–oxo and other fluoro–oxo complexes of rhenium(V) containing a triphosphine ligand, **240**, 435
high resolution spectroscopy of the lowest excited state in Re^I tetracarbonyl complexes, **240**, 453
synthesis and reactions of trigonal-bipyramidal rhenium and technetium complexes with a tripodal, tetradentate NS_3 ligand, **240**, 465
insertion of isocyanides into Re–C bonds, **240**, 495

Rhenium-modified azurin
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169

Rhenium–rhenium multiple bonds
the reactions of dirhenium complexes with tris(diphenylphosphino)methane. The conversion of the dirhenium(III) complex *cis*-$Re_2(O_2CCH_3)_2Cl_4(py)_2$ to mononuclear *trans*-$ReCl_2[\eta^2\text{-}HC(PPh_2)_3]_2$, **235**, 421

Rhenium synthons
mixed-ligand rhenium(V) oxo monomers with triphenylphosphine oxide and lopsided and symmetrical heterocyclic ligands. Putative intermediates in rhenium(V) oxo synthetic chemistry, **240**, 413

Rheumatoid arthritis
gold binding sites in red blood cells, **229**, 271

^{103}Rh NMR spectroscopy
the rhodium(III) trisacetonitrile complexes: a re-investigation of the synthesis of *fac*- and *mer*-$[RhCl_3(CH_3CN)_3]$, their characterization by 2D NMR spectroscopy and the X-ray crystal structure of *mer*-$[RhCl_3(CH_3CN)_3]\cdot CH_3CN$, **240**, 575

Rhodanine complexes
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)-2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129

Rhodium clusters
carbonyl ligand substitution at rhodium in the heterometallic cluster $[PPN]_2[Re_7C(CO)_{21}Rh(CO)_2]$. A reactivity comparison with mononuclear $(\eta^5\text{-}C_5H_5)Rh(CO)_2$ and related compounds, **240**, 615

Rhodium complexes
platinum–rhodium A-frame and double A-frame complexes bridged by bis(diphenylphosphino)methane ligands, **228**, 73
conformational diversity in the solid state structures of $Rh_2(\mu\text{-}CH_3N(P(OCH_3)_2)_2)_2(CH_3N(P(OCH_3)_2)_2)_2X_2$ (XO_3SCF_3, $B(C_6H_5)_4$), **229**, 17
photochemical ligand rearrangement in dirhodium(II) compounds. Structure of $Rh_2(O_2CCH_3)_2(\eta^2\text{-}O_2CCH_3)(C_6H_4)PPh_2(\eta^2\text{-}PCCl)(PCClP(o\text{-}ClC_6H_4)Ph_2)$, **229**, 203
the ligand polyhedral model and its application to the fluxional behaviour of $M_4(CO)_{12n}$ (MCo, Rh, Ir; *n*1, 2, 4) clusters, **229**, 221
the effect of salt on selectivity in water soluble hydroformylation catalysts, **229**, 329
reaction of $Rh_2(\mu^2\text{-}O_2CCH_3)_3\mu^2\text{-}(C_6H_4)PMePh(HO_2CCH_3)_2$ with triphenylphosphine: rearrangement of the metalated $PMePh_2$ ligand and formation of a compound with a diphenylphosphinomethanide group in (P,C) coordination; crystal structure of $Rh_2(\mu^2\text{-}O_2CCH_3)_2\mu^2\text{-}(CH_2)PPh_2\text{-}\mu^2\text{-}(C_6H_4)PPh_2(PPh_3)\cdot 2CH_2Cl_2$, **229**, 365
steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2)_5H_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes, **230**, 67
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173
organometallic chemistry of diphosphazanes. Rhodium(I) complexes of $RN(PX_2)_2$ (R = C_6H_5; X = OC_6H_5, $OC_6H_4Br\text{-}p$, R = CH_3; X = OC_6H_5), **230**, 245
orthometalation of 6-amino-1,3-dimethyl-5-phenylazouracil: crystal structure and spectroscopic properties of *trans*-$[Rh^{III}Cl_2(L)(H_2O)]\cdot 3H_2O$, **231**, 103
synthesis and characterisation of *trans*-$[RhCl_2(OH_2)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$; factors influencing the Rh–O bond length in rhodium–aqua complexes, **231**, 207
rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of $RhCl(C_8H_{12})(C_7N_2H_{12})$ and $[Rh(C_8H_{12})(C_7N_2H_{10})][Rh(C_8H_{12})Cl_2]$, **232**, 9
dinuclear Rh(II) complexes in styrene hydroformylation. Enhancement of catalytic activity through orthometalation, **233**, 161
structural characterization of two solid state forms of the complex bis[1,1′-bis(diphenylphosphino)ferrocene] rhodium(I) tetraphenylborate, **233**, 165
first structural confirmation of different geometrical isomers in the same crystal lattice: the crystal structure of benzoylacetonatocarbonyltriphenylphosphinerhodium(I), **234**, 153
reactions of Rh– and Ir–bis(iminophosphoranyl)methanide compounds with electrophiles; a trapped cation–anion complex in the oxidative addition of iodine to a d^8 metal centre and X-ray crystal structure of $[IrI\{CH(PPh_2{=}N\text{–}C_6H_4\text{–}CH_3\text{-}4)_2\}(COD)]I$, containing two fused four-membered metallacycles, **235**, 77
carbon monoxide substitution of anionic and neutral $(\eta^5$-dicarbollyl)-$Rh(CO)_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to $(\eta^5\text{-}C_5H_5)Rh(CO)_2$, **235**, 89
synthetic methodologies for tripodal phosphines. The preparation of $MeSi(CH_2PPh_2)_3$ and n-$BuSn(CH_2PPh_2)_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of $[Rh(NBD)\{n\text{-}BuSn(CH_2PPh_2)_3\}](OTf)$ and $[Rh(NBD)\{MeSi(CH_2PPh_2)_3\}](OTf)$, **235**, 215
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253
synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres, **236**, 141
unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure, **237**, 19
catalytic reactions of formate 4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution, **237**, 65
synthesis and some properties of T-cage type $Co^{III}_4Hg^{II}_4$ and $Rh^{III}_4Hg^{II}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19
molecular complex design: bridging the tetrakiscarboxylatodirhodium core, **239**, 25
hetero-polynuclear complexes containing bridging diphenylphosphino-alkenes and -alkynes. The crystal structure of an $Rh_2\{\mu\text{-}\eta^1\text{:}\eta^2\text{-}P(Ph_2)(CH_2)_3C{\equiv}CR\}Co_2$ complex, **240**, 323
model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347

application of the non-isothermal approach to the kinetics of organometallic reactions: the substitution of (η^5-pentamethylcyclopentadienyl)dicarbonylrhodium(I), **240**, 427

chemistry of tris(2,4,6-trimethoxyphenyl)phosphine with rhodium(I) and iridium(I) olefin complexes, **240**, 527

cofacial and antarafacial indenyl bimetallic isomers: a descriptive MO picture and implications for the indenyl effect on ligand substitution reactions, **240**, 541

the rhodium(III) trisacetonitrile complexes: a re-investigation of the synthesis of *fac*- and *mer*-$[RhCl_3(CH_3CN)_3]$, their characterization by 2D NMR spectroscopy and the X-ray crystal structure of *mer*-$[RhCl_3(CH_3CN)_3]\cdot CH_3CN$, **240**, 575

ligand-mediated metal–metal interactions in (η^5:η^5-fulvalene)-bis(dicarbonylcobalt) and rhodium complexes, **240**, 623

rhodium(I) complexes of the type $[Tp^{3R,5R}Rh(LL)]$ (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of $Tp^{CF_3,Me}Rh(CO)_2$, **240**, 631

Rhodoxime complexes

synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres, **236**, 141

Rhombicity

reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143

Riboflavin

acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313

Ribose complexes

the coordination of 5′-derivatives of adenosine to vanadate, **238**, 155

Ring slippage

carbon monoxide substitution of anionic and neutral (η^5-dicarbollyl)-$Rh(CO)_2$ with phosphines and phosphites: a kinetic and mechanistic study of ring slippage as compared to (η^5-C_5H_5)$Rh(CO)_2$, **235**, 89

Ruthenium cluster

the preparation, characterisation and low temperature X-ray structure of $Ru_6(\eta^2$-μ_4-$CO)_2(CO)_{13}(\eta^6$-$C_6Me_6)$, **240**, 29

Ruthenium complexes

a systematic method of promoting an aryl fluoride to coordinate to ruthenium(II), **228**, 127

preparation and structural characterization of bis(acetylacetonato)ruthenium(II)–BINAP: an efficient route to an effective asymmetric hydrogenation catalyst precursor, **228**, 159

synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267

an asymmetric homodinuclear complex containing the μ-oxo-bis(μ-carboxylato)diruthenium(III) core: X-ray structure of $Ru_2O(O_2CC_6H_4$-*p*-$OMe)_3(en)(PPh_3)_2(ClO_4)\cdot 3CHCl_3$, **229**, 33

neutral and anionic halide complexes of ruthenium(IV), **229**, 87

hindered rotation about single bonds in $RuHX(CO)(P^tBu_2Me)_2$ and $IrHCl_2(P^tBu_2Me)_2$, **229**, 187

a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35

η^2 and η^4 olefin complexation by *S*,*S*-$[Ru^{II}(Me_2edda)]$: a structural change to accommodate bidentate dienes, **230**, 77

ruthenium complexes containing tertiary phosphines and imidazole or 2,2′-bipyridine ligands, **230**, 111

reactivity of cationic carbonyl/phosphine ruthenium(II) compounds, **230**, 193

mer-$[Ru(terpy)Cl_3]$ (terpy = 2,2′:6′,2″-terpyridine) shows biological activity, forms interstrand cross-links in DNA and binds two guanine derivatives in a *trans* configuration, **231**, 57

preparation of *trans*-$RuH(\eta^1$-$BH_4)L$ (L = Me_6[15]$aneS_4$, Me_8[16]$aneS_4$) and oxidation in alcohols to give *trans*-$\{Ru(OR)_2$(*anti*-Me_8[16]$aneS_4)\}^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of Me_8[16]$aneS_4$, **231**, 95

synthesis and characterization of Cp*Ru(η^6-arene)$^+$ and Cp*Ru(η^6:η^6-diarene)$RuCp^{*2+}$ complexes, **231**, 133

reactions of $Ru(HC{=}CHR)Cl(CO)(PPh_3)_2$ with functionalized carboxylates. Crystal structure of $Ru(HC{=}CHPh)(O_2C$–$CH{=}CH$–$CH{=}CH$–$CH_3)(CO)(PPh_3)_2$, **231**, 181

the solid state structure of the cation bis[(1,3-dioxane- 2-ylmethyl)-diphenylphosphine-*P*;*O*′,*P*′]- (pentamethylcyclopentadienyl)-ruthenium(II), **231**, 201

synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: $[SiW_{11}O_{39}RuL]^{n-}$, L = H_2O, NO, N_2, **231**, 237

synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of $[(CO)_5Mn$–$Ru(Me)(CO)_2(\sigma(N),\sigma(N')$-iPr-PyCa)] (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine), **232**, 19

the nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of $[Ru_3O(O_2CCH_3)_6(OH_2)_3](ClO_4)\cdot 2H_2O$, **232**, 167

an electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)ruthenium(II): a potential building block for supramolecular systems, **232**, 217

oscillating luminescence in the Belousov–Zhabotinsky reaction catalyzed by $Ru(bpy)_3$, **233**, 21

synthesis of the tetrachlorobis(5-nitroimidazole)ruthenium(III) anion and solution chemistry in water and methanol, **233**, 33

spontaneous aquation reactions of a promising tumor inhibitor *trans*-imidazolium-tetrachlorobis(imidazole)ruthenium(III), *trans*-$HIm[RuCl_4(Im)_2]$, **233**, 59

electrospray and fast ion bombardment of mixed-valence polynuclear complexes based on $M^{II}(bpy)_2$ (M = Ru, Os) and $Ru^{III}(NH_3)_5$ units, **233**, 113

X-ray structure of dichloro[bis(2-diphenylphosphinoethyl)-phenylphosphine] (dimethyl sulfoxide)ruthenium(II), **233**, 145

9-9′-bifluorenylidene (BFD) complexes of ruthenium $[\{(\eta^5$-$C_5Me_5)Ru\}_n(BFD)]^x$ ($x = 0$, $n = 1$; $x = 1^+$, $n = 2$): EPR and spectroelectrochemical studies. X-ray structure of $[\{(\eta^5$-$C_5Me_5)Ru\}(BFD)](OSO_2CF_3)$, **234**, 1

electronic spectra and photochemistry of trichlorostannyl complexes of ruthenium(II) and osmium(II), **234**, 55

mechanistic aspects of Ru(BINAP)-catalysed asymmetric hydrogenation of vinylcarboxylic acid derivatives, **234**, 95

2,2′:6′,4″-terpyridine: a cyclometallating analogue of 2,2′:6′,2″-terpyridine for metallosupramolecular chemistry, **235**, 165

$Ph_3P{=}Se$ as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3$-$Se)(\mu$-$CO)(CO)_7(PPh_3)_2$, $M_3(\mu_3$-$Se)_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4$-$Se)_2(\mu$-$CO)_2(CO)_7(PPh_3)_2$, **235**, 173

synthetic methodologies for tripodal phosphines. The preparation of $MeSi(CH_2PPh_2)_3$ and n-$BuSn(CH_2PPh_2)_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of $[Rh(NBD)\{$n-BuSn-$(CH_2PPh_2)_3\}](OTf)$ and $[Rh(NBD)\{MeSi(CH_2PPh_2)_3\}](OTf)$, **235**, 215

solution structures and dynamics of $M_3(CO)_{12-x}(NCCH_3)_x$ (M = Ru, $x = 1, 2, 3$; M = Os, $x = 1, 2$), **235**, 357

the synthesis, molecular and crystal structure of the bis(arene) hexaruthenium carbido-carbonyl isomers $Ru_6C(CO)_{11}(C_6H_4Me_2$-1,3)($C_6H_5Me$), **235**, 413

a new procedure to synthesize *cis*-$[Ru(NH_3)_4L_2]^{n+}$ species containing ruthenium(II) or ruthenium(III) using tetrammino (3,4-diolatobenzoato)ruthenium(II) as precursor, **235**, 427
^{13}C NMR study of reorientational dynamics in $Ru_3(CO)_9(\mu_3\text{-}CO)(\mu_3\text{-}NPh)$. Relaxation time analysis in the non-motional narrowing regime, **236**, 1
diruthenium complexes with 5-methyl-7-phenyl-1,8-naphthyridin-2-one as an ambidentate bridging ligand, **236**, 13
electron transfer reaction between tris(β-diketonato)- ruthenium(II)–(III) complexes, **236**, 37
regioisomerism displayed by the 6-chloro-2-oxopyridinate complexes of Ru_2^{4+} and Ru_2, **236**, 55
oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to $[Ru(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$: X-ray structures of $[Ru(Cl)_2(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$ and $[Ru(NO)(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]$, **236**, 95
photooxidation of $Ru(bpy)(CN)_4^{2-}$ and $Ru(DMbpy)(CN)_4$, **236**, 173
syntheses, characterization, structure and redox behavior of *cis*-$[Ru(NO)X(bpy)(py)_2]^z$ (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes, **237**, 47
IR studies and hydrogenation catalytic activity of heterogeneous catalysts prepared by thermal treatments of a face-bridged triruthenium carbonyl cluster supported on silica and alumina, **237**, 103
remote shielding of the C≡N ligand for nuclear magnetic resonance of the $Ru(bpy)(CN)_4^{2-}$ and $Ru(bpy)_2(CN)_2$ complexes, **237**, 159
synthesis of the pentamethylcyclopentadienylruthenium dithiolate complex $Cp^*Ru(NO)(dmit)$. Electrochemical properties and extended Hückel molecular orbital calculations, **238**, 57
crystal structures and reversible thermal isomerization of three geometrical isomers of chlorobis(2-ethyl-8-quinolinolato)-nitrosylruthenium(II), **238**, 89
homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system, **238**, 187
crystal structures of *trans*-$[Ru(dppe)_2(CO)(Cl)](BF_4)\cdot 2(toluene)$ and *trans*-$[Ru(dppm)_2(CO)(Cl)](BF_4)\cdot CH_2Cl_2$: a study of the steric and electronic ligand effects of *trans*-positioned diphosphine ligands, **239**, 77
syntheses, spectra and crystal structures of ruthenium(II) complexes with polypyridyl: $[Ru(bipy)_2(phen)](ClO_4)_2\cdot H_2O$ and $[Ru(bipy)_2(Me\text{-}phen)](ClO_4)_2$, **240**, 5
the use of the borocaptate anion as a ligand. Synthesis and X-ray crystal structure of pentaammine(1-thiolato-*closo*-undecahydrododecaborane)ruthenium(III) dihydrate, **240**, 19
mixed-metal butterfly acetamidediato clusters derived from a highly reactive ruthenium oxo cluster: synthesis and characterization of $[(PPh_3)_2N][MRu_3(CO)_{12}(\eta^2\text{-}\mu_3\text{-}NC(\mu\text{-}O)CH_3)]$, (M = Mn or Re), **240**, 49
control of the migratory aptitudes of vinyl and aryl ligands in ruthenium(II) complexes, **240**, 263
alkene rotation in $[Ru(\eta^5\text{-}C_5H_5)(L_2)(\eta^2\text{-alkene})][CF_3SO_3]$ with L_2 = iPr- or *p*Tol-diazabutadiene. X-ray crystal structure of $[Ru(\eta^5\text{-}C_5H_5)(p\text{Tol-DAB})(\eta^2\text{-ethene})][CF_3SO_3]$, **240**, 273
selective recognition of metal complexes by macrocyclic ethers: further observations on the macrocycle size dependence and the first-sphere ligand composition dependence of recognition thermodynamics, **240**, 285
Mg^{2+}-activated double-stranded DNA cleavage by $[(bpy)_2(OH_2)Ru^{III}\text{-}O\text{-}Ru^{III}(H_2O)(bpy)_2]^{4+}$, **240**, 335
heterobimetallic chloro bridged complexes of $(\eta^3{:}\eta^3\text{-}C_{10}H_{16})$ ruthenium(IV) with palladium(II), platinum(II), rhodium(III), iridium(III), copper(I) and rhodium(I), **240**, 339
synthesis and reactivity of coordinatively unsaturated osmium and ruthenium stannyl complexes, **240**, 385
substitution kinetics of tetracarbonyl(η^2-alkene)ruthenium complexes: alkene = ethene and methyl acrylate, **240**, 399
the kinetics and energetics of formation of a molecular hydrogen complex involving a dinuclear ruthenium(II) centre, **240**, 419
photocatalyzed isomerization of 1-pentene by $Ru_3(CO)_{12}$ adsorbed onto porous Vycor glass, **240**, 645
preparation and crystal structure of *trans*-dihydroxo-[tetrakis(2,6-dichlorophenyl)porphinato]ruthenium(IV)·2toluene, **240**, 657

Salicylaldehyde acetylhydrazone complexes
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of $[\{Cu(HL)H_2O\}_2]\cdot 2(NO_3)$ and $[\{Cu(HL)(pyridine)(NO_3)\}_2]$, **236**, 101
Salicylaldehyde benzoylhydrazone complexes
hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of $[\{Cu(HL)H_2O\}_2SiF_6]\cdot 2H_2O$, **236**, 83
Salicylglycine complexes
synthesis and characterisation of copper(II), zinc(II) and cobalt(II) complexes of salicylglycine, a metabolite of aspirin, **230**, 209
Schiff base complexes
ferrocene containing chelating ligands 3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate, **231**, 45
barium complexes of Schiff base macrocycles incorporating a difurylpropane unit and bearing a pendant arm, **231**, 217
the reaction of the P_2N_2 Schiff base ligand en=P_2 with MI_2 salts and the reaction of the tetraiodine adduct of en=P_2 with unactivated coarse grain metal powders: a comparative study (en=P_2 = *N,N'*-bis[(*o*-diphenylphosphino)benzylidene]ethylene- diamine; M = Mn, Co and Ni), **232**, 145
spin crossover complexes of iron(III) with an N_4 tetradentate Schiff base ligand, **232**, 183
a caveat. Synthesis and structure of *N,N'*-propylenebis- (salicylideneiminato)nitrato[*O,O*]iron(III), **232**, 199
phenyl-substituted copper di-Schiff base, a potent Cu_2Zn_2 superoxide dismutase mimic surviving competitive biochelation, **233**, 11
transition metal complexes of quadridentate pyrazolo-based ligands with two thiolato and two imine donor atoms, **234**, 67
the 1:2 and 1:4 π–π type molecular adducts of bis(*N*-alkyl-2-oxy-4-(1-naphthoyloxy)benzaldiminato)copper(II) and 1,3,5-trinitrobenzene, **234**, 131
mono- and polynuclear Schiff base complexes derived from polyoxadiamines, **235**, 233
linear trinuclear copper(II) complexes derived from acyclic hexadentate Schiff base ligands, **235**, 273
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57
polymeric 1,7-dithenylidene-1,4,7-triazaheptane copper(II) chloride with extended linear structure, **237**, 123
peculiar reversed-phase HPLC behaviour of cationic alkylcobalt(III) complexes holding a tridentate Schiff base ligand, **240**, 665
Schiff bases
copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of $[\{Cu(HL)H_2O\}_2]\cdot 2(NO_3)$ and $[\{Cu(HL)(pyridine)(NO_3)\}_2]$, **236**, 101
s–d mixing
mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581
Secondary amine complexes
cyclopalladation of secondary and primary benzylamines, **233**, 91
Secondary ion mass spectrometry

SIMS methods in reactivity studies on metal oxides, **235**, 381
Selective sequences
studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies, **230**, 85
Selectivity
the effect of salt on selectivity in water soluble hydroformylation catalysts, **229**, 329
Selenate complexes
equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza- 10,22-dioxacyclotetracosane (OBISDIEN), **236**, 189
Selenite complexes
equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza- 10,22-dioxacyclotetracosane (OBISDIEN), **236**, 189
Selenium complexes
Ph_3P=Se as a convenient synthon for one-step syntheses of Ph_3P-substituted selenido carbonyl iron and ruthenium clusters. Crystal structures of $Fe_3(\mu_3\text{-Se})(\mu\text{-CO})(CO)_7(PPh_3)_2$, $M_3(\mu_3\text{-Se})_2(CO)_7(PPh_3)_2$ (M = Fe or Ru) and $Ru_4(\mu_4\text{-Se})_2(\mu\text{-CO})_2(CO)_7(PPh_3)_2$, **235**, 173
the coordination chemistry of cationic main group clusters: syntheses and structures of $[Fe_3(Se_2)_2(CO)_{10}]^{2+}$ and $[Fe_4(Se_2)_3(CO)_{12}]^{2+}$, **240**, 63
syntheses, structures and spectroscopy of new heteroselenometalates, **240**, 239
Semiconductive polymer complexes
new copper complex with π-conjugated electrically conductive polymer chelating ligand, poly(6,6′-dialkyl-2,2′-bipyridine-5,5′-diyl). Preparation and optical and electrochemical properties of the complex, **238**, 9
Seven-coordinate complexes
an X-ray crystallographic study on the molecular structures of seven-coordinate (ethylenediamine-*N*,*N*,*N*′-triacetato-*N*′-acetic acid)(aqua)-titanium(III) and -vanadium(III), $[Ti^{III}(H\text{-edta})(H_2O)]\cdot H_2O$ and $[V^{III}(Hedta)(H_2O)]\cdot H_2O$, **228**, 165
Siderophore models
dihydroxamic acid complexes of iron(III): ligand pK_a and coordinated water hydrolysis constants, **240**, 519
Silazanate complexes
preparation and characterization of a new series of Ti(III) hydroborates supported by silazanate ligands, **235**, 375
Silica gels
luminescence studies of cerium(III) incorporated in silica gels prepared using sol–gel methods, **233**, 71
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Silica-supported complexes
synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen, **230**, 219
Silicon compounds
the higher hydridospherosiloxanes: synthesis and structures of $H_nSi_nO_{1.5n}$ (*n*12, 14, 16, 18), **229**, 355
synthetic methodologies for tripodal phosphines. The preparation of $MeSi(CH_2PPh_2)_3$ and n-$BuSn(CH_2PPh_2)_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of $[Rh(NBD)\{n\text{-BuSn}(CH_2PPh_2)_3\}](OTf)$ and $[Rh(NBD)\{MeSi(CH_2PPh_2)_3\}](OTf)$, **235**, 215
Siloxane compounds
the higher hydridospherosiloxanes: synthesis and structures of $H_nSi_nO_{1.5n}$ (*n*12, 14, 16, 18), **229**, 355
Silver complexes
dinuclear gold(I) and silver(I) derivatives with bridging phosphines containing an imidazole ring; X-ray crystal structure of (1-benzyl-2-imidazolyl)diphenylphosphinegold(I)chloride, **229**, 299
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133
mixed metal complexes of Groups 10 and 11 elements. The structure and properties of $[M(mnt)_2\{Ag(PR_3)_2\}_2]$ (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate), **231**, 35
the synthesis and structure of two novel metal-di-2-pyridyl ketone oxime dimers, **238**, 149
Six-coordinate complexes
studies on the kinetics and mechanism of anation reactions of some six-coordinate complexes of chromium(III) in aqueous solution, **240**, 117
Six-membered ring complexes
synthesis and characterisation of the six-membered cyclopalladated complexes of 2-benzylbenzothiazole, **239**, 125
Small molecule activation
synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: $[SiW_{11}O_{39}RuL]^{n-}$, L = H_2O, NO, N_2, **231**, 237
S,N-ligand complexes
synthesis and structural characterization of ruthenium and osmium carbonyl clusters containing 4,6-dimethyl- pyrimidine-2-thione, **228**, 267
SOD activity
phenyl-substituted copper di-Schiff base, a potent Cu_2Zn_2 superoxide dismutase mimic surviving competitive biochelation, **233**, 11
Sodium complexes
preparation of *cis*-$MoI_4(Ph_2PCH_2CH_2PPh_2)$ and structure of $(THF)_3Na(\mu\text{-I})_3MoI(Ph_2PCH_2CH_2PPh_2)$ with a new coordination environment around sodium, **229**, 55
Sodium percarbonate
potassium dichromate–Adogen 464/sodium percarbonate in acetonitrile: a simple, effective, catalytic and inexpensive system for the oxidative cleavage of α-functionalized benzylic alcohols, **238**, 183
Sol–gel method
luminescence studies of cerium(III) incorporated in silica gels prepared using sol–gel methods, **233**, 71
Solid state nuclear magnetic resonance
studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies, **230**, 85
Solid state structures
the local structure of solid diorganotin(IV) complexes formed with carbohydrates by X-ray absorption spectroscopy, **230**, 105
Solution species
tetrakis (μ-difluoroacetato)dimolybdenum(II): solution chemistry and mass spectrum, **229**, 127
Sorption
sorption and coprecipitation of trace concentrations of thorium with various minerals under conditions simulating an acid uranium mill effluent environment, **229**, 247
Space groups
molecular and crystal structure of zirconium hydroborates, **231**, 175
Spectroelectrochemistry
a spectroelectrochemical and photochemical investigation of photoinduced electron transfer reaction between Mg(II) porphyrin and viologen, **228**, 243
metal–metal interaction in ligand-bridged dimolybdenum(0,0) and -(1,0) complexes with very small frontier orbital gaps: electrochemistry and spectroscopic properties of three neighboring oxidation states, **229**, 143
a comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes, **230**, 35

spectroscopic characterization of some unstable *ortho*-semiquinone and *ortho*-quinone complexes of Mn(I) by variable-temperature thin-layer spectroelectrochemistry at optically transparent electrodes, **232**, 99

study of the reactivity of Cd(II) with 4,6-dimethyl- 2-thiopyrimidine. Crystal structure of 4,6-dimethyl- 2-thiopyrimidinium trichlorocadmiatum(II), **232**, 139

an electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)ruthenium(II): a potential building block for supramolecular systems, **232**, 217

9-9′-bifluorenylidene (BFD) complexes of ruthenium $[\{(\eta^5\text{-}C_5Me_5)Ru\}_n(BFD)]^x$ ($x=0$, $n=1$; $x=1^+$, $n=2$): EPR and spectroelectrochemical studies. X-ray structure of $[\{(\eta^5\text{-}C_5Me_5)Ru\}(BFD)](OSO_2CF_3)$, **234**, 1

Spectroscopic properties

cyclophanes:metal:arene ternary compounds: synthesis, crystal structure and spectroscopic properties of Bi_2Br_6:[2,2]paracyclophane:pyrene, **237**, 169

magnetic and spectroscopic properties of a series of linear homo- and heterotrinuclear metal compounds with asymmetric 3,4-disubstituted 1,2,4-triazoles as ligands, **239**, 5

Spectroscopic study

ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43

iron octaphenyltetraazaporphyrins: synthesis and characterization of the five-coordinate complexes of iron(III) ($XFe^{III}OPTAP$; X = F, Cl, Br, I, HSO_4), **236**, 131

Spin crossover

substituent effects on the spin equilibrium in iron(II) pyrazolylborate complexes, **231**, 221

spin crossover complexes of iron(III) with an N_4 tetradentate Schiff base ligand, **232**, 183

Spin equilibrium

dynamics of cobalt(II) spin-equilibrium complexes, **235**, 245

Spin trapping

formation of the DMPO-OH adduct from Ti(IV) and DMPO in aqueous solution — the first ESR evidence, **234**, 169

Spirographis heme

electron paramagnetic resonance spectroscopy as a probe of coordination structure in green heme systems: iron chlorins and iron formylporphyrins reconstituted into myoglobin, **240**, 603

Spiro-ring formation

palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367

s–p mixing

mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581

Squarate complexes

barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of $[Ba(H_2O)_5][Cu(C_2O_4)_2(H_2O)]$ and $[Ba(C_4O_4)_{0.5}(H_2O)_2]_2[Cu(C_4O_4)_2(H_2O)_2]$, **230**, 1

Stability constants

N,*N*′-bis(2-mercaptoethyl)ethylenediamine-*N*,*N*′-diacetic acid; an effective ligand for indium(III), **228**, 77

stabilities of the 2-mercaptoethylamine complexes of trivalent metal ions and divalent metal ions in aqueous solution, **231**, 159

synthesis of *N*-hydroxybenzylethylenediamine-*N*,*N*′,*N*′-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **233**, 137

acid–base and metal ion-binding properties of 2′-deoxycytidine 5′-monophosphate ($dCMP^{2-}$) alone and coordinated to *cis*-diammine-platinum(II). Formation of mixed metal ion nucleotide complexes, **235**, 99

stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)- 1,4,7-triazacyclononane (TACN–TM) and molecular structure of $In(C_{12}H_{24}N_3S_3)$, **236**, 75

helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands, **236**, 185

stability constant variations of the divalent metal complexes of four bibracchial lariat ethers, **237**, 147

coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids, **237**, 187

acid–base and metal ion-binding properties of flavin mononucleotide (FMN^{2-}). Is a 'dielectric' effect responsible for the increased complex stability?, **240**, 313

Stannyl complexes

synthesis and reactivity of coordinatively unsaturated osmium and ruthenium stannyl complexes, **240**, 385

Staphylococcal nuclease

the binding of dinucleoside phosphonates in the active site of the metallo-enzyme, Staphylococcal nuclease: synthetic, solution and preliminary crystallographic studies, **229**, 425

Stereochemistry

the stereochemistry of Co(III)–amine complexes. The use of nOe and COSY ^1H NMR spectroscopy to determine structure in solution, **240**, 125

Stereognostic ligand complexes

stereognostic coordination chemistry 4 The design and synthesis of a selective uranyl ion complexant, **240**, 593

Stibocane complexes

on the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of $O(CH_2CH_2S)_2SbS_2P(OC_2H_5)_2$ and crystal and molecular structure of $(CH_2CH_2S)_2Sb\text{–}SCH_2CH_2OCH_2CH_2S\text{–}Sb(SCH_2CH_2)_2O$, a compound with two different eight-membered ring conformations, **236**, 31

Structural database

protein-bound iron–sulfur clusters: application of a structural database, **229**, 229

Structural studies

'layered hydrogenselenites' II. Synthesis, structure studies and magnetic properties of a novel series of bimetallic hydrogenselenites: $[Cu(HSeO_3)_2MCl_2(H_2O)_4]$, M(II) = Mn, Co, Ni, Cu, Zn, **238**, 15

Sub-ambient temperature studies

^1H NMR relaxation studies of molten salts containing ethylaluminum dichloride, **238**, 115

Substituted naphthyridine complexes

diruthenium complexes with 5-methyl-7-phenyl-1,8-naphthyridin-2-one as an ambidentate bridging ligand, **236**, 13

Substitution reactions

steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2)_5H_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes, **230**, 67

ion-pair mechanism in square planar substitution. Reactivity of cationic platinum(II) complexes with negatively charged nucleophiles in solvents of high, medium and low polarity, **240**, 81

application of the non-isothermal approach to the kinetics of organometallic reactions: the substitution of (η^5-pentamethylcyclopentadienyl)dicarbonylrhodium(I), **240**, 427

Sulfate complexes

preparation of anhydrous vanadium(II) sulfate compounds from aqueous solutions: the synthesis and characterization of $V(en)_3SO_4$, $V(bpy)_2SO_4$ and $V(py)_4SO_4$, **229**, 27

Sulfide complexes

high yield formation of $[Mo^{III}{}_4S_4(H_2O)_{12}]^{4+}$ by reaction of $[Mo^{IV}{}_3S_4(H_2O)_9]^{4+}$ with metallic lead, **232**, 171

Sulfonamide complexes

metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H_2ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H_2ats and the $[Cu(B\text{-}ats)(NH_3)_2]_2$ dimer complex, **232**, 117
Sulfur
reactions of (η^5-C_5Me_5)Ir(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61
Sulfur complexes
ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds, **232**, 43
rationalization of the reduction potentials within the series of the high potential iron–sulfur proteins, **240**, 251
Sulfur diimide complexes
carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N'*-tert-butyl sulfur diimide. Novel five-membered PNSNM metallacycles, **231**, 249
Sulfur dioxide
reactions of (η^5-C_5Me_5)Ir(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61
Sulfur dioxide complexes
kinetics and mechanisms of ligand substitution reactions of molybdenum SO_2 complexes. Synthesis and X-ray structure of *trans*-$Mo(CO)_2(dmpe)(PPh_3)(SO_2)$, **240**, 99
Sulfur donor ligand complexes
N,N'-bis(2-mercaptoethyl)ethylenediamine-*N,N'*-diacetic acid; an effective ligand for indium(III), **228**, 77
Sulfur ligand complexes
transition metal complexes with sulfur ligands CXI ☆. Skeletal rearrangement of 2,3-dibromo-1-propanol in the template alkylation of $[Ni('S_2C_6H_4')]^{2-}$ ($'S_2C_6H_4'^{2-}$ = 1,2-benzenedithiolate(2−)). Syntheses of [M('S_4-C_3OH')] complexes (M = Ni^{II}, Pt^{II}; 'S_4-$C_3OH'^{2-}$ = 1,3-bis(2-mercaptophenylthio)-2-propanol(2−)), **237**, 137
Superoxide complexes
reactivity of a novel Fe(III) carboxymethylenecyclam complex towards dioxygen and superoxide, **234**, 143
Supported metal complexes
IR studies and hydrogenation catalytic activity of heterogeneous catalysts prepared by thermal treatments of a face-bridged triruthenium carbonyl cluster supported on silica and alumina, **237**, 103
Supramolecular aggregation
characterization of the isocyanurate complexes M(cyan-*N*)-$(H_2O)_5$(cyan-*N*)·$2H_2O$ (MNi, Co, Mn) compounds that form molecular ribbons in the solid state, **229**, 135
Surface modification
reversible adsorption of carbon dioxide on amine surface-bonded silica gel, **240**, 183
Surfaces
oxidative addition of surface bound aryl halides at tungsten(0), **240**, 479
Synthesis
synthesis and structure of metallomacrocycles based on isothiosemicarbazides, **238**, 23

Tantalum complexes
synthesis and structure of titanium tetrathiolate and tantalum pentathiolate complexes. Metal–sulfur bonding in early transition metal compounds, **229**, 335
synthesis and ligand substitution reactions of $[Ta(CO)_5NH_3]$, **240**, 379
Tartaric acid
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
Tartaric acid complexes
oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution, **239**, 145
T-cage type complexes
synthesis and some properties of T-cage type $Co^{III}_4Hg^{II}_4$ and $Rh^{III}_4Hg^{II}_4$ octanuclear complexes with 2-aminoethanethiolate, **239**, 19
Technetium complexes
mixed-ligand complexes of technetium XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2](PF_6)$·ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = tert-butylisocyanide), **230**, 189
the synthesis and characterization of a cationic technetium(V) phenylimido complex. The X-ray crystal structure of $[TcCl_2(NPh)(PMe_2Ph)_3](BPh_4)$, **230**, 205
Tc(IV)$Cl_4(PPh_3)_2$ and Tc(III)$Cl_3(CH_3CN)(PPh_3)_2$ as precursors of *trans* dioxo technetium(V) complexes with chelating amines and tetraazamacrocycles, **231**, 147
synthesis and reactions of trigonal-bipyramidal rhenium and technetium complexes with a tripodal, tetradentate NS_3 ligand, **240**, 465
Telluroether complexes
metal carbonyls of telluroether formed by the oxygen atom transfer reaction to $M(CO)_6$ (M = Mo, W) in the presence of (p-$CH_3OC_6H_4)_2TeO$ and relative kinetic investigation, **240**, 661
Template alkylation
transition metal complexes with sulfur ligands. CXI. Skeletal rearrangement of 2,3-dibromo-1-propanol in the template alkylation of $[Ni('S_2C_6H_4')]^{2-}$ ($'S_2C_6H_4'^{2-}$ = 1,2-benzenedithiolate(2−)). Syntheses of [M('S_4-C_3OH')] complexes (M = Ni^{II}, Pt^{II}; 'S_4-$C_3OH'^{2-}$ = 1,3-bis(2-mercaptophenylthio)-2-propanol(2−)), **237**, 137
Template synthesis
barium complexes of Schiff base macrocycles incorporating a difurylpropane unit and bearing a pendant arm, **231**, 217
Ternary complexes
palladium(II) complex formation by indole-3-acetate. Mixed ligand complexes involving a unique spiro-ring formed by cyclopalladation, **235**, 367
molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2'-bipyridine or 2-methylpyrazine, **236**, 149
Terpyridine complexes
mer-[Ru(terpy)Cl_3] (terpy = 2,2':6',2''-terpyridine) shows biological activity, forms interstrand cross-links in DNA and binds two guanine derivatives in a *trans* configuration, **231**, 57
2,2':6',4''-terpyridine: a cyclometallating analogue of 2,2':6',2''-terpyridine for metallosupramolecular chemistry, **235**, 165
electron exchange reaction of bis(terpyridine)cobalt$^{3+/2+}$ re-examined by NMR, **240**, 641
Terpyridine ligand complexes
homoleptic Fe(II) complexes of new 2,2':6',2''-terpyridine ligands with 4'-*p*-hydroquinonyl or 4'-*p*-quinonyl pendants, **239**, 1
Tertiary phosphine complexes
ruthenium complexes containing tertiary phosphines and imidazole or 2,2'-bipyridine ligands, **230**, 111
convenient preparation of $[CuX(PCy_3)_2]$ (X = Br, I, SCN, N_3) complexes. X-ray crystal structure of $[Cu(N_3)(PCy_3)_2]$ (Cy = *cyclo*-C_6H_{11}), **230**, 231
Tetraazamacrocycle complexes
helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands, **236**, 185
Tetraazaporphyrin complexes
iron octaphenyltetraazaporphyrins: synthesis and characterization of the five-coordinate complexes of iron(III) (XFe^{III}OPTAP; X = F, Cl, Br, I, HSO_4), **236**, 131
Tetracyanoethenolate complexes

the versatile coordination chemistry of tricyanoethenolate, $[(NC)_2C{=}C(CN)O]^-$, **240**, 515

Tetradentate ligand complexes
model compounds for polymeric redox-switchable hemilabile ligands, **240**, 347

Tetradentate PN_2S ligand complexes
preparation and characterization of a new rhenium(V) complex containing the 3-diphenylphosphinopropionylglycyl-*L*-(*S*-benzyl)-cysteinyl methyl ester ligand, **240**, 291

Tetraethylorthosilicate
reaction of tetraethylorthosilicate and hexafluoroacetone trihydrate, **229**, 121

Tetrahedral complexes
bis[dihydrobis(1-pyrazolyl)borate]cadmium(II): a monomeric, severely distorted tetrahedral complex of cadmium(II), **240**, 669

Tetrahydrofuran complexes
tetrahydrofuran and 1,2-dimethoxyethane derivatives of vanadium(II) and vanadium(III), **231**, 167

Tetranuclear complexes
a tetranuclear cobalt complex with mercaptopyridine *N*-oxide as ligand. Synthesis and crystal structure of $[Na_3Co_4(\mu_3\text{-}O)_2(mpo)_8(DMF)_4]Br\cdot 2DMF$ (mpo = 2-mercaptopyridine-*N*-oxide), **231**, 153
synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode, **231**, 213
polymeric [{*cyclo*{bis-μ_3(η^2-S,η^1-N)-(1,3-thiazolidine-2-thionato)-bis-μ_4(η^3-S,η^1-N)-(1,3-thiazolidine-2-thionato) tetracopper(I)}-monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K, **237**, 87
synthesis and crystal structure of a tetranuclear bis(diphenylphosphino)methane palladium complex capped by a μ_4-bonded sulfide: $[Pd_4(\mu\text{-dppm})_4(\mu_4\text{-S})]\cdot 4(CH_3)_2CO$, **239**, 159
correlation of structure and emission in solid state copper(I) complexes; $[Cu_4I_4(CH_3CN)_2(L)_2]$, L = aniline derivative, **240**, 559

Tetraphenylporphyrin complexes
synthesis and mesomorphic behaviour of oxochloro[5,10,15,20-tetrakis(4-n-dodecylphenyl)porphinato]molybdenum(V), **238**, 169

Tetrapyrrole complexes
the effect of steric hindrance in the synthesis of corrolates via the cobalt catalyzed cyclization of 2-(α-hydroxyalkyl)pyrroles, **235**, 15

Thallium complexes
synthesis, structure and solid-state polymerization of dimethyl(propynoato)thallium, **229**, 323
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)- 2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129

Thallium reagent
tin and thallium reagents for transfer of the 1,2-di-tert-butylcyclopentadienyl ligand to transition metals, **240**, 653

Thermodynamics
coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids, **237**, 187
lead(II) complexes of 1,4,7,10-tetraazacyclododecane-*N*,*N'*,*N''*,*N'''*-tetraacetate: solution chemistry and application to tumor localization with ^{203}Pb labeled monoclonal antibodies, **239**, 43

Thermodynamic stereoselectivity
weak forces in the thermodynamic stereoselectivity of proton and copper(II) complexes with diastereoisomeric dipeptides containing aromatic side chains, **228**, 119

Thermogravimetry
a thermogravimetric, single crystal X-ray, and spectroscopic study of several iron(III) halide adducts with crown ethers, **239**, 67

Thiamine enzyme complexes
pressure-tuning infrared spectra of the thiamine enzyme 'active aldehyde' intermediate 2-(α-hydroxycyclohexylmethyl)thiamine chloride (HCMT·HCl) and its complex with zinc(II), $Zn(HCMT)Cl_3$, **231**, 191

1,3-Thiazolidine-2-thionato complexes
polymeric [{*cyclo*{bis-μ_3(η^2-S,η^1-N)-(1,3-thiazolidine-2-thionato)-bis-μ_4(η^3-S,η^1-N)-(1,3-thiazolidine-2-thionato) tetracopper(I)}-monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K, **237**, 87

Thiocyanate complexes
main group metal halide complexes with sterically hindered thioureas XV. The crystal and molecular structures of two unique monomeric bismuth(III) thiocyanate complexes with 1,3-dimethyl-2(3*H*)-imidazolethione, **228**, 69
crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]- dicopper(II) diperchlorate, **228**, 173
platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. *Trans* influence studies and detection of linkage isomers of thiocyanate by ^{31}P NMR in $[PtX_2(triphos)]$ complexes, **234**, 109

Thioester complexes
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133

Thioether complexes
coordination and fragmentation of 1,4-dithiacyclohexane by a triosmium cluster, **229**, 47
hexacoordinated complexes of bivalent zinc incorporating thioether binding, **229**, 477
macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes, **230**, 133

Thiohydantoin complexes
coordination compounds of dimethylthallium(III) with 5-(2-pyridinylmethylene)rhodanine or 5-(2-pyridinylmethylene)- 2-thiohydantoin: an unusual case of desmotropic isomerism, **238**, 129

Thiohydroxamic acids
synthesis of monothiohydroxamic ligands and their lead complexes. Structures of *N*-methyl-3-pyridothiohydroxamic acid, bis(*N*-methyl-3-pyridothiohydroxamato) lead(II) and bis(*N*-cyclohexyl-phenylacetothiohydroxamato) lead(II), **235**, 185

Thiolate complexes
structural, spectroscopic and redox characterization of the soluble complexes $[M(SC_6H_4NR_2)_4]^{2-}$ and the effects of N–H···S hydrogen bonds, **228**, 199
bis[4-(2,6-dimethylphenyliminomethyl)-5-pyrazolethiolato]-nickel(II) complexes with an unusual *trans*-planar structure, **228**, 237
synthesis and structure of titanium tetrathiolate and tantalum pentathiolate complexes. Metal–sulfur bonding in early transition metal compounds, **229**, 335
stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)- 1,4,7-triazacyclononane (TACN–TM) and molecular structure of $In(C_{12}H_{24}N_3S_3)$, **236**, 75
effects of Co–S torsion angle variation in a cobalt(II)–thiolate complex: X-ray crystal structure analysis, single-crystal EPR measurements and ligand-field calculations, **238**, 73

Thiolato complexes
ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior, **230**, 173

Thiophene complexes
reactions of (η^5-C_5Me_5)Ir(2,5-dimethylthiophene) with S_8, O_2, SO_2 and CS_2, **235**, 61

Thiopyrimidine ligand complexes
study of the reactivity of Cd(II) with 4,6-dimethyl- 2-thiopyrimidine. Crystal structure of 4,6-dimethyl- 2-thiopyrimidinium trichlorocadmiatum(II), **232**, 139

synthesis, spectroscopic study and crystal structure of bis(4,6-dimethyl-2-thiopyrimidinium) tetrachlorozincatum(II) monohydrate and its solid state transformations, **236**, 197

Thiourea complexes
main group metal halide complexes with sterically hindered thioureas XV. The crystal and molecular structures of two unique monomeric bismuth(III) thiocyanate complexes with 1,3-dimethyl-2(3*H*)-imidazolethione, **228**, 69
X-ray structure of palladium(II) tetrakis-thiourea iodide, a catalyst for carbonylation reactions, **234**, 181

Thorium complexes
sorption and coprecipitation of trace concentrations of thorium with various minerals under conditions simulating an acid uranium mill effluent environment, **229**, 247

Tin complexes
the local structure of solid diorganotin(IV) complexes formed with carbohydrates by X-ray absorption spectroscopy, **230**, 105
synthesis and chemico-physical characterization of tin adducts with 2-imidazolidone, **231**, 139
one-pot synthesis of $CpRe(CO)_2H_2$ and *trans*-$CpRe(CO)_2(SnPh_3)_2$ from *cis*- and *trans*-$CpRe(CO)_2Br_2$ and Ph_3SnH. Involvement of a radical-chain sequence in the formation of $CpRe(CO)_2H_2$, **232**, 57
^{119}Sn Mössbauer isomer shift of octahedral tin(IV) halide complexes, **232**, 195
coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids, **237**, 187
adducts of organotin(IV), tin(IV) and tin(II) halides with 1-methylimidazoline-2(3*H*)-thione (Hmimt) and imidazoline-2(1,3*H*)-thione (Himt). Synthesis, spectroscopic (IR, Mössbauer and ^1H, ^{13}C, ^{119}Sn NMR) studies and in vitro antitumour activity, **239**, 177

Tin compounds
synthetic methodologies for tripodal phosphines. The preparation of $MeSi(CH_2PPh_2)_3$ and n-$BuSn(CH_2PPh_2)_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of $[Rh(NBD)\{n\text{-}BuSn(CH_2PPh_2)_3\}](OTf)$ and $[Rh(NBD)\{MeSi(CH_2PPh_2)_3\}](OTf)$, **235**, 215

Tin reagent
tin and thallium reagents for transfer of the 1,2-di-tert-butylcyclopentadienyl ligand to transition metals, **240**, 653

Titanic ion
formation of the DMPO-OH adduct from Ti(IV) and DMPO in aqueous solution — the first ESR evidence, **234**, 169

Titanium complexes
an X-ray crystallographic study on the molecular structures of seven-coordinate (ethylenediamine-*N*,*N*,*N'*-triacetato-*N'*-acetic acid)(aqua)-titanium(III) and -vanadium(III), $[Ti^{III}(H\text{-edta})(H_2O)]\cdot H_2O$ and $[V^{III}(Hedta)(H_2O)]\cdot H_2O$, **228**, 165
synthesis, spectroscopic studies and reactivity of η^6-arene derivatives of titanium(IV), **229**, 179
synthesis and structure of titanium tetrathiolate and tantalum pentathiolate complexes. Metal–sulfur bonding in early transition metal compounds, **229**, 335
low-nuclearity titanium oxoalkoxides: the trititanates $Ti_3O(OPr^i)_{10}$ and $Ti_3O(OPr^i)_9(OMe)$, **229**, 391
preparation and characterization of a new series of Ti(III) hydroborates supported by silazanate ligands, **235**, 375
the synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes, **236**, 89
heterocycles as ligands 21. Stable titanium carbene complexes, **238**, 179
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117

Titanocene complexes
characterization of titanocene(III) complexes of β-diketonates by electrochemical, spectroscopic and crystallographic methods: stabilization of oxidized and reduced β-diketonate radicals by acetyl and titanocene derivatization, respectively, **235**, 117

Topology
chemical applications of topology and group theory 28. Carbonyl polyhedra in metal carbonyl clusters, **235**, 111

Transesterification
coordination chemistry of iminodiacetic esters. Structural and spectroscopic characterization of copper(II) and zinc(II) monoethyliminodiacetato complexes, **239**, 93

Trans influence
platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. *Trans* influence studies and detection of linkage isomers of thiocyanate by ^{31}P NMR in $[PtX_2(triphos)]$ complexes, **234**, 109
crystal structure of square-planar [1,2-bis(phenylsulfanyl)ethane]dihalogenoplatinum(II) complexes: *cis*-chelate effect and mutual *trans* influence, **234**, 173

3d Transition elements
atomic orbital energies in calcium to copper, **229**, 171

Transition metal complexes
characterization of the isocyanurate complexes M(cyan-*N*)-$(H_2O)_5$(cyan-*N*)$\cdot 2H_2O$ (MNi, Co, Mn) compounds that form molecular ribbons in the solid state, **229**, 135
preparation and spectroscopic studies of the complexes of diacetamide with metal(II) perchlorates, **229**, 165
transition metal complexes of a tridentate biquinone ligand: electronic structures, charge distributions and magnetic properties, **229**, 195
mixed metal complexes of Groups 10 and 11 elements. The structure and properties of $[M(mnt)_2\{Ag(PR_3)_2\}_2]$ (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate), **231**, 35
carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N'*-tert-butyl sulfur diimide. Novel five-membered PNSNM metallacycles, **231**, 249
transition metal complexes of *L*-aziridine-carboxylate, **235**, 391
the vibrations of bridging carbonyl groups as more sensitive indicators of molecular geometry than terminal carbonyl groups in transition metal carbonyl cluster compounds Part 2. Some M_5 species, **235**, 407
magnetic and spectroscopic properties of a series of linear homo- and heterotrinuclear metal compounds with asymmetric 3,4-disubstituted 1,2,4-triazoles as ligands, **239**, 5
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of $[M(CO)_3(\eta^7\text{-}C_7H_7)]^+$ (M = Cr, Mo, W) cations, **240**, 71
syntheses, structures and spectroscopy of new heteroselenometalates, **240**, 239
generation and spectroscopic characterization of new $18+\delta$ electron complexes. Relationship between the stability of $18+\delta$ electron organometallic complexes and their ligand reduction potentials, **240**, 405
formation of dioxygen complexes of transition metal chelates in oxygen saturated aprotic solvents. Cyclic voltammetric evidence at a micro glassy carbon disk electrode, **240**, 609
tin and thallium reagents for transfer of the 1,2-di-tert-butylcyclopentadienyl ligand to transition metals, **240**, 653
metal carbonyls of telluroether formed by the oxygen atom transfer reaction to $M(CO)_6$ (M = Mo, W) in the presence of $(p\text{-}CH_3OC_6H_4)_2TeO$ and relative kinetic investigation, **240**, 661

Transmetallation
an organometallic polyimine copolymer prepared from $\{\eta^6\text{-}1,4\text{-}bis(CHO)C_6H_4\}Cr(CO)_3$ and 1,3-phenylenediamine, **232**, 223

Triazacycloalkane complexes

cadmium(II) complexation by a series of triazacycloalkanes ([x]aneN$_3$, x = 9–12). An equilibrium and structural study, **232**, 131
Triazine complexes
an electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)ruthenium(II): a potential building block for supramolecular systems, **232**, 217
Triazolato complexes
crystal structure of Zn(trz)Cl (trz = 1,2,4-triazolato); a layered compound with triply bridging triazolato groups, **230**, 159
Triazole complexes
magnetic and spectroscopic properties of a series of linear homo- and heterotrinuclear metal compounds with asymmetric 3,4-disubstituted 1,2,4-triazoles as ligands, **239**, 5
Triazolehemiporphyrazines
nickel(II) and copper(II) complexes of mixed benzene–triazolehemiporphyrazines, **230**, 153
Tributylphosphine adduct
the reaction of cadmium dicyclohexyldithiophosphinate with tributylphosphine. The crystal and molecular structures of tetrakis(dicyclohexyldithiophosphinato)dicadmium(II) chloroform solvate, [Cd$_2$(S$_2$PCy$_2$)$_4$]·CHCl$_3$, and of the tributylphosphine adduct [Cd(S$_2$PCy$_2$)$_2$(PBu$_3$)], **239**, 87
Tricarbonyl complexes
tricarbonyl(1,10-phenanthroline)(imidazole)rhenium(I): a powerful photooxidant for investigations of electron tunneling in proteins, **240**, 169
Tridentate ligand complexes
a systematic method of promoting an aryl fluoride to coordinate to ruthenium(II), **228**, 127
equilibrium and kinetic studies on the displacement of pyridine by chloride ion in pyridine[2,6-bis(methylthiomethyl)pyridine]-palladium(II) perchlorate, **235**, 29
easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes, **237**, 57
synthesis and structure of [M(CO)$_4${(PPh$_2$)$_2$CHAu(PPh$_3$)}] (M = Cr, Mo, W), **238**, 173
Tridentate phosphine complexes
X-ray structure of dichloro[bis(2-diphenylphosphinoethyl)-phenylphosphine] (dimethyl sulfoxide)ruthenium(II), **233**, 145
Tridentate phosphorus ligand complexes
platinum(II) complexes of the tridentate ligand 1,1,1-tris(diphenylphosphinomethyl)ethane. *Trans* influence studies and detection of linkage isomers of thiocyanate by ^{31}P NMR in [PtX$_2$(triphos)] complexes, **234**, 109
Trifluoroacetate complexes
unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure, **237**, 19
Trigonal-bipyramidal complexes
synthesis and reactions of trigonal-bipyramidal rhenium and technetium complexes with a tripodal, tetradentate NS$_3$ ligand, **240**, 465
Trimeric complexes
the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N*′))palladium(II)): a 'molecular tricorn', **230**, 225
Trimetallic macrocycle
the crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N*′))palladium(II)): a 'molecular tricorn', **230**, 225
Trinuclear complexes
chemistry of vinylidene complexes XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors, **230**, 97
a new one-dimensional ferromagnetic system starting from an antiferromagnetic trinuclear Cu(II) complex, **231**, 229
cleavage of the central C–C bond of 1,4-diphenyl-1,3-butadiyne: synthesis and crystal structure of a triangular trinickel complex bicapped by phenylacetylide [Ni$_3$(μ-dppm)$_3$(μ$_3$-η^1-C≡CPh)$_2$], **233**, 1
linear trinuclear copper(II) complexes derived from acyclic hexadentate Schiff base ligands, **235**, 273
structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, [Fe$_3$O(O$_2$CCMe$_3$)$_6$(Me$_3$CCO$_2$H)$_3$] (Me = –CH$_3$), **236**, 155
synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ$_2$-η^2,η^2-bridging mode: [Ni$_3$(tmsb)(cod)$_3$], **236**, 181
Trioxygen-bridged dimer
synthesis and characterization of the first organometallic hafnium porphyrin complex Hf(TPP)(Me)$_2$ (TPP = 5,10,15,20-tetraphenylporphyrinate) and crystal structure of its hydrolysis product [Hf(TPP)]$_2$(μ-O)(μ-OH)$_2$, **228**, 233
Tripodal oxygen or nitrogen ligand complexes
a negative ion electrospray mass spectrometric study of complexes in solution formed between uninegative tripodal oxygen or nitrogen ligands and alkali metal ions and alkali metal halides, **233**, 51
Tripodal phosphine complexes
synthetic methodologies for tripodal phosphines. The preparation of MeSi(CH$_2$PPh$_2$)$_3$ and n-BuSn(CH$_2$PPh$_2$)$_3$ and a comparison of their rhodium(I) and ruthenium(II) coordination chemistry. The X-ray crystal structures of [Rh(NBD){n-BuSn(CH$_2$PPh$_2$)$_3$}](OTf) and [Rh(NBD){MeSi(CH$_2$PPh$_2$)$_3$}](OTf), **235**, 215
Tripod ligand complexes
stereognostic coordination chemistry 4 The design and synthesis of a selective uranyl ion complexant, **240**, 593
Tris(2,4,6-trimethoxyphenyl)phosphine
chemistry of tris(2,4,6-trimethoxyphenyl)phosphine with rhodium(I) and iridium(I) olefin complexes, **240**, 527
Tris(diphenylphosphino)methane complexes
the reactions of dirhenium complexes with tris(diphenylphosphino)methane. The conversion of the dirhenium(III) complex *cis*-Re$_2$(O$_2$CCH$_3$)$_2$Cl$_4$(py)$_2$ to mononuclear *trans*-ReCl$_2$[η^2-HC(PPh$_2$)$_3$]$_2$, **235**, 421
Tris(pyrazolyl)borate complexes
rhodium(I) complexes of the type [Tp^{3R,5R}Rh(LL)] (LL = 2 CO, NBD, COD) with trifluoromethyl substituted tris(pyrazolyl)borate ligands and their dynamic behaviour in solution. The X-ray crystal structure of Tp^{CF_3,Me}Rh(CO)$_2$, **240**, 631
Trivalent metal ion complexes
stabilities of the 2-mercaptoethylamine complexes of trivalent metal ions and divalent metal ions in aqueous solution, **231**, 159
synthesis of *N*-hydroxybenzylethylenediamine-*N*,*N*′,*N*′-triacetic acid and the stabilities of its complexes with divalent and trivalent metal ions, **233**, 137
Tropolone complexes
reaction volume for the reaction of the hexaaquairon(III) ion with 4-isopropyltropolone in acidic aqueous solution, **232**, 157
Tropolone ligand complexes
kinetic study on complexation of boric acid with 4-isopropyltropolone in non-aqueous solvents, **231**, 115
Tropylium complexes
kinetics of nucleophilic attack on coordinated organic moieties Part 29. Mechanism of addition of tertiary phosphines and phosphites to the tropylium ring of [M(CO)$_3$(η^7-C$_7$H$_7$)]$^+$ (M = Cr, Mo, W) cations, **240**, 71
Tumor inhibitor
spontaneous aquation reactions of a promising tumor inhibitor *trans*-imidazolium-tetrachlorobis(imidazole)ruthenium(III), *trans*-HIm[RuCl$_4$(Im)$_2$], **233**, 59
Tungsten complexes
synthesis and structure of W$_2$Cl$_4$(μ-dppm)$_2$(η^2-μ-CH$_3$CN), **229**, 113
application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters Part 3. Synthesis, structural

characterization, and spectroscopic studies of the clusters $[\{M(CO)_4\}_n(MS_4)]^{2-}$ (M = Mo, W; n = 1, 2), **230**, 9
synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand η^5-$Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of η^5-$Bz_5C_5Mo(CO)_3I$, **230**, 127
spectroscopic and electrical properties of the $[W(C_3Se_5)_3]^{2-}$ anion complex ($C_3Se_5^{2-}$ = 1,3-diselenole-2-selone-4,5-diselenolate) and the oxidized species, **230**, 235
functionalised phosphine complexes of Group 6 metal carbonyls: structure of pentacarbonyl(phenyl-2-carbaldehyde diphenylphosphine-κP)tungsten, **234**, 163
metathetic reactions involving ditungsten hexapivalate. Preparation and structures of $W_2(O_2C^tBu)_2(O^tBu)_2(N^iPr_2)_2$, $W_2(O_2C^tBu)_4(N^iPr_2)_2$, $W_2(O_2C^tBu)_2(O^tBu)_4$ and $Na_2W_4O_4Cp_2(O_2C^tBu)_6$ solvate where Cp = C_5H_5, **235**, 339
the $ReH_6[P(C_6H_5)_3]_2^-$ ion as a ligand: complexes with $M(CO)_3$ fragments (M = Cr, Mo, W), **240**, 33
oxidative addition of surface bound aryl halides at tungsten(0), **240**, 479
charge transfer photochemistry of quadruply bonded ditungsten halophosphine complexes, **240**, 551

Uranium complexes
synthesis and structure of trisdihydrobis(pyrazolyl)-borate(tetrahydrofuran)uranium(III), $UH(\mu\text{-}H)Bpz_{23}(THF)$: three-center B–H···U(III) interactions in the presence of coordinated THF ligand, **229**, 315
synthesis and coordination chemistry of 2,6-bis(diethoxyphosphino)pyridine *P,P*-dioxide. Crystal and molecular structure of $UO_2(NO_3)_2\{[(EtO)_2P(O)]_2C_5H_3N\}$, **231**, 1
an unusual reduction of uranyl ion to uranium(IV), **234**, 127
Uranyl complexes
synthesis and coordination chemistry of 2,6-bis(diethoxyphosphino)pyridine *P,P*-dioxide. Crystal and molecular structure of $UO_2(NO_3)_2\{[(EtO)_2P(O)]_2C_5H_3N\}$, **231**, 1
stereognostic coordination chemistry 4 The design and synthesis of a selective uranyl ion complexant, **240**, 593
UV–Vis spectrophotometry
coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311

Valence shell electron pair repulsion model
mixing s orbitals into p and d orbitals. An attempt at bridging the angular overlap model and the valence shell electron pair repulsion model. Critique of the cellular ligand-field model, **240**, 581
Vanadate
vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
Vanadate complexes
peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable $K_2[VO(O_2)(C_6H_6NO_6)]\cdot 2H_2O$, **230**, 241
peroxo malato vanadates(V): syntheses, spectra and structure of the $(NH_4)_2[VO(O_2)(C_4H_4O_5)]_2 2H_2O$ dimer with a rhomboidal V_2O_2(hydroxyl) bridging core, **233**, 97
the coordination of 5′-derivatives of adenosine to vanadate, **238**, 155
Vanadate(V) complexes
syntheses and structures of the potassium-ammonium dioxocitratovanadate(V) and sodium oxocitratovanadate(IV) dimers, **237**, 193
Vanadium complexes
an X-ray crystallographic study on the molecular structures of seven-coordinate (ethylenediamine-*N,N,N′*-triacetato-*N′*-acetic acid)-(aqua)titanium(III) and -vanadium(III), $[Ti^{III}$(H-edta)-$(H_2O)]\cdot H_2O$ and $[V^{III}(Hedta)(H_2O)]\cdot H_2O$, **228**, 165
preparation of anhydrous vanadium(II) sulfate compounds from aqueous solutions: the synthesis and characterization of $V(en)_3SO_4$, $V(bpy)_2SO_4$ and $V(py)_4SO_4$, **229**, 27
bisperoxovanadium compounds: synthesis and reactivity of some insulin mimetic complexes, **229**, 253
spectral and electrochemical properties of vanadyl hexadecafluorophthalocyanine, **230**, 41
peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable $K_2[VO(O_2)(C_6H_6NO_6)]\cdot 2H_2O$, **230**, 241
tetrahydrofuran and 1,2-dimethoxyethane derivatives of vanadium(II) and vanadium(III), **231**, 167
hydrothermal synthesis and structural characterization of reduced vanadium phosphates, α-$Rb[V^{III}(HPO_4)_2]$, β-$Rb[V^{III}(HPO_4)_2]$ and $NH_4[V^{III}(HPO_4)_2]$, octahedral–tetrahedral framework solids, **232**, 83
peroxo malato vanadates(V): syntheses, spectra and structure of the $(NH_4)_2[VO(O_2)(C_4H_4O_5)]_2 2H_2O$ dimer with a rhomboidal V_2O_2(hydroxyl) bridging core, **233**, 97
crown thioether complexes of trivalent transition metal ions. The crystal structure of $[Cr(18S6)Cl_3]$, **234**, 35
oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution, **239**, 145
the monofunctionalized 1,4,7-triazacyclononane derivatives 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2) and their complexes with vanadium(IV)/(V). Localized and delocalized electronic structures in compounds containing the mixed valent $[OV^{IV}$–O–$V^{V}O]^{3+}$ core, **240**, 217
Vanadyl citrate complexes
syntheses and structures of the potassium-ammonium dioxocitratovanadate(V) and sodium oxocitratovanadate(IV) dimers, **237**, 193
Vanadyl complexes
spectral and electrochemical properties of vanadyl hexadecafluorophthalocyanine, **230**, 41
Variable-temperature ^{1}H NMR
structure, electrochemical and dynamic behavior of bis(pentamethylcyclopentadienyl)titanium(IV)dithiolene complexes, **239**, 117
Vibrational structures
crystal, molecular, electronic and vibrational structures of di-μ-thiocyanato-bis-[di-(3-aminopropyl)amine]-dicopper(II) diperchlorate, **228**, 173
Vibronic transitions
low energy vibronic transitions of some tetrahalogenocobalt(II) complexes, **240**, 231
Vinyl and aryl ligand
control of the migratory aptitudes of vinyl and aryl ligands in ruthenium(II) complexes, **240**, 263
Vinylcarboxylic acid derivatives
mechanistic aspects of Ru(BINAP)-catalysed asymmetric hydrogenation of vinylcarboxylic acid derivatives, **234**, 95
Vinyl complexes
facile synthesis of substituted vinyl-containing ferrocene derivatives via arsonium salts, **234**, 139
Vinylidene complexes
chemistry of vinylidene complexes XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors, **230**, 97
vinylidene transition-metal complexes XXXVI. Olefin, alkyne, vinylidene, carboxylate and hydrido complexes containing $[Rh(P^tBu_2Me)_2]$ as a molecular unit, **235**, 253
Viologen complexes
charge-transfer complexes of benzylviologen (1,1′-dibenzyl-4,4′-bipyridinium(2+) cation) with cyanocuprate(I) and the structure of $(BzV)_3Cu_9(CN)_{15}\cdot H_2O$, **230**, 145
^{51}V NMR spectroscopy

vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity, **237**, 203
the coordination of 5′-derivatives of adenosine to vanadate, **238**, 155
Voltammetry
characterization of titanocene(III) complexes of β-diketonates by electrochemical, spectroscopic and crystallographic methods: stabilization of oxidized and reduced β-diketonate radicals by acetyl and titanocene derivatization, respectively, **235**, 117

Water exchange
coordination equilibria and water exchange kinetics of lanthanide(III) propylenediaminetetraacetates and other magnetic resonance imaging related complexes, **235**, 311
Water-soluble complexes
homogeneous catalysis in water. On the synthesis and characterization of a ruthenium water-soluble complex: preliminary hydrogenation of olefins in a biphasic system, **238**, 187
Water-soluble phosphine complexes
chemistry in environmentally benign media Part 1. Synthesis and characterization of 1,2-bis[bis(hydroxymethyl)phosphino]ethane ('HMPE'). X-ray structure of $[Pt\{(HOH_2C)_2PCH_2CH_2P(CH_2OH)_2\}_2](Cl)_2$, **240**, 367

Xanthate complexes
pentahalophenyl ethylxanthate complexes of platinum(II). Structures of $(NBu_4)[Pt(C_6F_5)_2(S_2COEt)]$ and $(NBu_4)_2\{Pt_4(C_6F_5)_8[(\mu_3\text{-}S)SCOEt]_2\}$. Unprecedented coordination of the xanthate ligands in the tetranuclear complex, **232**, 35
XDK
alkali metal-responsive geometric and spectral changes in a cobalt(II) complex of a constrained dicarboxylate: a carboxylate shift-mediated metallochromoionophore, **235**, 195
Xerogel formation
reaction of tetraethylorthosilicate and hexafluoroacetone trihydrate, **229**, 121

Ylide complexes
activation of dinuclear gold(I) ylide complexes by Lewis acids. Isomerization of *trans*-$Au(CH_2)_2PPhMe_2$, and the crystal structures of $Au(CH_2)_2PPhMe_2$, $Au(CH_2)_2PPhMe_2SO_{22}$, $Au(CH_2)_2PPh_{22}SO_{22}$ and $Au(CH_2)_2PPhMe_2S_2CNEt_{22}$, **229**, 61
reactions of monodentate tertiary phosphines with the dirhenium(II) alkyne complexes $Re_2Cl_3(\mu\text{-dppm})_2(CO)\text{-}(\eta^2\text{-RCCH})X$ (XPF_6 or O_3SCF_3) to form ylides, **229**, 105

Zeolite complexes
evidence of zeolite-solution equilibrium for isomorphous substitution using aqueous metal fluoride complexes, **229**, 81
Zinc complexes
synthesis and structural determinations of zinc(II) complexes containing dithiol and N,N-heterocyclic ligands, **228**, 81
hexacoordinated complexes of bivalent zinc incorporating thioether binding, **229**, 477
synthesis and characterisation of copper(II), zinc(II) and cobalt(II) complexes of salicylglycine, a metabolite of aspirin, **230**, 209
pressure-tuning infrared spectra of the thiamine enzyme 'active aldehyde' intermediate 2-(α-hydroxycyclohexylmethyl)thiamine chloride (HCMT·HCl) and its complex with zinc(II), $Zn(HCMT)Cl_3$, **231**, 191
synthesis and spectral and electrochemical properties of 2,3,9,10,16,17,23,24-octabutylthiophthalocyaninatozinc(II), **232**, 69
effect of the negative charge of heme propionate on photoinduced electron transfer between zinc myoglobin and methylviologen, **233**, 127
synthesis and characterization of luminescent mixed ligand zinc(II) complexes containing a novel dithiol ligand, **234**, 13
a molecular cluster approach to the study of the bonding of CO and NH_3 to a d^{10} ion on ZnO(0001) and CuCl(111), **235**, 151
synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres, **236**, 141
synthesis, spectroscopic study and crystal structure of bis(4,6-dimethyl-2-thiopyrimidinium) tetrachlorozincatum(II) monohydrate and its solid state transformations, **236**, 197
synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups, **236**, 203
synthesis and crystal structure of μ_4-oxo-hexa-(μ_2-(*N*,*S*)- 1-methylimidazoline-2-thionato)-tetrazinc(II), **237**, 143
zinc complexes of dipyridyl-triazoles, **239**, 13
electrospray mass spectrometry and X-ray crystallography studies of divalent metal ion complexes of tris(2-pyridylmethyl)amine, **239**, 29
coordination chemistry of iminodiacetic esters. Structural and spectroscopic characterization of copper(II) and zinc(II) monoethyliminodiacetato complexes, **239**, 93
Zinc enzymes
polymetallic hydrolytic zinc enzymes. Probing the site of nuclease P1 through cobalt(II) substitution, **234**, 9
Zinc porphyrins
stereochemistry of aquo(5,10,15,20-tetraphenylporphinato)zinc(II) as its 18-crown-6, methylene chloride solvate, **237**, 5
Zircon crystals
absorption spectra of zircon crystals doped with Cr(IV): $ZrSiO_4:Cr^{4+}$, **235**, 349
Zirconium complexes
molecular and crystal structure of zirconium hydroborates, **231**, 175
preparation and spectroscopies of layered zirconium organophosphonates containing pyridinium and its derivative cations, **233**, 173